Author index

ABE, R. *see* YAOSAKA, M.
ABE, Y. *see* YAOSAKA, M.
ABENI, D. *see* SAMPOGNA, F.
ABERER, W. *see* GRIMS, R.H.
ABIDA, O. *see* MEJRI, K.
ACKERMANN, H. *see* BOEHNCKE, S.
ACQUAVIVA, V. *see* ANTINORI, S.
ADA, S. & TÜLIN GÜLŞ, A. CD8+ poikilodermatous mycosis fungoides with a nonaggressive clinical behaviour and a good response to psoralen plus ultraviolet A treatment, 1064
AFFLECK, A.G. & VARMA, S. A case of do-it-yourself Mohs' surgery using bloodroot obtained from the internet, 1078
AFFLECK, P. *see* STRAUSS, R.M.
AGAPITOS, E. *see* MOUZOPOULOS, G.
AGIUS, R. *see* ATHAVALE, P.
AGIUS, R. *see* TURNER, S.
AGLIANÒ, A.M. *see* GRADILONE, A.
AGNER, T. *see* LERBAEK, A.
AGNER, T. *see* NOIESEN, E.
AHMAD, K. & ROGERS, S. Development of Crohn disease in a patient on etanercept for psoriasis, 396
AHMAD, W. *see* TARIQ, M.
AHMED, N. *see* ESCUDIER, M.
AKASAKA, T. *see* WATABE, D.
AKITA, N. *see* NAKANO, H.
AKIYAMA, M. *see* HOSHINA, D.
AKMAN, A. *see* ALPSOY, E.
ALESSANDRINO, P.E. *see* VASSALLO, C.
ALOMAR, A., BICHEL, J. & MCRAE, S. Vehicle-controlled, randomized, double-blind study to assess safety and efficacy of imiquimod 5% cream applied once daily 3 days per week in one or two courses of treatment of actinic keratoses on the head, 133
ALOMAR, A. *see* GARCIA-NAVARRO, X.
ALPSOY, E., DONMEZ, L., ONDER, M., GUNASTI, S., USTA, A., KARINCAOGLU, Y., KANDI, B., BUYUKKARA, S., KESEROGLU, O., UZUN, S., TURSEN, U., SEYHAN, M. & AKMAN, A. Clinical features and natural course of Behçet's disease in 661 cases: a multicentre study, 901
ALTMEYER, P. *see* BECHARA, F.G.
ALTMEYER, P. *see* KREUTER, A.
AMANTEA, A. *see* CAPITANIO, B.
and the IDI Multipurpose Psoriasis Research on Vital Experiences (IMPROVE) investigators *see* SAMPOGNA, F.
ANDERS, M. *see* TORRES, A.
ANGUS, J., ROBERTS, C., KULKARNI, K., LEACH, I. & MURPHY, R. Usefulness of the QuantiFERON® test in the confirmation of latent tuberculosis in association with erythema induratum, 1293
ANHALT, G.J. *see* CUMMINS, D.L.
ANSTEY, A.V. *Photodermatology*. Henry W. Lim, Herbert Hönigsmann & John L.M. Hawk (editors). New York: Informa Healthcare, 2007, 429
ANTAL, A., ZELGER, B., REIFENBERGER, J., NIEHUES, T., FEYEN, O., MEGAHED, M., RUZICKA, T. & HOMEY, B. Multiple eruptive myxoid dermatofibromas: report of first case and review of literature, 382
ANTINORI, S., LONGHI, E., BESTETTI, G., PIOLINI, R., ACQUAVIVA, V., FOSCHI, A., TROVATI, S., PARRAVICINI, C., CORBELLINO, M. & MERONI, L. Post-kala-azar dermal leishmaniasis as an immune reconstitution inflammatory syndrome in a patient with acquired immune deficiency syndrome, 1032
AOCHI, S., NAKANISHI, G., SUZUKI, N., SETSU, N., SUZUKI, D., AYA, K. & IWATSUKI, K. A novel homozygous mutation of the *EVER1/TMC6* gene in a Japanese patient with epidermodysplasia verruciformis, 1265
APARICIO ESPAÑOL, G. *see* HERAS MULERO, C.
ARABATZIS, M., BRUIJNESTEIJN VAN COPPENRAET, L.E.S., KUIJPER, E.J., DE HOOG, G.S., LAVRIJSEN, A.P.M., TEMPLETON, K., VAN DER RAAIJ-HELMER, E.M.H., VELEGRAKI, A., GRÄSER, Y. & SUMMERBELL, R.C. Diagnosis of common dermatophyte infections by a novel multiplex real-time polymerase chain reaction detection/identification scheme, 681
ARACTINGI, S. *see* RÉGNIER, S.
ARAKAWA, C. *see* SEISHIMA, M.
ARAKI, E. *see* NISHIKAWA, M.
ARBAB, E. *see* GRIMS, R.H.
ARDIGÒ, M. *see* VASSALLO, C.
ARGENZIANO, G., ZALAUDEK, I., FERRARA, G., HOFMANN-WELLENHOF, R. & SOYER, H.P. Proposal of a new classification system for melanocytic naevi, 217
ARITA, K., WESSAGOWIT, V., INAMADAR, A.C., PALIT, A., FASSIHI, H., LAI-CHEONG, J.E., POURREYRON, C., SOUTH, A.P. & MCGRATH, J.A. Unusual molecular findings in Kindler syndrome, 1252
ARORA, A. *see* MADKAN, V.K.
AROSTEGUI, J.I. *see* COTO-SEGURA, P.
ASAGOE, K. *see* YAMADA, A.
ASAHINA, A., FUJITA, H., FUKUDA, S., KAI, H., YAMAMOTO, M., HATTORI, N. & MORI, T. Extensive skin pigmentation caused by deposits of metallic particles following total elbow arthroplasty: metallosis or not?, 1074
ASSAF, C. *see* GNIADECKI, R.
ATHAVALE, P., SHUM, K.W., CHEN, Y., AGIUS, R., CHERRY, N. & GAWKRODGER, D.J. ON BEHALF OF EPIDERM. Occupational dermatitis related to chromium and cobalt: experience of dermatologists (EPIDERM) and occupational physicians (OPRA) in the U.K. over an 11-year period (1993–2004), 518
ATHERTON, D. *see* PONNAMPALAM, J.
AURICCHIO, L. *see* ESPOSITO, G.
AUST, M.C., SPIES, M., KALL, S., GOHRITZ, A., BOORBOOR, P., KOLOKYTHAS, P. & VOGT, P.M. Lipomas after blunt soft tissue trauma: are they real? Analysis of 31 cases, 92
AYA, K. *see* AOCHI, S.
AZOULAY, L., ORAICHI, D. & BÉRARD, A. Isotretinoin therapy and the incidence of acne relapse: a nested case–control study, 1240

BABILAS, P., KNOBLER, R., HUMMEL, S., GOTTSCHALLER, C., MAISCH, T., KOLLER, M., LANDTHALER, M. & SZEIMIES, R-M. Variable pulsed light is less painful than light-emitting diodes for topical photodynamic therapy of actinic keratosis: a prospective randomized controlled trial, 111
BACHELEZ, H. *see* VIGUIER, M.
BADENHOOP, K. *see* BOEHNCKE, S.
BAGOT, M. *see* GNIADECKI, R.
BAJAJ, V. & LANGTRY, J.A.A. Use of oral glycopyrronium bromide in hyperhidrosis, 118
BALME, B. *see* BARBERIO, E.
BALME, B. *see* DALLE, S.

BALME, B. see DEBARBIEUX, S.
BALME, B. see PHAN, A.
BAMFORD, M. see HELBLING, I.
BANG, R.H. see ZLOTOFF, B.J.
BANKIER, A. see HANDISURYA, A.
BANNO, T. see KAWACHI, Y.
BANSAL, S., GOEL, A., SARDANA, K., KUMAR, V. & KHURANA, N. Postkala-azar dermal leishmaniasis coexisting with borderline tuberculoid leprosy, 811
BANSAL, S. see GROVER, C.
BAO, S. see FANG, Y.
BARAN, R., SIGURGEIRSSON, B., DE BERKER, D., KAUFMANN, R., LECHA, M., FAERGEMANN, J., KERROUCHE, N. & SIDOU, F. A multicentre, randomized, controlled study of the efficacy, safety and cost-effectiveness of a combination therapy with amorolfine nail lacquer and oral terbinafine compared with oral terbinafine alone for the treatment of onychomycosis with matrix involvement, 149
BARBAROT, S., NICOL, C., VOLTEAU, C., LE FORESTIER, D., N'GUYEN, J.M., MANSAT, E., WOLKENSTEIN, P. & STALDER, J.F. Cutaneous lesions in neurofibromatosis 1: confused terminology, 183
BARBAROT, S. see VOURC'H, M.
BARBERIO, E., THOMAS, L., SKOWRON, F., BALME, B. & DALLE, S. Transformed mycosis fungoides: clinicopathological features and outcome, 284
BARBIER, N. see MURRELL, D.F.
BARBUZZA, O. see VACCARO, M.
BARKHAM, T. see TAN, H-H.
BARNHILL, R.L. see LUGASSY, C.
BARTKOWIAK, J. see ROBAK, E.
BARTRALOT SOLER, R. see HERAS MULERO, C.
BASKETTER, D.A. see WHITE, J.M.L.
BASSAS FREIXAS, P. see HERAS MULERO, C.
BAUER, J.W. see SADLER, E.
BAUZÁ, A., DEL POZO, L.J., ESCALAS, J. & MESTRE, F. Radiation recall dermatitis in a patient affected with pheochromocytoma after treatment with lanreotide, 1061
BAYLISS, S.J. see BERK, D.R.
BÉATRIX, O. see DEBARBIEUX, S.
BECHARA, F.G., SAND, M., TOMI, N.S., ALTMEYER, P. & HOFFMANN, K. Repeat liposuction-curettage treatment of axillary hyperhidrosis is safe and effective, 739
BECK, M. see ORTEU, C.H.
BECK, M.H. see TURNER, S.
BEDINI, C., NASORRI, F., GIROLOMONI, G., DE PITÀ, O. & CAVANI, A. Antitumour necrosis factor-α chimeric antibody (infliximab) inhibits activation of skin-homing CD4+ and CD8+ T lymphocytes and impairs dendritic cell function, 249
BEDNAREK, A. see ROBAK, E.
BEEK, L. see SERCU, S.
BEGON, E. see VIGUIER, M.
BELL, P.M. see SHAW, J.
BELL, R.R., DUNSTAN, R.W. & KHAN, N.K. Skin wound healing in the SKH-1 female mouse following inducible nitric oxide synthase inhibition, 656
BELLOSILLO, B. see PARERA, E.
BELOUSOVA, I.E., NIKONOVA, S.M., SIMA, R. & KAZAKOV, D.V. Granulomatous slack skin with clonal T-cell receptor-γ gene rearrangement in skin and lymph node, 405
BEN AYED, M. see MEJRI, K.
BENAZZO, M. see VASSALLO, C.
BENOIT, S., SEITZ, C.S., HAMM, H., VETTER-KAUCZOK, C.S. & BRÖCKER, E-B. Circumscribed palmar hypokeratosis: partial remission by photodynamic therapy, 804
BÉRARD, A. see AZOULAY, L.
BERGER, V.W. & GEE, E. On confusing prima facie validity with true validity, 425
BERGMANN, C. see SEITZ, C.S.
BERK, D.R. & BAYLISS, S.J. Sock-line bands in infancy, 1063
DE BERKER, D. see BARAN, R.
BERNARDINI, M.L. see CAMPANATI, A.
BERROETA, L., CLARK, C., DAWE, R.S., IBBOTSON, S.H. & FLEMING, C.J. A randomized study of minimal curettage followed by topical photodynamic therapy compared with surgical excision for low-risk nodular basal cell carcinoma, 401
BERROETA, L., MAN, I., GOUDIE, D.R., WHATLEY, S.D., ELDER, G.H. & IBBOTSON, S.H. Late presentation of erythropoietic protoporphyria: case report and genetic analysis of family members, 1030
BES, M. see DURUPT, F.
BESCHMANN, H. see BOEHNCKE, S.
BESTETTI, G. see ANTINORI, S.
BEYLOT-BARRY, M. see STOKKERMANS-DUBOIS, J.
BÉZIEAU, S. see KILIC, S.S.
BIAGINI, G. see TUCCI, M.G.
BICHEL, J. see ALOMAR, A.
BIEBER, T. see WENZEL, J.
BILKER, W. see MARGOLIS, D.J.
BIRMACHU, W. see TORRES, A.
BISGAARD, H. see LERBAEK, A.
BISSET, Y. see FINNEN, M.J.
BISWAS, A., COOPER, J. & LATIFAJ, B. Metastatic calcinosis cutis presenting as bilateral vulval cysts, 622
BIZIKOVA, P. see OLIVRY, T.
BJÖRK, J. see EKQVIST, S.
BLACK, M.M. see ESCUDIER, M.
BLANC-AMRANE, V. see DEL GIUDICE, P.
BLAZQUEZ, S. see ZABALLOS, P.
BLOMGREN, B. see JOHANNESSON, U.
BODET CASTILLO, D. see HERAS MULERO, C.
BOEHNCKE, S., THACI, D., BESCHMANN, H., LUDWIG, R.J., ACKERMANN, H., BADENHOOP, K. & BOEHNCKE, W-H. Psoriasis patients show signs of insulin resistance, 1249
BOEHNCKE, W-H. see BOEHNCKE, S.
BÖER, A. see RÖGLIN, J.
BOERSMA, I.H. see VERFAILLE, C.J.
BOGUNIEWICZ, M. see SPERGEL, J.M.
BÖHM, M. see VOLZ, A.
BOHM-STARKE, N. see JOHANNESSON, U.
BOISSY, C. see DEL GIUDICE, P.
BOLLING, M.C., MEKKES, J.R., GOLDSCHMIDT, W.F.M., VAN NOESEL, C.J.M., JONKMAN, M.F. & PAS, H.H. Acquired palmoplantar keratoderma and immunobullous disease associated with antibodies to desmocollin 3, 168
BOLTON, A. see TURNER, S.
BONNET-DUQUENNOY, M. see SAUVAIGO, S.
BONTÉ, F. see SAUVAIGO, S.
BOO, Y.C. see LEE, J.
BOOHER, S. see COWEN, E.W.
BOON, A.P. see STRAUSS, R.M.
BOORBOOR, P. see AUST, M.C.
BORALEVI, F. see MORICE-PICARD, F.
BORDIGNON, V. see CAPITANIO, B.
BORGERS, M. see VERFAILLE, C.J.

BORGIA, F. see VACCARO, M.
BORIANI, F. & MARCONI, F. Basal cell carcinomas of the inner canthus: incidence of incomplete excision according to topographical localization of tumours, 1301
BORNSHIN, S. see HAYDOCK, S.F.
BORRONI, G. see VASSALLO, C.
BORRONI, R.G. see ROSSI, A.
BOSCHIERO, L. see GOMEZ LIRA, M.
BOTEY, A. see MORENO-ROMERO, J.A.
BOUABDALLAH, K. see STOKKERMANS-DUBOIS, J.
BOURKE, J. see MALIK, M.
BOUWES BAVINCK, J.N. see SIDOROFF, A.
BRAATHEN, L.R. see SIMON, D.
BRANCORSINI, D. see TUCCI, M.G.
BRAUN, R.P., GAIDE, O., OLIVIERO, M., KOPF, A.W., FRENCH, L.E., SAURAT, J-H. & RABINOVITZ, H.S. The significance of multiple blue-grey dots (granularity) for the dermoscopic diagnosis of melanoma, 907
BRAUN, R.P. see PERRINAUD, A.
BRAZZELLI, V. see VASSALLO, C.
BREETVELD, M. see LE DUC, Q.
BRÖCKER, E-B. see BENOIT, S.
BRÖCKER, E-B. see WACHTER, T.
BROCKMEYER, N.H. see KREUTER, A.
BROOKLYN, T.N., WILLIAMS, A.M., DUNNILL, M.G.S. & PROBERT, C.S. T-cell receptor repertoire in pyoderma gangrenosum: evidence for clonal expansions and trafficking, 960
BROSTRÖM, U. see BURACZEWSKA, I.
BROWN, S.J., TALKS, S.J., NEEDHAM, S.J. & TAYLOR, A.E.M. Pseudoxanthoma elasticum: biopsy of clinically normal skin in the investigation of patients with angioid streaks, 748
BROWN, V.L. see STAVRAKOGLOU, A.
BROWNELL, I. & STROBER, B.E. Folate with methotrexate: big benefit, questionable cost, 213
BRÜCHER, J-J., FRANKE, I., ULRICH, J., GOLLNICK, H. & LEVERKUS, M. Giant genital variant of folliculosebaceous cystic hamartoma: successful management by CO_2 laser and acitretin therapy, 833
BRUCKNER-TUDERMAN, L. see VOLZ, A.
BRUIJNESTEIJN VAN COPPENRAET, L.E.S. see ARABATZIS, M.
BRUZE, M. see EKQVIST, S.
BUCKLEY, D.A. see WHITE, J.M.L.
BUCKLEY, D.A. Fragrance ingredient labelling in products on sale in the U.K., 295
BULBULIAN, B.J. see TORRES, A.
BUNKER, C.B. Male genital lichen sclerosus and tacrolimus, 1079
BURACZEWSKA, I., BROSTRÖM, U. & LODÉN, M. Artificial reduction in transepidermal water loss improves skin barrier function, 82
BUTLER, P. see LLOYD, M.S.
BUYUKKARA, S. see ALPSOY, E.

CABANE, J. see FARDET, L.
CÁCERES MENDEZ, O.A. see PIEPENBRING, M.
CALISTA, D. Treatment of lentigo maligna with topical 1% cidofovir, 421
CALLEJAS-RUBIO, J-L. see RIOS-FERNÁNDEZ, R.
CALVIERI, S. see MURRELL, D.F.
CALVIERI, S. see ROSSI, A.
CAMPANATI, A., GOTERI, G., SIMONETTI, O., GANZETTI, G., GIULIODORI, K., STRAMAZZOTTI, D., MORICHETTI, D., BERNARDINI, M.L., MANNELLO, B., FABRIS, G. & OFFIDANI, A. CTACK/CCL27 expression in psoriatic skin and its modification after administration of etanercept, 1155
CAPITANIO, B., SINAGRA, J.L., OTTAVIANI, M., BORDIGNON, V., AMANTEA, A. & PICARDO, M. 'Smoker's acne': a new clinical entity?, 1070
CAPOMAGI, C. see GOTERI, G.
CARDER, M. see TURNER, S.
CARDONE, C. see MOURMOURAS, V.
CARIOLA, F. see ROSSI, A.
CARLESIMO, M. see ROSSI, A.
CARR, R.A. see TAIBJEE, S.M.
CASTELIJNS, F.C.M. see STEIJLEN, P.M.
CASTRO, L.G.M. see TAKAHASHI, M.D.F.
CAUMES, E. see DEL GIUDICE, P.
CAVANI, A. see BEDINI, C.
CELLA, D. see KRISHNAN, R.
CESTARI, T.F. see MARTIGNAGO, B.C.F.
CHALLACOMBE, S.J. see ESCUDIER, M.
CHAN, I. see COX, G.A.
CHAN, K.H.N., TANG, W.Y.M., LAM, W.Y. & LO, K.K. Eruptive vellus hair cysts presenting as bluish-grey facial discoloration masquering as naevus of Ota, 188
CHAPMAN, A. see SINCLAIR, R.
CHARAKIDA, A., CHARAKIDA, M. & CHU, A.C. Double-blind, randomized, placebo-controlled study of a lotion containing triethyl citrate and ethyl linoleate in the treatment of acne vulgaris, 569
CHARAKIDA, M. see CHARAKIDA, A.
CHARLTON, M.R. see OTLEY, C.C.
CHEN, B. see SHAW, J.
CHEN, G-S. see HU, S.C-S.
CHEN, Y. see ATHAVALE, P.
CHENG, H. see ZHU, K.J.
CHENG, K.F. see HON, K.L.E.
CHERRY, N. see ATHAVALE, P.
CHEVRANT-BRETON, J. see MEYER, N.
CHIMENTI, S. see COSTANZO, A.
CHIOU, C.F. see KRISHNAN, R.
CHIU, C-T. see YANG, C-H.
CHIU, H.C. see LIAO, Y.H.
CHIU, H-C. see HONG, J-B.
CHO, K.H. see KIM, H.J.
CHOI, C. see YUN, S.J.
CHOI, J.Y. see OH, S-W.
CHOWDHURY, M.M.U. see SHAH, D.
CHU, A.C. see CHARAKIDA, A.
CHUNG, H.J. see GOO, B.
CHUNG, K.Y. see GOO, B.
CHUNG, W.G. see GOO, B.
CIANCHINI, G., MASINI, C., LUPI, F., CORONA, R., DE PITÀ, O. & PUDDU, P. Severe persistent pemphigoid gestationis: long-term remission with rituximab, 388
CIGNA, E. see GRADILONE, A.
CINN, Y.W. see KIM, H.J.
CIOCON, D.H. & KIMBALL, A.B. Psoriasis and psoriatic arthritis: separate or one and the same?, 850
CLARK, A. see LLOYD, M.S.
CLARK, C. see BERROETA, L.
COEL, M. see VERFAILLE, C.J.
COLLINS, P. see MOLONEY, F.J.
CONNICK, R.M. see HAYDOCK, S.F.
CONSTANTINU, M. see ROBAK, E.
CONTI, A. see GISONDI, P.
COOK-NORRIS, R.H. see MADKAN, V.K.
COOPER, J. see BISWAS, A.

CORBELLINO, M. see ANTINORI, S.
CORNELIS, F. see MEJRI, K.
CORONA, R. see CIANCHINI, G.
CORONA, S. see VASSALLO, C.
COSCI, E. see MOURMOURAS, V.
COSTANZO, A., PAPOUTSAKI, M., MAZZOTTA, A. & CHIMENTI, S. Consecutive use of different biological therapies in the treatment of psoriasis, 394
COSTA-ROMERO, M. see COTO-SEGURA, P.
COTO-SEGURA, P., MALLO-GARCIA, S., COSTA-ROMERO, M., AROSTEGUI, J.I., YAGUE, J., RAMOS-POLO, E. & SANTOS-JUANES, J. A sporadic case of early-onset sarcoidosis resembling Blau syndrome due to the recurrent R334W missense mutation on the *NOD2* gene, 1257
COUNILLON, E. see DEL GIUDICE, P.
COUTTS, I. see STAVRAKOGLOU, A.
COWEN, E.W., LIU, C-W., STEINBERG, S.M., KANG, S., VONDERHEID, E.C., KWAK, H.S., BOOHER, S., PETRICOIN, E.F., LIOTTA, L.A., WHITELEY, G. & HWANG, S.T. Differentiation of tumour-stage mycosis fungoides, psoriasis vulgaris and normal controls in a pilot study using serum proteomic analysis, 946
COWPER, S.E. see MORENO-ROMERO, J.A.
COX, G.A., CHAN, I., LLOYD, J., WITHEROW, R.O. & LEONARD, J.N. Urachal sinus presenting as periumbilical dermatitis, 419
CRIBIER, B. see LIPSKER, D.
CRUMRINE, D. see DENDA, M.
CSOMOR, J. see MARSCHALKÓ, M.
CUMBER, P. see SHAH, D.
CUMMINS, D.L., ANHALT, G.J., MONAHAN, T. & MEYERLE, J.H. Treatment of pyoderma gangrenosum with intravenous immunoglobulin, 1235
CZARNECKI, D. see LY, L.

DALLE, S., MARROU, K., BALME, B. & THOMAS, L. Neonatal follicular mucinosis, 609
DALLE, S. see BARBERIO, E.
DALLE, S. see DEBARBIEUX, S.
DALLE, S. see PHAN, A.
DALMAU, J. see GARCIA-NAVARRO, X.
DAWE, R.S. see BERROETA, L.
DE NISI, M.C. see MOURMOURAS, V.
DE OLIVEIRA, W.R.P. see RADY, P.L.
DE PITÀ, O. see CIANCHINI, G.
DEBARBIEUX, S., DURU, G., DALLE, S., BÉATRIX, O., BALME, B. & THOMAS, L. Sentinel lymph node biopsy in melanoma: a micromorphometric study relating to prognosis and completion lymph node dissection, 58
DEENI, Y.Y. see SMITH, G.
DEL GIUDICE, P., CAUMES, E., BOISSY, C., LEDUFF, F., DELAUNAY, P., BLANC-AMRANE, V., GOFF-LEVAN, S.L., MARTY, P., LE FICHOUX, Y. & COUNILLON, E. An outbreak of creeping eruption in southern France, 824
DEL POZO, L.J. see BAUZÁ, A.
DELANEY, S. see LACEY, N.
DELAUNAY, P. see DEL GIUDICE, P.
DEMETER, J. see MARSCHALKÓ, M.
DENDA, M., TSUTSUMI, M., INOUE, K., CRUMRINE, D., FEINGOLD, K.R. & ELIAS, P.M. Potassium channel openers accelerate epidermal barrier recovery, 888
DENDA, M. see TSUTSUMI, M.
DÉSAKNAI, M. see MARSCHALKÓ, M.
DEVIRGILIIS, V. see ROSSI, A.
DIFFEY, B. Sunbeds, beauty and melanoma, 215
DIFFEY, B.L. & FARR, P.M. The challenge of follow-up in narrowband ultraviolet B phototherapy, 344
DISCEPOLI, G. see GOTERI, G.
DODSON, H.I. see WILSON, A.S.
DOLIANITIS, C. see TUXEN, A.J.
DONMEZ, L. see ALPSOY, E.
DOUGHTY, L. see GERAMI, P.
DOUTRE, M.S. see STOKKERMANS-DUBOIS, J.
DUBERTRET, L. see VIGUIER, M.
DUBUCQUOI, S. see VERCAMBRE-DARRAS, S.
DUFOUR, J. see MEYER, N.
DUMMER, R. see GNIADECKI, R.
DUNANT, A. see SIDOROFF, A.
DUNN, M. see KRISHNAN, R.
DUNNILL, M.G.S. see BROOKLYN, T.N.
DUNSTAN, R.W. see BELL, R.R.
DUPIN, N. see RÉGNIER, S.
DURU, G. see DEBARBIEUX, S.
DURUPT, F., MAYOR, L., BES, M., REVERDY, M-E., VANDENESCH, F., THOMAS, L. & ETIENNE, J. Prevalence of *Staphylococcus aureus* toxins and nasal carriage in furuncles and impetigo, 1161
DUVIC, M. see GNIADECKI, R.
DYER, M.J.S. see HELBLING, I.
DYTOC, M.T., KOSSINTSEVA, I. & TING, P.T. First case series on the use of calcipotriol–betamethasone dipropionate for morphoea, 615

EDWARDS, B.S. see OTLEY, C.C.
VAN EGMOND, S. see SINCLAIR, R.
EHRLICH, R. see KHUMALO, N.P.
EISENDLE, K., GRABNER, T. & ZELGER, B. Morphoea: a manifestation of infection with *Borrelia* species?, 1189
EISENDLE, K., JASCHKE, W. & SEPP, N. Livedo racemosa and digital necrosis in a patient with primary seronegative antiphospholipid syndrome and fibromuscular dysplasia of peripheral arteries, 389
EKQVIST, S., SVEDMAN, C., MÖLLER, H., KEHLER, M., PRIPP, C.M., BJÖRK, J., GRUVBERGER, B., HOLMSTRÖM, E., GUSTAVSSON, C.G. & BRUZE, M. High frequency of contact allergy to gold in patients with endovascular coronary stents, 730
ELDER, G.H. see BERROETA, L.
ELIAS, P.M. see DENDA, M.
ELLIOTT, F. see STRAUSS, R.M.
ENGEL, F. see LIPSKER, D.
ENGLISH, J. see TSAO, H.
ENGLISH, J.S.C. see JOHNSTON, G.A.
ENJOLRAS, O. see RÉGNIER, S.
ENK, A. see GHOLAM, P.
ENRÍQUEZ DE SALAMANCA, R. see MÉNDEZ, M.
EPISTOLATO, M.C. see MOURMOURAS, V.
ERŐS, N. see MARSCHALKÓ, M.
ESCALAS, J. see BAUZÁ, A.
ESCUDIER, M., AHMED, N., SHIRLAW, P., SETTERFIELD, J., TAPPUNI, A., BLACK, M.M. & CHALLACOMBE, S.J. A scoring system for mucosal disease severity with special reference to oral lichen planus, 765
ESPINO ESPINOZA, A.A. see PIEPENBRING, M.
ESPOSITO, G., TADINI, G., PAPARO, F., VIOLA, A., IENO, L., PENNACCHIA, W., MESSINA, F., GIORDANO, L., PICCIRILLO, A. & AURICCHIO, L. Transglutaminase 1 deficiency and corneocyte collapse: an indication for targeted molecular screening in autosomal recessive congenital ichthyosis, 808
ESTINES-CHARTIER, O. see FAGUER, S.
ETIENNE, J. see DURUPT, F.
EVANS, A. see MULLER, F.M.

FABBI, M. see VASSALLO, C.
FABRIS, G. see CAMPANATI, A.
FAERGEMANN, J. see BARAN, R.
FAGOT, J-P. see SIDOROFF, A.
FAGUER, S., LAUNAY, F., YSEBAERT, L., MAILHOL, C., ESTINES-CHARTIER, O., LAMANT, L. & PAUL, C. Acute cutaneous T-cell lymphoma transformation during treatment with alemtuzumab, 841
FAJARDY, I. see VERCAMBRE-DARRAS, S.
FANG, K. see ZUO, Y-G.
FANG, Y., GONG, S-J., XU, Y-H., HAMBLY, B.D. & BAO, S. Impaired cutaneous wound healing in granulocyte/macrophage colony-stimulating factor knockout mice, 458
FARDET, L., FLAHAULT, A., KETTANEH, A., TIEV, K.P., GÉNÉREAU, T., TOLÉDANO, C., LEBBÉ, C. & CABANE, J. Corticosteroid-induced clinical adverse events: frequency, risk factors and patient's opinion, 142
FARR, P.M. see DIFFEY, B.L.
FARR, P.M. see SMITH, G.
FASSIHI, H. see ARITA, K.
FAVIER, A. see SAUVAIGO, S.
FAZIOLI, F. see GOTERI, G.
FAZZA, B. see MEJRI, K.
FEINGOLD, K.R. see DENDA, M.
FERGUSON, J. see KERR, A.C.
FERGUSON, J. see OLIVER, H.
FERGUSON, J. see SMITH, G.
FERNÁNDEZ-FIGUERAS, M.T. see GARCIA-NAVARRO, X.
FERNÁNDEZ-PUGNAIRE, M. see RIOS-FERNÁNDEZ, R.
FERRARA, G. see ARGENZIANO, G.
FERREIRA, H. see MOURA, D.F.
FESTA, C. see RADY, P.L.
FEYEN, O. see ANTAL, A.
FIMIANI, M. see MOURMOURAS, V.
FINCHER, E.F. see KOUBA, D.J.
FINLAY, A.Y. see THOMAS, C.L.
FINNEN, M.J., HENNESSY, A., MCLEAN, S., BISSET, Y., MITCHELL, R., MEGSON, I.L. & WELLER, R. Topical application of acidified nitrite to the nail renders it antifungal and causes nitrosation of cysteine groups in the nail plate, 494
FISCHER, L.A., JOHANSEN, J.D. & MENNÉ, T. Nickel allergy: relationship between patch test and repeated open application test thresholds, 723
FLAHAULT, A. see FARDET, L.
FLAIG, M.J. & RUPEC, R.A. Cutaneous pseudolymphoma in association with *Leishmania donovani*, 1042
FLEMING, C.J. see BERROETA, L.
FLEMING, J. see WHITE, J.M.L.
FOK, T.F. see HON, K.L.E.
FONTANELLAS, A. see MÉNDEZ, M.
FORNI, A. see GOMEZ LIRA, M.
FÖRSTI, A. see WILKENING, S.
FOSCHI, A. see ANTINORI, S.
FRANK, J. see MÉNDEZ, M.
FRANK, J. see SEITZ, C.S.
FRANKE, I. see BRÜCHER, J-J.
FRENCH, L.E. see BRAUN, R.P.
FRENCH, L.E. see PERRINAUD, A.
FRIEDMANN, P.S. The relationships between exposure dose and response in induction and elicitation of contact hypersensitivity in humans, 1093
FUJIKURA, M., OHTSUKA, T. & OYAMADA, Y. Systemic sclerosis in association with peristomal pyoderma gangrenosum, 618
FUJIMOTO, M. see KUWANO, Y.
FUJISAWA, Y. see KAWACHI, Y.
FUJITA, H. see ASAHINA, A.
FUKUDA, S. see ASAHINA, A.
FULCO, T.O. see MOURA, D.F.
FUNG, K.P. see HON, K.L.E.
FURUE, M. see IMAFUKU, S.
FURUE, M. see KIDO, M.
FURUTA, J. see KAWACHI, Y.

GAIDE, O. see BRAUN, R.P.
GAIDE, O. see PERRINAUD, A.
GALLAGHER, P.R. see SPERGEL, J.M.
GALLARDO, F. see PARERA, E.
GAMBICHLER, T. see KREUTER, A.
GANDINI, O. see GRADILONE, A.
GANZETTI, G. see CAMPANATI, A.
GARCÍA-BRAVO, M. see MÉNDEZ, M.
GARCIA-NAVARRO, X., PUIG, L., FERNÁNDEZ-FIGUERAS, M.T., DALMAU, J., ROE, E. & ALOMAR, A. Bortezomib-associated cutaneous vasculitis, 799
GARCÍA-PATOS, V. see HERAS MULERO, C.
GARRIDO-ASTRAY, M.C. see MÉNDEZ, M.
GAWKRODGER, D.J. see ATHAVALE, P.
GAZZANIGA, P. see GRADILONE, A.
GEE, B.C. see HAGUE, J.S.
GEE, B.C. see TAIBJEE, S.M.
GEE, E. see BERGER, V.W.
VAN GEEL, M. see STEIJLEN, P.M.
GÉNÉREAU, T. see FARDET, L.
GENTILE, M. see ROSSI, A.
GERAMI, P., WALLING, H.W., LEWIS, J., DOUGHTY, L. & SONTHEIMER, R.D. A systematic review of juvenile-onset clinically amyopathic dermatomyositis, 637
GHOLAM, P., HARTMANN, M. & ENK, A. Arndt–Gottron scleromyxoedema: successful therapy with intravenous immunoglobulins, 1058
GIACCHETTI, A. see GOTERI, G.
GIACCHETTI, A. see TUCCI, M.G.
GIACOMINI, F. see NERI, I.
GIANNETTI, A. see GISONDI, P.
GIBBS, S. see LE DUC, Q.
GILBERT, D. see MEJRI, K.
GILCHREST, B.A. see YAAR, M.
GILLITZER, R. see TOKSOY, A.
GIORDANO, L. see ESPOSITO, G.
GIRAUD, M. see KILIC, S.S.
GIROLOMONI, G. see BEDINI, C.
GIROLOMONI, G. see GISONDI, P.
GIROLOMONI, G. see GOMEZ LIRA, M.
GISONDI, P., TESSARI, G., CONTI, A., PIASERICO, S., SCHIANCHI, S., PESERICO, A., GIANNETTI, A. & GIROLOMONI, G. Prevalence of metabolic syndrome in patients with psoriasis: a hospital-based case–control study, 68
GIULIODORI, K. see CAMPANATI, A.
GLÄSER, R. see HÜGEL, R.
GLAZENBURG, E.J. see ORANJE, A.P.
GLEŃ, J. see NEDOSZYTKO, B.
GLENDINNING, A. see WHITE, J.M.L.
GNIADECKI, R., ASSAF, C., BAGOT, M., DUMMER, R., DUVIC, M., KNOBLER, R., RANKI, A., SCHWANDT, P. & WHITTAKER, S. The optimal use of bexarotene in cutaneous T-cell lymphoma, 433

GOEBELER, M. see TOKSOY, A.
GOEL, A. see BANSAL, S.
GOFF-LEVAN, S.L. see DEL GIUDICE, P.
GOHRITZ, A. see AUST, M.C.
GOLDSCHMIDT, W.F.M. see BOLLING, M.C.
GOLLNICK, H. see BRÜCHER, J-J.
GOMEZ LIRA, M., MAZZOLA, S., TESSARI, G., MALERBA, G., ORTOMBINA, M., NALDI, L., REMUZZI, G., BOSCHIERO, L., FORNI, A., RUGIU, C., PIASERICO, S., GIROLOMONI, G. & TURCO, A. Association of functional gene variants in the regulatory regions of COX-2 gene (PTGS2) with nonmelanoma skin cancer after organ transplantation, 49
GONG, S-J. see FANG, Y.
GOO, B., CHUNG, H.J., CHUNG, W.G. & CHUNG, K.Y. Intramuscular immunoglobulin for recalcitrant suppurative diseases of the skin: a retrospective review of 63 cases, 563
GOODLAD, J.R. see MULLER, F.M.
GOTERI, G., RUPOLI, S., STRAMAZZOTTI, D., DISCEPOLI, G., SCORTECHINI, A.R., GIACCHETTI, A., MORICHETTI, D., TASSETTI, A., PULINI, S., MULATTIERI, S., STRONATI, A. & LEONI, P. Coexistence of two discordant B-cell lymphomas in the skin and lymph node: report of a case with primary cutaneous follicle-center lymphoma and nodal mantle-cell lymphoma, 629
GOTERI, G., SIMONETTI, O., RUPOLI, S., PICCININI, G., RUBINI, C., STRAMAZZOTTI, D., FAZIOLI, F., CAPOMAGI, C., LEONI, P., OFFIDANI, A.M. & LOMUZIO, L. Differences in survivin location and Bcl-2 expression in CD30+ lymphoproliferative disorders of the skin compared with systemic anaplastic large cell lymphomas: an immunohistochemical study, 41
GOTERI, G. see CAMPANATI, A.
GOTO, M. see YASUKAWA, K.
GOTTLIEB, A.B. see KRISHNAN, R.
GOTTSCHALLER, C. see BABILAS, P.
GOUDIE, D.R. see BERROETA, L.
GOULDING, J.M.R. see HAGUE, J.S.
GRABNER, T. see EISENDLE, K.
GRADILONE, A., GAZZANIGA, P., CIGNA, E., VASATURO, F., VINCENZI, B., GANDINI, O., SILVESTRI, I., RIBUFFO, D., SCARPA, S., SCUDERI, N. & AGLIANÒ, A.M. Fibronectin and laminin expression in sentinel lymph nodes of patients with malignant melanoma, 398
GRÄSER, Y. see ARABATZIS, M.
GRATTAN, C.E.H. & HUMPHREYS, F. ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS THERAPY GUIDELINES AND SUBCOMMITTEE. Guidelines for evaluation and management of urticaria in adults and children, 1116
GREENBLATT, D. see SHETH, N.
GREENLAND, K.J. see SINCLAIR, R.
GREGORIOU, S., KALOGEROMITROS, D., LARIOS, G., MAKRIS, M. & RIGOPOULOS, D. Impact of a public service advertisement about onychomycosis on the health behaviour of the Greek population with nail disorders, 821
GRIFFIN, M.D. see OTLEY, C.C.
GRIMS, R.H., WEGER, W., REITER, H., ARBAB, E., KRÄNKE, B. & ABERER, W. Delayed-type hypersensitivity to low molecular weight heparins and heparinoids: cross-reactivity does not depend on molecular weight, 514
GROVER, C., BANSAL, S., NANDA, S., REDDY, B.S.N. & KUMAR, V. Combination of surgical avulsion and topical therapy for single nail onychomycosis: a randomized controlled trial, 364
GRUVBERGER, B. see EKQVIST, S.
GUARNERI, B. see VACCARO, M.
GUARNERI, C. & GUARNERI, F. Mondor's phlebitis after using tadalafil, 209
GUARNERI, F. see GUARNERI, C.
GUERRA, A.P. see MAVILIA, L.
GUILHOU, J.-J. see MOLÈS, J-P.
GUMEDZE, F. see KHUMALO, N.P.
GUNASTI, S. see ALPSOY, E.
GUO, Y.L. see LEE, Y-L.
GUPTA, A.K., ZAMAN, M. & SINGH, J. Fast and sensitive detection of *Trichophyton rubrum* DNA from the nail samples of patients with onychomycosis by a double-round polymerase chain reaction-based assay, 698
GURZAU, E. see WILKENING, S.
GUSTAVSSON, C.G. see EKQVIST, S.
GUTIERREZ-SALMERÓN, M.T. see RIOS-FERNÁNDEZ, R.
GUTTMAN-YASSKY, E. & KRUEGER, J.G. Psoriasis: evolution of pathogenic concepts and new therapies through phases of translational research, 1103

HAGUE, J.S., GOULDING, J.M.R., LONG, T.M.W. & GEE, B.C. Respiratory involvement in toxic epidermal necrolysis portends a poor prognosis that may not be reflected in SCORTEN, 1294
HAKAMADA, A. see KUROKAWA, I.
HALEVY, S. see SIDOROFF, A.
HAMADA, T., YASUMOTO, S., KARASHIMA, T., ISHII, N., SHIMADA, H., KAWANO, Y., IMAYAMA, S., MCGRATH, J.A. & HASHIMOTO, T. Recurrent p.N767S mutation in the *ATP2A2* gene in a Japanese family with haemorrhagic Darier disease clinically mimicking epidermolysis bullosa simplex with mottled pigmentation, 605
HAMADA, T. see YAMADA, A.
HAMASAKA, K. see HOSHINA, D.
HAMBLY, B.D. see FANG, Y.
HAMETNER, R. see SADLER, E.
HAMILTON, T.A. see HELFRICH, Y.R.
HAMM, H. see BENOIT, S.
HAMM, H. see SEITZ, C.S.
HAMPTON, P.J., ROSS, O.K. & REYNOLDS, N.J. Increased nuclear β-catenin in suprabasal involved psoriatic epidermis, 1168
HANDISURYA, A., RIEGER, A., BANKIER, A., KOLLER, A., SALAT, A., STINGL, G. & KIRNBAUER, R. Human papillomavirus type 26 infection causing multiple invasive squamous cell carcinomas of the fingernails in an AIDS patient under highly active antiretroviral therapy, 788
HANN, S., HUGHES, T.M. & STONE, N.M. Flexural allergic contact dermatitis to benzalkonium chloride in antiseptic bath oil, 795
HARMAN, K.E. see HELBLING, I.
HARMAN, K.E. see MACBETH, A.E.
HARPER, J.I. see MAZEREEUW-HAUTIER, J.
HARPER, J.I. see PURVIS, D.J.
HÁRSING, J. see MARSCHALKÓ, M.
HARTMANN, M. see GHOLAM, P.
HASAN, T. see JÄRVINEN, T.M.
HASHIMOTO, K. see TOHYAMA, M.
HASHIMOTO, T. see HAMADA, T.
HASHIMOTO, T. see YAHARA, H.
HATAMOCHI, A., SASAKI, T., KAWAGUCHI, T., SUZUKI, H. & YAMAZAKI, S. A novel point mutation in the gene encoding capillary morphogenesis protein 2 in a Japanese patient with juvenile hyaline fibromatosis, 1037
HATTORI, N. see ASAHINA, A.

HAYASHIDA, S. see KIDO, M.
HAYDOCK, S.F., BORNSHIN, S., WALL, E.C. & CONNICK, R.M. Admissions to a U.K. teaching hospital with nonnecrotizing lower limb cellulitis show a marked seasonal variation, 1047
HAZANE-PUCH, F. see SAUVAIGO, S.
HE, Q. see RADY, P.L.
HEBERT, A.A. see SPERGEL, J.M.
HEDELIN, G. see LIPSKER, D.
HELBLING, I., WALEWSKA, R., DYER, M.J.S., BAMFORD, M. & HARMAN, K.E. Erythema annulare centrifugum associated with chronic lymphocytic leukaemia, 1044
HELFRICH, Y.R., KANG, S., HAMILTON, T.A. & VOORHEES, J.J. Topical becocalcidiol for the treatment of psoriasis vulgaris: a randomized, placebo-controlled, double-blind, multicentre study, 369
HELLER, M., SHIN, H.T., ORLOW, S.J. & SCHAFFER, J.V. Mycophenolate mofetil for severe childhood atopic dermatitis: experience in 14 patients, 127
HEMMINKI, K. see WILKENING, S.
HENNESSY, A. see FINNEN, M.J.
HERAS MULERO, C., BARTRALOT SOLER, R., RODRÍGUEZ-CANO, L., MOLLET SÁNCHEZ, J., PALACIO ALLER, L., APARICIO ESPAÑOL, G., BODET CASTILLO, D., BASSAS FREIXAS, P. & GARCÍA-PATOS, V. Aplasia cutis associated with coarctation of the aorta: could this be an incomplete form of Adams–Oliver syndrome?, 836
HERPHELIN, F. see SERCU, S.
HERRERO, C. see MORENO-ROMERO, J.A.
HIDE, M. see KAMEYOSHI, Y.
HILLIGES, M. see JOHANNESSON, U.
HINTNER, H. see SADLER, E.
HIRUMA, M. see TAKAHATA, Y.
HISCUTT, E. see WAHIE, S.
HO, M.G. see ZUO, Y-G.
HO, V.C. see MURRELL, D.F.
HOEDEMAKER, C. see SINCLAIR, R.
HOFFJAN, S. & STEMMLER, S. On the role of the epidermal differentiation complex in ichthyosis vulgaris, atopic dermatitis and psoriasis, 441
HOFFMANN, K. see BECHARA, F.G.
HOFFSTAD, O. see MARGOLIS, D.J.
HOFMANN-WELLENHOF, R. see ARGENZIANO, G.
HOLLOWOOD, K. see LALLY, A.
HOLM, E.A., WULF, H.C., THOMASSEN, L. & JEMEC, G.B.E. Assessment of atopic eczema: clinical scoring and noninvasive measurements, 674
HOLMSTRÖM, E. see EKQVIST, S.
HOLTZ, R. see SHAW, J.
HOLUB, A. see ROBAK, E.
HOMEY, B. see ANTAL, A.
HON, K.L.E., LEUNG, T.F., NG, P.C., LAM, M.C.A., KAM, W.Y.C., WONG, K.Y., LEE, K.C.K., SUNG, Y.T., CHENG, K.F., FOK, T.F., FUNG, K.P. & LEUNG, P.C. Efficacy and tolerability of a Chinese herbal medicine concoction for treatment of atopic dermatitis: a randomized, double-blind, placebo-controlled study, 357
HON, K-L.E., LAM, M-C.A., WONG, K-Y., LEUNG, T-F. & NG, P-C. Pathophysiology of nocturnal scratching in childhood atopic dermatitis: the role of brain-derived neurotrophic factor and substance P, 922
HONG, J-B., CHIU, H-C., WANG, S-H. & TSAI, T-F. Recurrence of classical juvenile pityriasis rubra pilaris in adulthood: report of a case, 842
DE HOOG, G.S. see ARABATZIS, M.
HORIKAWA, T. see TOHYAMA, M.
HOSHINA, D., AKIYAMA, M., HAMASAKA, K. & SHIMIZU, H. An infantile case of pityriasis lichenoides et varioliformis acuta, 194
HOW, P. see LO, S.
HØYEN, M. see NOIESEN, E.
HRABÁLEK, A. see VÁVROVÁ, K.
HSU, C.K., LEE, J.Y.Y., YU, C.H., HSU, M.M.L. & WONG, T.W. Lip verrucous carcinoma in a pregnant woman successfully treated with carbon dioxide laser surgery, 813
HSU, M.M.L. see HSU, C.K.
HU, K-S. see SONG, W-C.
HU, S.C-S., CHEN, G-S., WU, C-S. & LAN, C-C.E. Serum tissue polypeptide antigen correlating with clinical course in a patient with mycosis fungoides: a potential disease marker?, 423
HUANG, W-H. see SHAW, J.
HÜGEL, R., SCHWARZ, T. & GLÄSER, R. Resistance to hydroxychloroquine due to smoking in a patient with lupus erythematosus tumidus, 1081
HUGHES, C.M. see SHAW, J.
HUGHES, D.A. see ORTEU, C.H.
HUGHES, T.M. see HANN, S.
HUH, S. see LEE, J.
HULTSCH, T. see SPERGEL, J.M.
HUMBERT, P. see VÁVROVÁ, K.
HUMMEL, S. see BABILAS, P.
HUMPHREYS, F. see GRATTAN, C.E.H.
HUSNI, M.E. see MODY, E.
HUSNI, M.E. see POMERANTZ, R.G.
HUSSEY, L. see TURNER, S.
HUYLEBROECK, D. see SERCU, S.
HWANG, S.T. see COWEN, E.W.
HYUN, C.G. see LEE, J.

IBBOTSON, S.H. see BERROETA, L.
IBBOTSON, S.H. see SMITH, G.
IENO, L. see ESPOSITO, G.
IIJIMA, M. see TOHYAMA, M.
IKEDA, S. see ZHENG, Y.
IMAFUKU, S., SHIBATA, S., TASHIRO, A. & FURUE, M. Cutaneous Langerhans cell histiocytosis in an elderly man successfully treated with narrowband ultraviolet B, 1277
IMANISHI, Y. see OKA, M.
IMAYAMA, S. see HAMADA, T.
INAMADAR, A.C. see ARITA, K.
INOUE, K. see DENDA, M.
ISHII, N. see HAMADA, T.
ISHIKAWA, O. see NAKAMURA, M.
ISHIURA, N., KOMINE, M., KADONO, T., KIKUCHI, K. & TAMAKI, K. A case of milia en plaque successfully treated with oral etretinate, 1287
ISHIURA, N. see KUWANO, Y.
ISODA, K-I. see KUROKAWA, I.
ITOH, M. see KAWACHI, Y.
IWATSUKI, K. see AOCHI, S.
IWATSUKI, K. see YAMADA, A.

JACKSON, H.A. see OLIVRY, T.
JAHREIS, A. see KRISHNAN, R.
JANAWAY, R.C. see WILSON, A.S.
JANSEN, T. see ORTEU, C.H.
JÄRVINEN, T.M., KANNINEN, P., JESKANEN, L., KOSKENMIES, S., PANELIUS, J., HASAN, T., RANKI, A. & SAARIALHO-KERE, U. Matrix metalloproteinases as mediators of tissue injury in different forms of cutaneous lupus erythematosus, 970

JASCHKE, W. see EISENDLE, K.
JAUSSAUD, R. see ORTEU, C.H.
JEANMOUGIN, M. see VIGUIER, M.
JEFFERIES, D. see WHITE, J.M.L.
JEMEC, G.B.E. see HOLM, E.A.
JEMEC, G.B.E. see MOGENSEN, M.
JESIONEK-KUPNICKA, D. see ROBAK, E.
JESKANEN, L. see JÄRVINEN, T.M.
JESSOP, S. see KHUMALO, N.P.
JIN, H. see NAKANO, H.
JIN, J. see TORRES, A.
JOHANNESSON, U., BLOMGREN, B., HILLIGES, M., RYLANDER, E. & BOHM-STARKE, N. The vulval vestibular mucosa—morphological effects of oral contraceptives and menstrual cycle, 487
JOHANSEN, J.D. see FISCHER, L.A.
JOHNSTON, G.A. & ENGLISH, J.S.C. The alcohol hand rub: a good soap substitute?, 1
JONES, S.K. see SMITH, V.H.
JONKMAN, M.F. see BOLLING, M.C.
JULIÀ, M. see MORENO-ROMERO, J.A.
JUNG, E. see LEE, J.

KAATZ, M., ZELGER, B., NORGAUER, J. & ZIEMER, M. Lymphocytic infiltration (Jessner–Kanof): lupus erythematosus tumidus or a manifestation of borreliosis?, 403
KADONO, T. see ISHIURA, N.
KAI, H. see ASAHINA, A.
KAJI, H. see OKA, M.
KALL, S. see AUST, M.C.
KALLEL-SELLAMI, M. see MEJRI, K.
KALOGEROMITROS, D. see GREGORIOU, S.
KAM, W.Y.C. see HON, K.L.E.
KAMEYOSHI, Y., TANAKA, T., MIHARA, S., TAKAHAGI, S., NIIMI, N. & HIDE, M. Increasing the dose of cetirizine may lead to better control of chronic idiopathic urticaria: an open study of 21 patients, 803
KAMO, T. see OKA, M.
KAMPF, G. see LÖFFLER, H.
KANDI, B. see ALPSOY, E.
KANG, M-S. see YU, H-J.
KANG, S. see COWEN, E.W.
KANG, S. see HELFRICH, Y.R.
KANG, T-W. see OH, S-W.
KANNINEN, P. see JÄRVINEN, T.M.
KANNO, H. see WATABE, D.
KARASHIMA, T. see HAMADA, T.
KARINCAOGLU, Y. see ALPSOY, E.
KAROO, R.O.S. see SOWDEN, H.M.
KÁRPÁTI, S. see MARSCHALKÓ, M.
KATAYAMA, I. see MABUCHI, E.
KATO, H. see TAKAHATA, Y.
KAUFMANN, R. see BARAN, R.
KAVANAGH, K. see LACEY, N.
KAWACHI, Y., ITOH, M., FUJISAWA, Y., FURUTA, J., NAKAMURA, Y., BANNO, T., TAKAHASHI, T. & OTSUKA, F. Epidermal cell necrosis with direct epidermal infiltration of Epstein–Barr virus (EBV)-encoded small nuclear RNA-positive T lymphocytes in a patient with EBV-associated haemophagocytic syndrome, 1053
KAWAGUCHI, T. see HATAMOCHI, A.
KAWAKAMI, T., KAWASAKI, K. & SOMA, Y. Limited cutaneous systemic sclerosis associated with discoid lupus erythematosus in two Japanese patients with anticentromere antibodies, 1289
KAWAKAMI, T., KAWASAKI, K., MIZOGUCHI, M. & SOMA, Y. Therapeutic effect of lipoprostaglandin E_1 on livedoid vasculitis associated with essential cryoglobulinaemia, 1051
KAWANO, Y. see HAMADA, T.
KAWASAKI, K. see KAWAKAMI, T.
KAZAKOV, D.V. see BELOUSOVA, I.E.
KEHLER, M. see EKQVIST, S.
KENDALL, B.R. see MACBETH, A.E.
VAN DE KERKHOF, P.C.M. The evolution of the psoriatic lesion, 4
KERNOHAN, N. see MULLER, F.M.
KERR, A.C. & FERGUSON, J. Actinic prurigo deterioration due to degradation of DermaGard® window film, 619
KERROUCHE, N. see BARAN, R.
KESEROGLU, O. see ALPSOY, E.
KETTANEH, A. see FARDET, L.
KHAN, N.K. see BELL, R.R.
KHUMALO, N.P., JESSOP, S., GUMEDZE, F. & EHRLICH, R. Hairdressing and the prevalence of scalp disease in African adults, 981
KHUMALO, N.P., JESSOP, S., GUMEDZE, F. & EHRLICH, R. Hairdressing is associated with scalp disease in African schoolchildren, 106
KHURANA, N. see BANSAL, S.
KIDO, M., TAKEUCHI, S., HAYASHIDA, S., URABE, K., SAWADA, R. & FURUE, M. Assessment of abnormal blood flow and efficacy of treatment in patients with systemic sclerosis using a newly developed microwireless laser Doppler flowmeter and arm-raising test, 690
KIKUCHI, K. see ISHIURA, N.
KILIC, S.S., GIRAUD, M., SCHMITT, S., BÉZIEAU, S. & KÜRY, S. A novel mutation of the *SLC39A4* gene causing acrodermatitis enteropathica, 386
KIM, H.J., LEE, J.Y., KIM, S.H., SEO, Y.J., LEE, J.H., PARK, J.K., KIM, M.H., CINN, Y.W., CHO, K.H. & YOON, T.Y. Stromelysin-3 expression in the differential diagnosis of dermatofibroma and dermatofibrosarcoma protuberans: comparison with factor XIIIa and CD34, 319
KIM, H-J. see SONG, W-C.
KIM, H-J. see YUN, S.J.
KIM, I-H. see OH, J.
KIM, J-S. see YU, H-J.
KIM, M.H. see KIM, H.J.
KIM, M.Y. see OH, S-W.
KIM, M-B. see SEO, S-H.
KIM, N. see OH, J.
KIM, S.H. see KIM, H.J.
KIM, S-C. see OH, S-W.
KIM, S-J. see YUN, S.J.
KIM, Y.C. see OH, S-W.
KIM, Y-S. see LEE, J.
KIMBALL, A.B. see CIOCON, D.H.
KIMURA, H. see TOHYAMA, M.
KIRBY, B. see MALIK, M.
KIRNBAUER, R. see HANDISURYA, A.
KIRSCHNER, R. see PIEPENBRING, M.
KLEINMAN, H.K. see LUGASSY, C.
KLOEPPER, J.E. see TIEDE, S.
KNOBLER, R. see BABILAS, P.
KNOBLER, R. see GNIADECKI, R.
KOH, K-S. see SONG, W-C.
KOLLER, A. see HANDISURYA, A.
KOLLER, M. see BABILAS, P.
KOLOKYTHAS, P. see AUST, M.C.

KOMINE, M. see ISHIURA, N.
KOPF, A.W. see BRAUN, R.P.
KOPPOVA, K. see WILKENING, S.
KORE-EDA, S. see NISHIWAKI, F.
KOSKENMIES, S. see JÄRVINEN, T.M.
KOSSARD, S. see MARTIN, L.K.
KOSSINTSEVA, I. see DYTOC, M.T.
KOUBA, D.J., YIP, D., FINCHER, E.F. & MOY, R.L. Topical imiquimod in the treatment of a long-standing capillary malformation, 1071
KRÄNKE, B. see GRIMS, R.H.
KREUTER, A., BROCKMEYER, N.H., ALTMEYER, P., PFISTER, H. & WIELAND, U. Rapid onset of multifocal human papillomavirus 72-associated oral intraepithelial neoplasia in a human immunodeficiency virus-infected patient, 826
KREUTER, A., WIELAND, U., GAMBICHLER, T., ALTMEYER, P., PFISTER, H., TENNER-RACZ, K., RACZ, P., POTTHOFF, A. & BROCKMEYER, N.H. FOR THE GERMAN NETWORK OF COMPETENCE HIV/AIDS. p16^{ink4a} expression decreases during imiquimod treatment of anal intraepithelial neoplasia in human immunodeficiency virus-infected men and correlates with the decline of lesional high-risk human papillomavirus DNA load, 523
KRISHNAN, R., CELLA, D., LEONARDI, C., PAPP, K., GOTTLIEB, A.B., DUNN, M., CHIOU, C.F., PATEL, V. & JAHREIS, A. Effects of etanercept therapy on fatigue and symptoms of depression in subjects treated for moderate to severe plaque psoriasis for up to 96 weeks, 1275
KRUEGER, J.G. see GUTTMAN-YASSKY, E.
KUIJPER, E.J. see ARABATZIS, M.
KULKARNI, K. see ANGUS, J.
KUMAR, R. see WILKENING, S.
KUMAR, V. see BANSAL, S.
KUMAR, V. see GROVER, C.
KURFÜRST, R. see SAUVAIGO, S.
KUROKAWA, I., UMEDA, K., NISHIMURA, K., YAMANAKA, K-I., HAKAMADA, A., ISODA, K-I., TSUBURA, A. & MIZUTANI, H. Filaggrin expression and the pathogenesis of epidermal cysts, 415
KUROSE, A. see WATABE, D.
KÜRY, S. see KILIC, S.S.
KÜSTER, R.M. see ROTT, S.
KUWANO, Y., FUJIMOTO, M., WATANABE, R., ISHIURA, N., NAKASHIMA, H., OHNO, Y., YANO, S., YAZAWA, N., OKOCHI, H. & TAMAKI, K. Serum chemokine profiles in patients with alopecia areata, 466
KWAK, H.S. see COWEN, E.W.
KWON, K-S. see SEO, S-H.
KYVIK, K.O. see LERBAEK, A.

LABRÈZE, C. see MORICE-PICARD, F.
LACEY, N., DELANEY, S., KAVANAGH, K. & POWELL, F.C. Mite-related bacterial antigens stimulate inflammatory cells in rosacea, 474
LACHMANN, N. see SAUVAIGO, S.
LACOMBE, D. see MORICE-PICARD, F.
LAGAN, K.M. see SHAW, J.
LAI-CHEONG, J.E. see ARITA, K.
LAI-CHEONG, J.E. see MARTIGNAGO, B.C.F.
LAIMER, M. see SADLER, E.
LALLY, A., HOLLOWOOD, K., WHITTAKER, S. & TURNER, R. Central nervous system involvement in stage 1b mycosis fungoides, 815
LAM, M.C.A. see HON, K.L.E.
LAM, M-C.A. see HON, K-L.E.
LAM, W.Y. see CHAN, K.H.N.
LAMANT, L. see FAGUER, S.
LAMY, T. see MEYER, N.
LAN, C-C.E. see HU, S.C-S.
LANDTHALER, M. see BABILAS, P.
LANGTRY, J.A.A. see BAJAJ, V.
LANGTRY, J.A.A. see RAJAN, N.
LANSCHUETZER, C. see SADLER, E.
LANZERINI, P. see VASSALLO, C.
LARIOS, G. see GREGORIOU, S.
LARSEN, K. see NOIESEN, E.
LATIFAJ, B. see BISWAS, A.
LAUNAY, F. see FAGUER, S.
LAVRIJSEN, A.P.M. see ARABATZIS, M.
LAWRENCE, R. see MARTIN, L.K.
LAZZARINO, M. see VASSALLO, C.
LE DANFF, C. see RÉGNIER, S.
LE DUC, Q., BREETVELD, M., MIDDELKOOP, E., SCHEPER, R.J., ULRICH, M.M.W. & GIBBS, S. A cytotoxic analysis of antiseptic medication on skin substitutes and autograft, 33
LE FICHOUX, Y. see DEL GIUDICE, P.
LE FORESTIER, D. see BARBAROT, S.
LEACH, I. see ANGUS, J.
LEBBÉ, C. see FARDET, L.
LECHA, M. see BARAN, R.
LEDUFF, F. see DEL GIUDICE, P.
LEE, A-R. see SHAW, J.
LEE, J., JUNG, E., LEE, J., HUH, S., BOO, Y.C., HYUN, C.G., KIM, Y-S. & PARK, D. Mechanisms of melanogenesis inhibition by 2,5-dimethyl-4-hydroxy-3(2H)-furanone, 242
LEE, J. see LEE, J.
LEE, J. see TORRES, A.
LEE, J.H. see KIM, H.J.
LEE, J.S. see OH, S-W.
LEE, J.Y. see KIM, H.J.
LEE, J.Y.Y. see HSU, C.K.
LEE, J-B. see YUN, S.J.
LEE, K.C.K. see HON, K.L.E.
LEE, S-C. see YUN, S.J.
LEE, Y-L., LI, C-W., SUNG, F-C., YU, H-S., SHEU, H-M. & GUO, Y.L. Environmental factors, parental atopy and atopic eczema in primary-school children: a cross-sectional study in Taiwan, 1217
LEISNER, R.I. see MAZEREEUW-HAUTIER, J.
LEONARD, J.N. see COX, G.A.
LEONARDI, C. see KRISHNAN, R.
LEONI, P. see GOTERI, G.
LEPREUX, S. see MORICE-PICARD, F.
LERBAEK, A., BISGAARD, H., AGNER, T., OHM KYVIK, K., PALMER, C.N.A. & MENNÉ, T. Filaggrin null alleles are not associated with hand eczema or contact allergy, 1199
LERBAEK, A., KYVIK, K.O., RAVN, H., MENNÉ, T. & AGNER, T. Incidence of hand eczema in a population-based twin cohort: genetic and environmental risk factors, 552
LEUNG, P.C. see HON, K.L.E.
LEUNG, T.F. see HON, K.L.E.
LEUNG, T-F. see HON, K-L.E.
LEVERKUS, M. see BRÜCHER, J-J.
LEW, W. see OH, S-W.
LEWIS, J. see GERAMI, P.
LEWIS-JONES, S. see MULLER, F.M.
LI, C-W. see LEE, Y-L.
LIAO, Y.H., CHIU, H.C., TSENG, Y.S. & TSAI, T.F. Comparison of cutaneous tolerance and efficacy of calcitriol 3 μg g^{-1}

ointment and tacrolimus 0·3 mg g^{-1} ointment in chronic plaque psoriasis involving facial or genitofemoral areas: a double-blind, randomized controlled trial, 1005
LIDOVE, O. see ORTEU, C.H.
LIEKENS, J. see SERCU, S.
LIN, A.H. see ZHU, K.J.
LIN, Y-C. see TSAI, Y-S.
LINES, S. see TURNER, S.
LIOTTA, L.A. see COWEN, E.W.
LIPSKER, D., ENGEL, F., CRIBIER, B., VELTEN, M. & HEDELIN, G. Trends in melanoma epidemiology suggest three different types of melanoma, 338
LIU, C. see SHAW, J.
LIU, C-W. see COWEN, E.W.
LIU, L. see MARTIGNAGO, B.C.F.
LIU, Y-H. see ZUO, Y-G.
LLOYD, J. see COX, G.A.
LLOYD, M.S., CLARK, A., PARIKH, A. & BUTLER, P. Designing a validated patient information website: a quality-controlled information portal illustrated by skin cancer, 1048
LO RE, M. see MAVILIA, L.
LO, K.K. see CHAN, K.H.N.
LO, S., HOW, P. & MOSS, A.L.M. Plexiform schwannoma mimicking haemangioma: pitfalls in clinical diagnosis and histological interpretation, 838
LOCATELLI, F. see VASSALLO, C.
LODÉN, M. see BURACZEWSKA, I.
LÖFFLER, H., KAMPF, G., SCHMERMUND, D. & MAIBACH, H.I. How irritant is alcohol?, 74
LOMUZIO, L. see GOTERI, G.
LONG, T.M.W. see HAGUE, J.S.
LONGHI, E. see ANTINORI, S.
LU, Z.M. see ZHU, K.J.
LUCARINI, G. see TUCCI, M.G.
LUDWIG, R.J. see BOEHNCKE, S.
LUGASSY, C., KLEINMAN, H.K., VERNON, S.E., WELCH, D.R. & BARNHILL, R.L. C16 laminin peptide increases angiotropic extravascular migration of human melanoma cells in a shell-less chick chorioallantoic membrane assay, 780
LUPI, F. see CIANCHINI, G.
LY, L. & CZARNECKI, D. The rapid onset of multiple squamous cell carcinomas during etanercept treatment for psoriasis, 1076

MABUCHI, E., UMEGAKI, N., MUROTA, H., NAKAMURA, T., TAMAI, K. & KATAYAMA, I. Oral steroid improves bullous pemphigoid-like clinical manifestations in non-Herlitz junctional epidermolysis bullosa with *COL17A1* mutation, 596
MACBETH, A.E., KENDALL, B.R., SMITH, A., SALDANHA, G. & HARMAN, K.E. Calcified subcutaneous nodules: a long-term complication of interferon beta-1a therapy, 624
MCCORMICK, C. see SPERGEL, J.M.
MCFADDEN, J.P. see WHITE, J.M.L.
MCGRATH, J.A. see ARITA, K.
MCGRATH, J.A. see HAMADA, T.
MCGRATH, J.A. see MARTIGNAGO, B.C.F.
MCGRATH, J.A. see SERCU, S.
MCGRATH, J.A. see SHETH, N.
VON MACKENSEN, Y.A. & STICHERLING, M. Cold urticaria: tolerance induction with cold baths, 835
MCLEAN, S. see FINNEN, M.J.
MAC-MARY, S. see VÁVROVÁ, K.
MCNAMEE, R. see TURNER, S.
MCPARTLAND, J.L. see WEST, E.A.
MCRAE, S. see ALOMAR, A.
MADKAN, V.K., COOK-NORRIS, R.H., STEADMAN, M.C., ARORA, A. & TYRING, S.K. The oncogenic potential of human papillomaviruses: a review on the role of host genetics and environmental cofactors, 228
MAIBACH, H.I. see LÖFFLER, H.
MAILHOL, C. see FAGUER, S.
MAISCH, T. see BABILAS, P.
MAKNI, S. see MEJRI, K.
MAKRIS, M. see GREGORIOU, S.
MALAGNINO, V. see MOURMOURAS, V.
MALARA, G. see MAVILIA, L.
MALERBA, G. see GOMEZ LIRA, M.
MALIK, M., TOBIN, A.-M., SHANAHAN, F., O'MORAIN, C., KIRBY, B. & BOURKE, J. Steroid allergy in patients with inflammatory bowel disease, 967
MALLO-GARCIA, S. see COTO-SEGURA, P.
MALVEHY, J. see ZABALLOS, P.
MAN, I. see BERROETA, L.
MANNELLO, B. see CAMPANATI, A.
MANSAT, E. see BARBAROT, S.
MAO, X., ORCHARD, G., RUSSELL-JONES, R. & WHITTAKER, S. Abnormal activator protein 1 transcription factor expression in CD30-positive cutaneous large-cell lymphomas, 914
MARCONI, F. see BORIANI, F.
MARCUS-SOEKARMAN, D. see STEIJLEN, P.M.
MARGHOOB, A.A. see PERRINAUD, A.
MARGOLIS, D.J., HOFFSTAD, O. & BILKER, W. Association or lack of association between tetracycline class antibiotics used for acne vulgaris and lupus erythematosus, 540
MARROU, K. see DALLE, S.
MARSCHALKÓ, M., CSOMOR, J., ERŐS, N., SZIGETI, Á., HÁRSING, J., SZAKONYI, J., DÉSAKNAI, M., MATOLCSY, A., DEMETER, J. & KÁRPÁTI, S. Coexistence of primary cutaneous anaplastic large cell lymphoma and mycosis fungoides in a patient with B-cell chronic lymphocytic leukaemia, 1291
MARTÍ, R. see PARERA, E.
MARTIGNAGO, B.C.F., LAI-CHEONG, J.E., LIU, L., MCGRATH, J.A. & CESTARI, T.F. Recurrent *KIND1* (C20orf42) gene mutation, c.676insC, in a Brazilian pedigree with Kindler syndrome, 1281
MARTIN, L.K., LAWRENCE, R., KOSSARD, S. & MURRELL, D.F. Cutaneous *Mycobacterium neoaurum* infection causing scarring alopecia in an immunocompetent host, 204
MARTIN, R. see SHAW, J.
MARTY, P. see DEL GIUDICE, P.
MASCARÓ JR, J.M. see MORENO-ROMERO, J.A.
MASINI, C. see CIANCHINI, G.
MASMOUDI, H. see MEJRI, K.
MATOLCSY, A. see MARSCHALKÓ, M.
MATSUMOTO, K. see TOHYAMA, M.
MATSUMURA, Y. see NISHIWAKI, F.
MAVILIA, L., MALARA, G., MORETTI, G., LO RE, M. & GUERRA, A.P. Photodynamic therapy of acne using methyl aminolaevulinate diluted to 4% together with low doses of red light, 810
MAYOR, L. see DURUPT, F.
MAZEREEUW-HAUTIER, J., SYED, S., LEISNER, R.I. & HARPER, J.I. Extensive venous/lymphatic malformations causing life-threatening haematological complications, 558
MAZZOLA, S. see GOMEZ LIRA, M.
MAZZOTTA, A. see COSTANZO, A.
MBAREK, H. see MEJRI, K.

MEGAHED, M. see ANTAL, A.
MEGSON, I.L. see FINNEN, M.J.
MEHTA, A.B. see ORTEU, C.H.
MEIKLEJOHN, D. see MULLER, F.M.
MEJRI, K., KALLEL-SELLAMI, M., PETIT-TEIXEIRA, E., ABIDA, O., MBAREK, H., ZITOUNI, M., BEN AYED, M., TEIXEIRA, V.H., MOKNI, M., FAZZA, B., TURKI, H., TRON, F., GILBERT, D., MASMOUDI, H., CORNELIS, F. & MAKNI, S. PTPN22 R620W polymorphism is not associated with pemphigus, 1068
MEKKES, J.R. see BOLLING, M.C.
MÉNDEZ, M., POBLETE-GUTIÉRREZ, P., GARCÍA-BRAVO, M., WIEDERHOLT, T., MORÁN-JIMÉNEZ, M.J., MERK, H.F., GARRIDO-ASTRAY, M.C., FRANK, J., FONTANELLAS, A. & ENRÍQUEZ DE SALAMANCA, R. Molecular heterogeneity of familial porphyria cutanea tarda in Spain: characterization of 10 novel mutations in the *UROD* gene, 501
MENNÉ, T. see FISCHER, L.A.
MENNÉ, T. see LERBAEK, A.
MENTER, A. see STERRY, W.
MERK, H.F. see MÉNDEZ, M.
MERONI, L. see ANTINORI, S.
MERREGAERT, J. see SERCU, S.
MERTENS, J. see VERFAILLE, C.J.
MESSINA, F. see ESPOSITO, G.
MESTRE, F. see BAUZÁ, A.
METZE, D. see VOLZ, A.
MEYER, N., DUFOUR, J., LAMY, T. & CHEVRANT-BRETON, J. Cutaneous vasculitis and T-large granular lymphocyte leukaemia with parallel evolution, 631
MEYERLE, J.H. see CUMMINS, D.L.
MIDDELKOOP, E. see LE DUC, Q.
MIHARA, S. see KAMEYOSHI, Y.
MIHELARAKIS, I. see MOUZOPOULOS, G.
MIKUS, S. see WENZEL, J.
MILLER, R.L. see TORRES, A.
MIRACCO, C. see MOURMOURAS, V.
MITCHELL, R. see FINNEN, M.J.
MITRA, A. see WILLIAMS, C.
MITSUHASHI, Y. see NAKANO, H.
MIYACHI, Y. see NISHIKAWA, M.
MIYACHI, Y. see NISHIWAKI, F.
MIZOGUCHI, M. see KAWAKAMI, T.
MIZUTANI, H. see KUROKAWA, I.
MIZUTANI, Y. see SEISHIMA, M.
MOCKENHAUPT, M. see SIDOROFF, A.
MODY, E., HUSNI, M.E., SCHUR, P. & QURESHI, A.A. Multidisciplinary evaluation of patients with psoriasis presenting with musculoskeletal pain: a dermatology: rheumatology clinic experience, 1050
MODY, E. see POMERANTZ, R.G.
MOGENSEN, M., THOMSEN, J.B., SKOVGAARD, L.T. & JEMEC, G.B.E. Nail thickness measurements using optical coherence tomography and 20-MHz ultrasonography, 894
MOKNI, M. see MEJRI, K.
MOLÈS, J-P., TESNIERE, A. & GUILHOU, J.-J. Reverse transcriptase activity in human normal and psoriatic skin samples, 482
MÖLLER, H. see EKQVIST, S.
MOLLET SÁNCHEZ, J. see HERAS MULERO, C.
MOLONEY, F.J. & COLLINS, P. Randomized, double-blind, prospective study to compare topical 5-aminolaevulinic acid methylester with topical 5-aminolaevulinic acid photodynamic therapy for extensive scalp actinic keratosis, 87
MONAHAN, T. see CUMMINS, D.L.
MORÁN-JIMÉNEZ, M.J. see MÉNDEZ, M.
MORENO-ROMERO, J.A., SEGURA, S., MASCARÓ JR, J.M., COWPER, S.E., JULIÀ, M., POCH, E., BOTEY, A. & HERRERO, C. Nephrogenic systemic fibrosis: a case series suggesting gadolinium as a possible aetiological factor, 783
MORETTI, G. see MAVILIA, L.
MORI, T. see ASAHINA, A.
MORICE-PICARD, F., BORALEVI, F., LEPREUX, S., LABRÈZE, C., LACOMBE, D. & TAÏEB, A. Severe linear form of granuloma annulare along Blaschko's lines preceding the onset of a classical form of granuloma annulare in a child, 1056
MORICHETTI, D. see CAMPANATI, A.
MORICHETTI, D. see GOTERI, G.
MORITA, N. see NISHIWAKI, F.
MORIYAMA, Y. see UGAJIN, T.
MORLEY, S. see MULLER, F.M.
MORRISON, L. see ZLOTOFF, B.J.
MORTIER, L. see VERCAMBRE-DARRAS, S.
MOSELEY, H. see OLIVER, H.
MOSS, A.L.M. see LO, S.
MOSS, C. see THOMSON, M.A.
MOURA, D.F., TELES, R.M.B., RIBEIRO-CARVALHO, M.M., TELES, R.B., SANTOS, I.M.C.F., FERREIRA, H., FULCO, T.O., NERY, J.A.C., SAMPAIO, E.P. & SARNO, E.N. Long-term culture of multibacillary leprosy macrophages isolated from skin lesions: a new model to study *Mycobacterium leprae*–human cell interaction, 273
MOURMOURAS, V., FIMIANI, M., RUBEGNI, P., EPISTOLATO, M.C., MALAGNINO, V., CARDONE, C., COSCI, E., DE NISI, M.C. & MIRACCO, C. Evaluation of tumour-infiltrating CD4+CD25+FOXP3+ regulatory T cells in human cutaneous benign and atypical naevi, melanomas and melanoma metastases, 531
MOUZOPOULOS, G., TSOUPAROPOULOS, V., STAMATAKOS, M., MIHELARAKIS, I., PASPARAKIS, D. & AGAPITOS, E. Cutaneous mercury deposits after henna dye application in the arm, 394
MOY, R.L. see KOUBA, D.J.
MROWIETZ, U. see ROTT, S.
MULATTIERI, S. see GOTERI, G.
MULLER, F.M., LEWIS-JONES, S., MORLEY, S., KERNOHAN, N., MEIKLEJOHN, D., GOODLAD, J.R. & EVANS, A. Lymphomatoid granulomatosis complicating other haematological malignancies, 426
MÜLLER, V. see TOKSOY, A.
MUNAKATA, T. see NAKANO, H.
MUNK, M.D. see NOIESEN, E.
MURACH, W.M. see WACHTER, T.
MURET, P. see VÁVROVÁ, K.
MUROTA, H. see MABUCHI, E.
MURPHY, K.M. see OLIVRY, T.
MURPHY, R. see ANGUS, J.
MURRELL, D.F., CALVIERI, S., ORTONNE, J.P., HO, V.C., WEISE-RICCARDI, S., BARBIER, N. & PAUL, C.F. A randomized controlled trial of pimecrolimus cream 1% in adolescents and adults with head and neck atopic dermatitis and intolerant of, or dependent on, topical corticosteroids, 954
MURRELL, D.F. see MARTIN, L.K.
MUTO, M. see TAKAHATA, Y.

NAGAOKA, I. see ZHENG, Y.
N'GUYEN, J.M. see BARBAROT, S.
NAKAJIMA, K. see TOHYAMA, M.
NAKAMURA, H. see YASUKAWA, K.

NAKAMURA, M. & ISHIKAWA, O. Erythrokeratoderma variabilis without GJB3 or GJB4 mutation: a review of Japanese patients, 410
NAKAMURA, T. see MABUCHI, E.
NAKAMURA, Y. see KAWACHI, Y.
NAKAMURA, Y. see SATO, H.
NAKANISHI, G. see AOCHI, S.
NAKANO, A. see NAKANO, H.
NAKANO, H., TOYOMAKI, Y., OHASHI, S., NAKANO, A., JIN, H., MUNAKATA, T., AKITA, N., TAMAI, K. & MITSUHASHI, Y. Novel *COL7A1* mutations in a Japanese family with transient bullous dermolysis of the newborn associated with pseudosyndactyly, 179
NAKASHIMA, H. see KUWANO, Y.
NALDI, L. see GOMEZ LIRA, M.
NALDI, L. see SIDOROFF, A.
NANDA, S. see GROVER, C.
NASHAN, D. see VOLZ, A.
NASORRI, F. see BEDINI, C.
NATARAJAN, S. see WAHIE, S.
NEDOSZYTKO, B., SZCZERKOWSKA-DOBOSZ, A., ZABŁOTNA, M., GLEŃ, J., RĘBAŁA, K. & ROSZKIEWICZ, J. Associations of promoter region polymorphisms in the tumour necrosis factor-α gene and early-onset psoriasis vulgaris in a northern Polish population, 165
NEEDHAM, S.J. see BROWN, S.J.
NERI, I., SAVOIA, F., GIACOMINI, F. & PATRIZI, A. Anonychia, hyponychia and spontaneous amputation of the distal phalanges as a consequence of ischaemic necrosis of the extremities after umbilical catheterization, 1299
NERY, J.A.C. see MOURA, D.F.
NEUBURG, M. see OTLEY, C.C.
NEWTON-BISHOP, J.A. see STRAUSS, R.M.
NG, P.C. see HON, K.L.E.
NG, P-C. see HON, K-L.E.
NG, S.Y. & WILKINSON, J. A salutary case of Fumaderm® potentially masking the symptoms of bowel cancer and partial bowel obstruction, 825
NICHOLSON, J. see PONNAMPALAM, J.
NICOL, C. see BARBAROT, S.
NIEHUES, T. see ANTAL, A.
NIIMI, N. see KAMEYOSHI, Y.
NIKONOVA, S.M. see BELOUSOVA, I.E.
NISHIGORI, C. see OKA, M.
NISHIKAWA, A. see TAKAHATA, Y.
NISHIKAWA, M., TANIOKA, M., ARAKI, E., YAMAMOTO, T., SAKURAI, T., MIYACHI, Y. & UTANI, A. Primary essential cutis verticis gyrata with hyaluronic acid deposition, 806
NISHIMURA, K. see KUROKAWA, I.
NISHIOKA, K. see UGAJIN, T.
NISHIWAKI, F., MATSUMURA, Y., MORITA, N., KORE-EDA, S., MIYACHI, Y. & OMOTO, M. Acrodermatitis continua of Hallopeau due to oral terbinafine, 1073
NISHIZAWA, H. see OKA, M.
NIYONSABA, F. see ZHENG, Y.
VAN NOESEL, C.J.M. see BOLLING, M.C.
NOIESEN, E., MUNK, M.D., LARSEN, K., HØYEN, M. & AGNER, T. Use of complementary and alternative treatment for allergic contact dermatitis, 301
NORGAUER, J. see KAATZ, M.

ODIN, F. see SAUVAIGO, S.
OFFIDANI, A. see CAMPANATI, A.
OFFIDANI, A.M. see GOTERI, G.
OGATA, T. see SEISHIMA, M.
OGAWA, H. see ZHENG, Y.
OH, C-K. see SEO, S-H.
OH, J., KIM, N., SEO, S. & KIM, I-H. Alteration of extracellular matrix modulators after nonablative laser therapy in skin rejuvenation, 306
OH, S-W., KANG, T-W., KIM, Y.C. & LEW, W. Coccygeal polypoid eccrine naevus, 614
OH, S-W., LEE, J.S., KIM, M.Y. & KIM, S-C. *COL7A1* mutational analysis in Korean patients with dystrophic epidermolysis bullosa, 1260
OH, S-W., LEE, J.S., KIM, M.Y., CHOI, J.Y. & KIM, S-C. Recessive dystrophic epidermolysis bullosa associated with dilated cardiomyopathy, 610
OHASHI, S. see NAKANO, H.
OHM KYVIK, K. see LERBAEK, A.
OHNO, Y. see KUWANO, Y.
OHTSUKA, T. see FUJIKURA, M.
OKA, M., KAMO, T., SASAKI, E., KAJI, H., NISHIZAWA, H., IMANISHI, Y. & NISHIGORI, C. A case of phosphaturic mesenchymal tumour (mixed connective tissue variant) that developed in the subcutaneous tissue of a patient with oncogenic osteomalacia and produced fibroblast growth factor 23, 198
OKA, M. Pyoderma gangrenosum and interleukin 8, 1279
OKOCHI, H. see KUWANO, Y.
OKUMURA, K. see ZHENG, Y.
OLIVER, H., FERGUSON, J. & MOSELEY, H. Quantitative risk assessment of sunbeds: impact of new high power lamps, 350
OLIVIERO, M. see BRAUN, R.P.
OLIVRY, T., PAPS, J.S., BIZIKOVA, P., MURPHY, K.M., JACKSON, H.A. & ZEBALA, J. A pilot open trial evaluating the efficacy of low-dose aminopterin in the canine homologue of human atopic dermatitis, 1040
OMOTO, M. see NISHIWAKI, F.
ONDER, M. see ALPSOY, E.
ORAICHI, D. see AZOULAY, L.
ORANJE, A.P., GLAZENBURG, E.J., WOLKERSTORFER, A. & DE WAARD-VAN DER SPEK, F.B. Practical issues on interpretation of scoring atopic dermatitis: the SCORAD index, objective SCORAD and the three-item severity score, 645
ORCHARD, G. see MAO, X.
ORLOW, S.J. see HELLER, M.
O'MORAIN, C. see MALIK, M.
ORTEGO-CENTENO, N. see RIOS-FERNÁNDEZ, R.
ORTEU, C.H., JANSEN, T., LIDOVE, O., JAUSSAUD, R., HUGHES, D.A., PINTOS-MORELL, G., RAMASWAMI, U., PARINI, R., SUNDER-PLASSMAN, G., BECK, M. & MEHTA, A.B. ON BEHALF OF THE FOS INVESTIGATORS. Fabry disease and the skin: data from FOS, the Fabry outcome survey, 331
ORTOMBINA, M. see GOMEZ LIRA, M.
ORTON, D.I. A clinical assessment of a patch test kit marketed to U.K. hairdressers for detecting hair dye allergy, 1017
ORTONNE, J.P. see MURRELL, D.F.
OTA, Y. see YAMADA, A.
OTLEY, C.C., GRIFFIN, M.D., CHARLTON, M.R., EDWARDS, B.S., NEUBURG, M. & STASKO FOR THE REDUCTION OF IMMUNOSUPPRESSION TASK FORCE OF THE INTERNATIONAL TRANSPLANT SKIN CANCER COLLABORATIVE. Reduction of immunosuppression for transplant-associated skin cancer: thresholds and risks, 1183
OTSUKA, F. see KAWACHI, Y.

OTSUKA, F. see SATO, H.
OTTAVIANI, M. see CAPITANIO, B.
OYAMADA, Y. see FUJIKURA, M.

PADILLA, R.S. see ZLOTOFF, B.J.
PALACIO ALLER, L. see HERAS MULERO, C.
PALIT, A. see ARITA, K.
PALLER, A.S. see SPERGEL, J.M.
PALMER, C.N.A. see LERBAEK, A.
PANASITI, V. see ROSSI, A.
PANELIUS, J. see JÄRVINEN, T.M.
PAPARO, F. see ESPOSITO, G.
PAPOUTSAKI, M. see COSTANZO, A.
PAPP, K. see KRISHNAN, R.
PAPS, J.S. see OLIVRY, T.
PARERA, E., TOLL, A., GALLARDO, F., BELLOSILLO, B., PUJOL, R.M. & MARTÍ, R. Lichen sclerosus et atrophicus-like lesions in mycosis fungoides, 411
PARIKH, A. see LLOYD, M.S.
PARINI, R. see ORTEU, C.H.
PARK, D. see LEE, J.
PARK, J.K. see KIM, H.J.
PARNEIX-SPAKE, A. see SPERGEL, J.M.
PARRAVICINI, C. see ANTINORI, S.
PARSLEW, R.A.G. see WEST, E.A.
PAS, H.H. see BOLLING, M.C.
PASPARAKIS, D. see MOUZOPOULOS, G.
PATEL, V. see KRISHNAN, R.
PATRIZI, A. see NERI, I.
PATRONE, P. see STINCO, G.
PAUL, C. see FAGUER, S.
PAUL, C.F. see MURRELL, D.F.
PAUS, R. see TIEDE, S.
PENNACCHIA, W. see ESPOSITO, G.
PERRINAUD, A., GAIDE, O., FRENCH, L.E., SAURAT, J-H., MARGHOOB, A.A. & BRAUN, R.P. Can automated dermoscopy image analysis instruments provide added benefit for the dermatologist? A study comparing the results of three systems, 926
PESERICO, A. see GISONDI, P.
PETIT-TEIXEIRA, E. see MEJRI, K.
PETRICOIN, E.F. see COWEN, E.W.
PFISTER, H. see KREUTER, A.
PHAN, A., TOUZET, S., DALLE, S., RONGER-SAVLÉ, S., BALME, B. & THOMAS, L. Acral lentiginous melanoma: histopathological prognostic features of 121 cases, 311
PIASERICO, S. see GISONDI, P.
PIASERICO, S. see GOMEZ LIRA, M.
PICARDO, M. see CAPITANIO, B.
PICCININI, G. see GOTERI, G.
PICCIRILLO, A. see ESPOSITO, G.
PICCIRILLO, F. see STINCO, G.
PIEPENBRING, M., CÁCERES MENDEZ, O.A., ESPINO ESPINOZA, A.A., KIRSCHNER, R. & SCHÖFER, H. Chromoblastomycosis caused by *Chaetomium funicola*: a case report from Western Panama, 1025
PIETTE, F. see VERCAMBRE-DARRAS, S.
PINTOS-MORELL, G. see ORTEU, C.H.
PIOLINI, R. see ANTINORI, S.
DE PITÀ, O. see BEDINI, C.
POBLETE-GUTIÉRREZ, P. see MÉNDEZ, M.
POCH, E. see MORENO-ROMERO, J.A.
POHLA-GUBO, G. see SADLER, E.
POLLARD, A.M. see WILSON, A.S.
POMERANTZ, R.G., HUSNI, M.E., MODY, E. & QURESHI, A.A. Adalimumab for treatment of pyoderma gangrenosum, 1274
PONNAMPALAM, J., NICHOLSON, J. & ATHERTON, D. Leptomeningeal melanoma and multiple cutaneous melanocytic naevi, 397
POTTHOFF, A. see KREUTER, A.
POUMAY, Y. see SERCU, S.
POURREYRON, C. see ARITA, K.
POWELL, F.C. see LACEY, N.
PRIPP, C.M. see EKQVIST, S.
PROBERT, C.S. see BROOKLYN, T.N.
PUDDU, P. see CIANCHINI, G.
PUGNALONI, A. see TUCCI, M.G.
PUIG, L. see GARCIA-NAVARRO, X.
PUIG, S. see ZABALLOS, P.
PUJOL, R.M. see PARERA, E.
PULINI, S. see GOTERI, G.
PURVIS, D.J., RAMIREZ, A., ROBERTS, N. & HARPER, J.I. Gomez–Lopez–Hernandez syndrome: another consideration in focal congenital alopecia, 196

QU, T. see ZUO, Y-G.
QURESHI, A.A. see MODY, E.
QURESHI, A.A. see POMERANTZ, R.G.

VAN DER RAAIJ-HELMER, E.M.H. see ARABATZIS, M.
RABINOVITZ, H.S. see BRAUN, R.P.
RACZ, P. see KREUTER, A.
RADY, P.L., DE OLIVEIRA, W.R.P., HE, Q., FESTA, C., RIVITTI, E.A., TUCKER, S.B. & TYRING, S.K. Novel homozygous nonsense TMC8 mutation detected in patients with epidermodysplasia verruciformis from a Brazilian family, 831
RAGHAVAN, S. see TORRES, A.
RAJAN, N. & LANGTRY, J.A.A. The punch and graft technique: a novel method of surgical treatment for chondrodermatitis nodularis helicis, 744
RAMASWAMI, U. see ORTEU, C.H.
RAMIREZ, A. see PURVIS, D.J.
RAMOS-POLO, E. see COTO-SEGURA, P.
RANKI, A. see GNIADECKI, R.
RANKI, A. see JÄRVINEN, T.M.
RAVN, H. see LERBAEK, A.
RĘBAŁA, K. see NEDOSZYTKO, B.
REDDY, B.S.N. see GROVER, C.
RÉGNIER, S., DUPIN, N., LE DANFF, C., WASSEF, M., ENJOLRAS, O. & ARACTINGI, S. Endothelial cells in infantile haemangiomas originate from the child and not from the mother (a fluorescence *in situ* hybridization-based study), 158
REIFENBERGER, J. see ANTAL, A.
REITER, H. see GRIMS, R.H.
REMUZZI, G. see GOMEZ LIRA, M.
REVERDY, M-E. see DURUPT, F.
REYNOLDS, N.J. see HAMPTON, P.J.
RIBEIRO-CARVALHO, M.M. see MOURA, D.F.
RIBUFFO, D. see GRADILONE, A.
RICOTTI, G. see TUCCI, M.G.
RIEGER, A. see HANDISURYA, A.
RIGBY, H. see WEST, E.A.
RIGOPOULOS, D. see GREGORIOU, S.
RIOS-FERNÁNDEZ, R., GUTIERREZ-SALMERÓN, M.T., CALLEJAS-RUBIO, J-L., FERNÁNDEZ-PUGNAIRE, M. & ORTEGO-CENTENO, N. Late-onset neutropenia following rituximab treatment in patients with autoimmune diseases, 1271

RIVITTI, E.A. see RADY, P.L.
ROBAK, E., JESIONEK-KUPNICKA, D., ROBAK, T., HOLUB, A., WAWRZYNIAK, E., BARTKOWIAK, J., BEDNAREK, A., CONSTANTINU, M. & URBANSKA-RYS, H. Primary cutaneous marginal zone B-cell lymphoma in a patient with chronic lymphocytic leukaemia, 591
ROBAK, T. see ROBAK, E.
ROBERTS, C. see ANGUS, J.
ROBERTS, N. see PURVIS, D.J.
RODERO, J. see ZABALLOS, P.
RODRÍGUEZ-CANO, L. see HERAS MULERO, C.
ROE, E. see GARCIA-NAVARRO, X.
ROGERS, S. see AHMAD, K.
RÖGLIN, J. & BÖER, A. Skin manifestations of intravascular lymphoma mimic inflammatory diseases of the skin, 16
ROMITI, R. see TAKAHASHI, M.D.F.
RONGER-SAVLÉ, S. see PHAN, A.
RORTVEIT, G. see RØRTVEIT, S.
RØRTVEIT, S. & RORTVEIT, G. Impetigo in epidemic and nonepidemic phases: an incidence study over 4 years in a general population, 100
ROSEEUW, D. see VERFAILLE, C.J.
ROSS, O.K. see HAMPTON, P.J.
ROSSI, A., DEVIRGILIIS, V., PANASITI, V., BORRONI, R.G., CARLESIMO, M., GENTILE, M., CARIOLA, F. & CALVIERI, S. Missense mutation in exon 7 of *TRPS1* gene in an Italian family with a mild form of trichorhinophalangeal syndrome type I, 1021
ROSZKIEWICZ, J. see NEDOSZYTKO, B.
ROTT, S., KÜSTER, R.M. & MROWIETZ, U. Successful treatment of severe psoriatic arthritis with infliximab in an 11-year-old child suffering from linear psoriasis along lines of Blaschko, 191
ROUJEAU, J-C. see SIDOROFF, A.
ROWBOTTOM, A.W. see SHAH, D.
RUBEGNI, P. see MOURMOURAS, V.
RUBINI, C. see GOTERI, G.
RUDNAI, P. see WILKENING, S.
RUGIU, C. see GOMEZ LIRA, M.
RUPEC, R.A. see FLAIG, M.J.
RUPOLI, S. see GOTERI, G.
RUSSELL-JONES, R. see MAO, X.
RUSTIN, M.H.A. The safety of tacrolimus ointment for the treatment of atopic dermatitis: a review, 861
RUZICKA, T. see ANTAL, A.
RYLANDER, E. see JOHANNESSON, U.

SAARIALHO-KERE, U. see JÄRVINEN, T.M.
SADLER, E., SCHAFLEITNER, B., LANSCHUETZER, C., LAIMER, M., POHLA-GUBO, G., HAMETNER, R., HINTNER, H. & BAUER, J.W. Treatment-resistant classical epidermolysis bullosa acquisita responding to rituximab, 417
SAKURAI, T. see NISHIKAWA, M.
SALAT, A. see HANDISURYA, A.
SALDANHA, G. see MACBETH, A.E.
SALSENCH, E. see ZABALLOS, P.
SAMPAIO, E.P. see MOURA, D.F.
SAMPOGNA, F., TABOLLI, S., ABENI, D. & THE IDI MULTIPURPOSE PSORIASIS RESEARCH ON VITAL EXPERIENCES (IMPROVE) INVESTIGATORS. The impact of changes in clinical severity on psychiatric morbidity in patients with psoriasis: a follow-up study, 508
SAND, M. see BECHARA, F.G.
SANDERS, D.S.A. see TAIBJEE, S.M.
SANTOS, I.M.C.F. see MOURA, D.F.
SANTOS-JUANES, J. see COTO-SEGURA, P.
SARDANA, K. see BANSAL, S.
SARNO, E.N. see MOURA, D.F.
SASAKI, E. see OKA, M.
SASAKI, T. see HATAMOCHI, A.
SATO, H., NAKAMURA, Y., TAKAHASHI, T. & OTSUKA, F. Concordant lymphoma of cutaneous anaplastic large cell lymphoma and systemic B-cell leukaemia, 1060
SATO, T. see UGAJIN, T.
SATOH, T. see YAHARA, H.
SAURAT, J-H. see BRAUN, R.P.
SAURAT, J-H. see PERRINAUD, A.
SAUVAIGO, S., BONNET-DUQUENNOY, M., ODIN, F., HAZANE-PUCH, F., LACHMANN, N., BONTÉ, F., KURFÜRST, R. & FAVIER, A. DNA repair capacities of cutaneous fibroblasts: effect of sun exposure, age and smoking on response to an acute oxidative stress, 26
SAVOIA, F. see NERI, I.
SAWADA, R. see KIDO, M.
SAWAI, T. see WATABE, D.
SAWAMURA, D. see YASUKAWA, K.
SCARPA, S. see GRADILONE, A.
SCHAFFER, J.V. see HELLER, M.
SCHAFLEITNER, B. see SADLER, E.
SCHAGEN VAN LEEUWEN, J.H. see SLEE, P.H.T.J.
SCHEPER, R.J. see LE DUC, Q.
SCHIANCHI, S. see GISONDI, P.
SCHMERMUND, D. see LÖFFLER, H.
SCHMITT, S. see KILIC, S.S.
SCHÖFER, H. see PIEPENBRING, M.
SCHÖN, M.P. see WACHTER, T.
SCHUR, P. see MODY, E.
SCHWANDT, P. see GNIADECKI, R.
SCHWARZ, T. see HÜGEL, R.
SCORTECHINI, A.R. see GOTERI, G.
SCUDERI, N. see GRADILONE, A.
SEGURA, S. see MORENO-ROMERO, J.A.
SEISHIMA, M., MIZUTANI, Y., SHIBUYA, Y., ARAKAWA, C., YOSHIDA, R. & OGATA, T. Malignant melanoma in a woman with LEOPARD syndrome: identification of a germline PTPN11 mutation and a somatic *BRAF* mutation, 1297
SEITZ, C.S., VAN STEENSEL, M., FRANK, J., SENDEREK, J., ZERRES, K., HAMM, H. & BERGMANN, C. The Wnt signalling ligand *RSPO4*, causing inherited anonychia, is not mutated in a patient with congenital nail hypoplasia/aplasia with underlying skeletal defects, 801
SEITZ, C.S. see BENOIT, S.
SELDENRIJK, C.A. see SLEE, P.H.T.J.
SENDEREK, J. see SEITZ, C.S.
SENFF, N.J. & WILLEMZE, R. The applicability and prognostic value of the new TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Sézary syndrome: results on a large cohort of primary cutaneous B-cell lymphomas and comparison with the system used by the Dutch Cutaneous Lymphoma Group, 1205
SEO, S. see OH, J.
SEO, S-H., OH, C-K., KWON, K-S. & KIM, M-B. A case of milium-like syringoma with focal calcification in Down syndrome, 612
SEO, Y.J. see KIM, H.J.
SEPP, N. see EISENDLE, K.
SERCU, S., POUMAY, Y., HERPHELIN, F., LIEKENS, J., BEEK, L., ZWIJSEN, A., WESSAGOWIT, V., HUYLEBROECK, D., MCGRATH, J.A. & MERREGAERT, J. Functional redundancy of extracellular matrix protein 1 in epidermal differentiation, 771

SETSU, N. see AOCHI, S.
SETTERFIELD, J. see ESCUDIER, M.
SEYHAN, M. see ALPSOY, E.
SHAH, D., ROWBOTTOM, A.W., THOMAS, C.L., CUMBER, P. & CHOWDHURY, M.M.U. Hypocomplementaemic urticarial vasculitis associated with non-Hodgkin lymphoma and treatment with intravenous immunoglobulin, 392
SHANAHAN, F. see MALIK, M.
SHAW, H.M. & THOMPSON, J.F. Prognostic value of sentinel lymph node biopsy, 405
SHAW, J., HUGHES, C.M., LAGAN, K.M. & BELL, P.M. The clinical effect of topical phenytoin on wound healing: a systematic review, 997
SHAW, J., LIU, C., MARTIN, R., CHEN, B., HOLTZ, R., HUANG, W-H. & LEE, A-R. Inhibition of tumour necrosis factor-α secretion from EpiDerm™ tissues by a novel small molecule, UTL-5d, 575
SHEAR, N.H. see TOHYAMA, M.
SHETH, N., GREENBLATT, D. & MCGRATH, J.A. New KRT10 gene mutation underlying the annular variant of bullous congenital ichthyosiform erythroderma with clinical worsening during pregnancy, 602
SHEU, H-M. see LEE, Y-L.
SHIBATA, S. see IMAFUKU, S.
SHIBUYA, Y. see SEISHIMA, M.
SHIMADA, H. see HAMADA, T.
SHIMIZU, H. see HOSHINA, D.
SHIMIZU, H. see YAOSAKA, M.
SHIMIZU, H. see YASUKAWA, K.
SHIN, H. see YU, H-J.
SHIN, H.T. see HELLER, M.
SHIN, M-G. see YUN, S.J.
SHIRLAW, P. see ESCUDIER, M.
SHUM, K.W. see ATHAVALE, P.
SIDOROFF, A., DUNANT, A., VIBOUD, C., HALEVY, S., BOUWES BAVINCK, J.N., NALDI, L., MOCKENHAUPT, M., FAGOT, J-P. & ROUJEAU, J-C. Risk factors for acute generalized exanthematous pustulosis (AGEP)—results of a multinational case–control study (EuroSCAR), 989
SIDOU, F. see BARAN, R.
SIGURGEIRSSON, B. see BARAN, R.
SILVESTRI, I. see GRADILONE, A.
SIMA, R. see BELOUSOVA, I.E.
SIMON, D., BRAATHEN, L.R. & SIMON, H-U. Increased lipopolysaccharide-induced tumour necrosis factor-α, interferon-γ and interleukin-10 production in atopic dermatitis, 583
SIMON, H-U. see SIMON, D.
SIMONETTI, O. see CAMPANATI, A.
SIMONETTI, O. see GOTERI, G.
SINAGRA, J.L. see CAPITANIO, B.
SINCLAIR, R., GREENLAND, K.J., VAN EGMOND, S., HOEDEMAKER, C., CHAPMAN, A. & ZAJAC, J.D. Men with Kennedy disease have a reduced risk of androgenetic alopecia, 290
SINGH, J. see GUPTA, A.K.
SKOVGAARD, L.T. see MOGENSEN, M.
SKOWRON, F. see BARBERIO, E.
SLADDEN, C.S. see SLADDEN, M.J.
SLADDEN, M.J. & SLADDEN, C.S. Maximizing the quality of review articles, 409
SLADE, H.B. see TORRES, A.
SLEE, P.H.T.J., VAN DER WAAL, R.I.F., SCHAGEN VAN LEEUWEN, J.H., TUPKER, R.A., TIMMER, R., SELDENRIJK, C.A. & VAN STEENSEL, M.A.M. Paraneoplastic hypertrichosis lanuginosa acquisita: uncommon or overlooked?, 1087
SMITH, A. see MACBETH, A.E.
SMITH, A. see TAIBJEE, S.M.
SMITH, G., WILKIE, M.J.V., DEENI, Y.Y., FARR, P.M., FERGUSON, J., WOLF, C.R. & IBBOTSON, S.H. Melanocortin 1 receptor (MC1R) genotype influences erythemal sensitivity to psoralen–ultraviolet A photochemotherapy, 1230
SMITH, V.H. & JONES, S.K. Successful treatment of severe psoriatic natal cleft fissuring with tissue adhesive, 1269
SOMA, Y. see KAWAKAMI, T.
SONG, W-C., HU, K-S., KIM, H-J. & KOH, K-S. A study of the secretion mechanism of the sebaceous gland using three-dimensional reconstruction to examine the morphological relationship between the sebaceous gland and the arrector pili muscle in the follicular unit, 325
SONTHEIMER, R.D. see GERAMI, P.
SOUTH, A.P. see ARITA, K.
SOWDEN, H.M., KAROO, R.O.S. & TOBIN, D.J. Transforming growth factor-β receptor II is preferentially expressed in the companion layer of the human anagen hair follicle, 161
SOYER, H.P. see ARGENZIANO, G.
SPAAPEN, L.J.M. see STEIJLEN, P.M.
SPERGEL, J.M., BOGUNIEWICZ, M., PALLER, A.S., HEBERT, A.A., GALLAGHER, P.R., MCCORMICK, C., PARNEIX-SPAKE, A. & HULTSCH, T. Addition of topical pimecrolimus to once-daily mid-potent steroid confers no short-term therapeutic benefit in the treatment of severe atopic dermatitis; a randomized controlled trial, 378
SPIES, M. see AUST, M.C.
STALDER, J.F. see BARBAROT, S.
STALDER, J-F. see VOURC'H, M.
STAMATAKOS, M. see MOUZOPOULOS, G.
STASKO, T. see OTLEY, C.C.
STAVRAKOGLOU, A., BROWN, V.L. & COUTTS, I. Successful treatment of primary cutaneous follicle centre lymphoma with topical 5% imiquimod, 620
STEADMAN, M.C. see MADKAN, V.K.
VAN STEENSEL, M. see SEITZ, C.S.
VAN STEENSEL, M.A.M. see SLEE, P.H.T.J.
VAN STEENSEL, M.A.M. see STEIJLEN, P.M.
STEIJLEN, P.M., VAN GEEL, M., VREEBURG, M., MARCUS-SOEKARMAN, D., SPAAPEN, L.J.M., CASTELIJNS, F.C.M., WILLEMSEN, M. & VAN STEENSEL, M.A.M. Novel EBP gene mutations in Conradi–Hünermann–Happle syndrome, 1225
STEINBERG, S.M. see COWEN, E.W.
STEMMLER, S. see HOFFJAN, S.
STERLING, J.C. see TOMSON, N.
STERRY, W., STROBER, B.E. & MENTER, A. ON BEHALF OF THE INTERNATIONAL PSORIASIS COUNCIL. Obesity in psoriasis: the metabolic, clinical and therapeutic implications. Report of an interdisciplinary conference and review, 649
STICHERLING, M. see VON MACKENSEN, Y.A.
STINCO, G., PICCIRILLO, F. & PATRONE, P. Hypertriglyceridaemia during treatment with adalimumab in psoriatic arthritis, 1273
STINGL, G. see HANDISURYA, A.
STOKKERMANS-DUBOIS, J., BEYLOT-BARRY, M., VERGIER, B., BOUABDALLAH, K. & DOUTRE, M.S. Erythema annulare centrifugum revealing chronic lymphocytic leukaemia, 1045
STONE, N.M. see HANN, S.
STOREY, L. see TORRES, A.
STRAMAZZOTTI, D. see CAMPANATI, A.
STRAMAZZOTTI, D. see GOTERI, G.

STRAUSS, R.M., ELLIOTT, F., AFFLECK, P., BOON, A.P. & NEWTON-BISHOP, J.A. A retrospective study addressed to understanding what predicts severe histological dysplasia/early melanoma in excised atypical melanocytic lesions, 758
STREET, A.C. see TUXEN, A.J.
STROBER, B.E. see BROWNELL, I.
STROBER, B.E. see STERRY, W.
STRONATI, A. see GOTERI, G.
SUBCOMMITTEE, A. see GRATTAN, C.E.H.
SUGITA, T. see TAKAHATA, Y.
SUMMERBELL, R.C. see ARABATZIS, M.
SUNDER-PLASSMAN, G. see ORTEU, C.H.
SUNG, F-C. see LEE, Y-L.
SUNG, Y.T. see HON, K.L.E.
SUZUKI, D. see AOCHI, S.
SUZUKI, H. see HATAMOCHI, A.
SUZUKI, N. see AOCHI, S.
SVEDMAN, C. see EKQVIST, S.
SYED, S. see MAZEREEUW-HAUTIER, J.
SZAKONYI, J. see MARSCHALKÓ, M.
SZCZERKOWSKA-DOBOSZ, A. see NEDOSZYTKO, B.
SZEIMIES, R-M. see BABILAS, P.
SZIGETI, Á. see MARSCHALKÓ, M.

TABOLLI, S. see SAMPOGNA, F.
TADINI, G. see ESPOSITO, G.
TAIBJEE, S.M., GEE, B.C., SANDERS, D.S.A., SMITH, A. & CARR, R.A. Lentigo maligna involving the tumour nests and stroma of a nodular basal cell carcinoma, 184
TAÏEB, A. see MORICE-PICARD, F.
TAKAHAGI, S. see KAMEYOSHI, Y.
TAKAHASHI, M.D.F., CASTRO, L.G.M. & ROMITI, R. Infliximab, as sole or combined therapy, induces rapid clearing of erythrodermic psoriasis, 828
TAKAHASHI, T. see KAWACHI, Y.
TAKAHASHI, T. see SATO, H.
TAKAHATA, Y., SUGITA, T., HIRUMA, M. & MUTO, M. Quantitative analysis of *Malassezia* in the scale of patients with psoriasis using a real-time polymerase chain reaction assay, 670
TAKAHATA, Y., SUGITA, T., KATO, H., NISHIKAWA, A., HIRUMA, M. & MUTO, M. Cutaneous *Malassezia* flora in atopic dermatitis differs between adults and children, 1178
TAKEUCHI, S. see KIDO, M.
TALKS, S.J. see BROWN, S.J.
TAMAI, K. see MABUCHI, E.
TAMAI, K. see NAKANO, H.
TAMAKI, K. see ISHIURA, N.
TAMAKI, K. see KUWANO, Y.
TAN, A.W.H. see TAN, H-H.
TAN, H-H., TAN, A.W.H., BARKHAM, T., YAN, X-Y. & ZHU, M. Community-based study of acne vulgaris in adolescents in Singapore, 547
TANAKA, T. see KAMEYOSHI, Y.
TANG, W.Y.M. see CHAN, K.H.N.
TANIOKA, M. see NISHIKAWA, M.
TAPPUNI, A. see ESCUDIER, M.
TARIQ, M., WASIF, N. & AHMAD, W. A novel deletion mutation in the *EDAR* gene in a Pakistani family with autosomal recessive hypohidrotic ectodermal dysplasia, 207
TASHIRO, A. see IMAFUKU, S.
TASSETTI, A. see GOTERI, G.
TAYLOR, A. see WAHIE, S.
TAYLOR, A.E.M. see BROWN, S.J.
TEIXEIRA, V.H. see MEJRI, K.
TELES, R.B. see MOURA, D.F.
TELES, R.M.B. see MOURA, D.F.
TEMPLETON, K. see ARABATZIS, M.
TENNER-RACZ, K. see KREUTER, A.
TESNIERE, A. see MOLÈS, J.-P.
TESSARI, G. see GISONDI, P.
TESSARI, G. see GOMEZ LIRA, M.
THACI, D. see BOEHNCKE, S.
THOMAS, C.L. & FINLAY, A.Y. The 'handprint' approximates to 1% of the total body surface area whereas the 'palm minus the fingers' does not, 1080
THOMAS, C.L. see SHAH, D.
THOMAS, L. see BARBERIO, E.
THOMAS, L. see DALLE, S.
THOMAS, L. see DEBARBIEUX, S.
THOMAS, L. see DURUPT, F.
THOMAS, L. see PHAN, A.
THOMASSEN, L. see HOLM, E.A.
THOMPSON, J.F. see SHAW, H.M.
THOMSEN, J.B. see MOGENSEN, M.
THOMSON, M.A. & MOSS, C. Pityriasis rubra pilaris in a mother and two daughters, 202
TIEDE, S., KLOEPPER, J.E., WHITING, D.A. & PAUS, R. The 'follicular trochanter': an epithelial compartment of the human hair follicle bulge region in need of further characterization, 1013
TIEV, K.P. see FARDET, L.
TIMMER, R. see SLEE, P.H.T.J.
TING, P.T. see DYTOC, M.T.
TOBIN, A.-M. see MALIK, M.
TOBIN, D.J. see SOWDEN, H.M.
TOBIN, D.J. see WILSON, A.S.
TOHYAMA, M., HASHIMOTO, K., YASUKAWA, M., KIMURA, H., HORIKAWA, T., NAKAJIMA, K., URANO, Y., MATSUMOTO, K., IIJIMA, M. & SHEAR, N.H. Association of human herpesvirus 6 reactivation with the flaring and severity of drug-induced hypersensitivity syndrome, 934
TOKSOY, A., MÜLLER, V., GILLITZER, R. & GOEBELER, M. Biphasic expression of stromal cell-derived factor-1 during human wound healing, 1148
TOLÈDANO, C. see FARDET, L.
TOLL, A. see PARERA, E.
TOMI, N.S. see BECHARA, F.G.
TOMSON, N. & STERLING, J.C. Hydroxycarbamide: a treatment for lichen sclerosus?, 622
VAN TONGEREN, M. see TURNER, S.
TORRES, A., STOREY, L., ANDERS, M., MILLER, R.L., BULBULIAN, B.J., JIN, J., RAGHAVAN, S., LEE, J., SLADE, H.B. & BIRMACHU, W. Microarray analysis of aberrant gene expression in actinic keratosis: effect of the Toll-like receptor-7 agonist imiquimod, 1132
TOUZET, S. see PHAN, A.
TOYOMAKI, Y. see NAKANO, H.
TRON, F. see MEJRI, K.
TROVATI, S. see ANTINORI, S.
TSAI, T.F. see LIAO, Y.H.
TSAI, T-F. see HONG, J-B.
TSAI, Y-S., TU, M-E., WU, Y-H. & LIN, Y-C. Hydroxyzine-induced acute generalized exanthematous pustulosis, 1296
TSAO, H. & ENGLISH, J. 'Benchside-to-bedside', 849
TSENG, Y.S. see LIAO, Y.H.
TSOUPAROPOULOS, V. see MOUZOPOULOS, G.
TSUBURA, A. see KUROKAWA, I.

TSUJI, K. see YAMADA, A.
TSUTSUMI, M. & DENDA, M. Paradoxical effects of β-estradiol on epidermal permeability barrier homeostasis, 776
TSUTSUMI, M. see DENDA, M.
TU, M-E. see TSAI, Y-S.
TUCCI, M.G., LUCARINI, G., BRANCORSINI, D., ZIZZI, A., PUGNALONI, A., GIACCHETTI, A., RICOTTI, G. & BIAGINI, G. Involvement of E-cadherin, β-catenin, Cdc42 and CXCR4 in the progression and prognosis of cutaneous melanoma, 1212
TUCKER, S.B. see RADY, P.L.
TÜLIN GÜLĘ, A. see ADA, S.
TUPKER, R.A. see SLEE, P.H.T.J.
TURCO, A. see GOMEZ LIRA, M.
TURKI, H. see MEJRI, K.
TURNER, R. see LALLY, A.
TURNER, S., CARDER, M., VAN TONGEREN, M., MCNAMEE, R., LINES, S., HUSSEY, L., BOLTON, A., BECK, M.H., WILKINSON, M. & AGIUS, R. The incidence of occupational skin disease as reported to The Health and Occupation Reporting (THOR) network between 2002 and 2005, 713
TURSEN, U. see ALPSOY, E.
TÜTING, T. see WENZEL, J.
TUXEN, A.J., YONG, M.K., STREET, A.C. & DOLIANITIS, C. Disseminated cryptococcal infection in a patient with severe psoriasis treated with efalizumab, methotrexate and ciclosporin, 1067
TYRING, S.K. see MADKAN, V.K.
TYRING, S.K. see RADY, P.L.

UGAJIN, T., YAHARA, H., MORIYAMA, Y., SATO, T., NISHIOKA, K. & YOKOZEKI, H. Two siblings with neonatal pemphigus vulgaris associated with mild maternal disease, 192
UJIIE, H. see YAOSAKA, M.
ULRICH, J. see BRÜCHER, J-J.
ULRICH, M.M.W. see LE DUC, Q.
UMEDA, K. see KUROKAWA, I.
UMEGAKI, N. see MABUCHI, E.
URABE, K. see KIDO, M.
URANO, Y. see TOHYAMA, M.
URBANSKA-RYS, H. see ROBAK, E.
USHIO, H. see ZHENG, Y.
USTA, A. see ALPSOY, E.
UTANI, A. see NISHIKAWA, M.
UZUN, S. see ALPSOY, E.

VACCARO, M., BORGIA, F., BARBUZZA, O. & GUARNERI, B. Photodistributed eruptive telangiectasia: an uncommon adverse drug reaction to venlafaxine, 822
VANDENESCH, F. see DURUPT, F.
VARMA, S. see AFFLECK, A.G.
VASATURO, F. see GRADILONE, A.
VASSALLO, C., ARDIGÒ, M., BRAZZELLI, V., ZECCA, M., LOCATELLI, F., ALESSANDRINO, P.E., LAZZARINO, M., CORONA, S., LANZERINI, P., BENAZZO, M., FABBI, M. & BORRONI, G. *Bartonella*-related pseudomembranous angiomatous papillomatosis of the oral cavity associated with allogeneic bone marrow transplantation and oral graft-versus-host disease, 174
VÁVROVÁ, K., HRABÁLEK, A., MAC-MARY, S., HUMBERT, P. & MURET, P. Ceramide analogue 14S24 selectively recovers perturbed human skin barrier, 704
VELEGRAKI, A. see ARABATZIS, M.
VELTEN, M. see LIPSKER, D.
VERCAMBRE-DARRAS, S., DUBUCQUOI, S., FAJARDY, I., PIETTE, F. & MORTIER, L. Does spontaneous autoimmunity improve survival in visceral metastatic melanoma?, 413
VERFAILLE, C.J., COEL, M., BOERSMA, I.H., MERTENS, J., BORGERS, M. & ROSEEUW, D. Oral R115866 in the treatment of moderate to severe facial acne vulgaris: an exploratory study, 122
VERGIER, B. see STOKKERMANS-DUBOIS, J.
VERNON, S.E. see LUGASSY, C.
VEROLA, O. see VIGUIER, M.
VETTER-KAUCZOK, C.S. see BENOIT, S.
VIBOUD, C. see SIDOROFF, A.
VIGUIER, M., JEANMOUGIN, M., BEGON, E., VEROLA, O., DUBERTRET, L. & BACHELEZ, H. Remission of photosensitivity following treatment of psoriasis vulgaris with tumour necrosis factor inhibitors, 625
VINCENZI, B. see GRADILONE, A.
VIOLA, A. see ESPOSITO, G.
VIVES, J.M. see ZABALLOS, P.
VOGT, P.M. see AUST, M.C.
VOLTEAU, C. see BARBAROT, S.
VOLZ, A., METZE, D., BÖHM, M., BRUCKNER-TUDERMAN, L. & NASHAN, D. Idiopathic eruptive macular pigmentation in a 7-year-old girl: case report and discussion of differences from erythema dyschromicum perstans, 839
VONDERHEID, E.C. see COWEN, E.W.
VOORHEES, J.J. see HELFRICH, Y.R.
VOURC'H, M., BARBAROT, S. & STALDER, J-F. Ciclosporin improves quality of life in Kimura's disease, 420
VREEBURG, M. see STEIJLEN, P.M.

VAN DER WAAL, R.I.F. see SLEE, P.H.T.J.
DE WAARD-VAN DER SPEK, F.B. see ORANJE, A.P.
WACHTER, T., MURACH, W.M., BRÖCKER, E-B. & SCHÖN, M.P. Recalcitrant lithium-induced psoriasis in a suicidal patient alleviated by tumour necrosis factor-α inhibition, 627
WAHIE, S., HISCUTT, E., NATARAJAN, S. & TAYLOR, A. Pityriasis lichenoides: the differences between children and adults, 941
WALEWSKA, R. see HELBLING, I.
WALL, E.C. see HAYDOCK, S.F.
WALLING, H.W. see GERAMI, P.
WALTON, S. see WILLIAMS, C.
WANG, B. see ZUO, Y-G.
WANG, S-H. see HONG, J-B.
WASIF, N. see TARIQ, M.
WASSEF, M. see RÉGNIER, S.
WATABE, D., KANNO, H., YOSHIDA, A., KUROSE, A., AKASAKA, T. & SAWAI, T. Adhesion of peripheral blood mononuclear cells and CD4+ T cells from patients with psoriasis to cultured endothelial cells via the interaction between lymphocyte function-associated antigen type 1 and intercellular adhesion molecule 1, 259
WATANABE, R. see KUWANO, Y.
WATANABE, T., YOSHIDA, Y. & YAMAMOTO, O. Angiomyofibroblastoma of the vulva with a penile appearance, 189
WAWRZYNIAK, E. see ROBAK, E.
WEGER, W. see GRIMS, R.H.
WEISE-RICCARDI, S. see MURRELL, D.F.
WELCH, D.R. see LUGASSY, C.
WELLER, R. see FINNEN, M.J.
WENZEL, J., ZAHN, S., MIKUS, S., WIECHERT, A., BIEBER, T. & TÜTING, T. The expression pattern of interferon-inducible proteins reflects the characteristic histological distribution of

infiltrating immune cells in different cutaneous lupus erythematosus subsets, 752
WESSAGOWIT, V. see ARITA, K.
WESSAGOWIT, V. see SERCU, S.
WEST, E.A., MCPARTLAND, J.L., RIGBY, H. & PARSLEW, R.A.G. Giant bathing trunk naevus with lymphadenopathy and unusual pathology, 599
WHATLEY, S.D. see BERROETA, L.
WHITE, I.R. see WHITE, J.M.L.
WHITE, J.M.L. & WHITE, I.R. The role of self-tests in the diagnosis of hair dye allergy, 847
WHITE, J.M.L., WHITE, I.R., GLENDINNING, A., FLEMING, J., JEFFERIES, D., BASKETTER, D.A., MCFADDEN, J.P. & BUCKLEY, D.A. Frequency of allergic contact dermatitis to isoeugenol is increasing: a review of 3636 patients tested from 2001 to 2005, 580
WHITELEY, G. see COWEN, E.W.
WHITING, D.A. see TIEDE, S.
WHITTAKER, S. see GNIADECKI, R.
WHITTAKER, S. see LALLY, A.
WHITTAKER, S. see MAO, X.
WIECHERT, A. see WENZEL, J.
WIEDERHOLT, T. see MÉNDEZ, M.
WIELAND, U. see KREUTER, A.
WILKENING, S., HEMMINKI, K., RUDNAI, P., GURZAU, E., KOPPOVA, K., FÖRSTI, A. & KUMAR, R. No association between MDM2 SNP309 promoter polymorphism and basal cell carcinoma of the skin, 375
WILKIE, M.J.V. see SMITH, G.
WILKINSON, J. see NG, S.Y.
WILKINSON, M. see TURNER, S.
WILLEMSEN, M. see STEIJLEN, P.M.
WILLEMZE, R. see SENFF, N.J.
WILLIAMS, A.M. see BROOKLYN, T.N.
WILLIAMS, C., MITRA, A. & WALTON, S. 'Turkey ear': a diagnosis or a physical sign?, 816
WILSON, A.S., DODSON, H.I., JANAWAY, R.C., POLLARD, A.M. & TOBIN, D.J. Selective biodegradation in hair shafts derived from archaeological, forensic and experimental contexts, 450
WITHEROW, R.O. see COX, G.A.
WOLF, C.R. see SMITH, G.
WOLKENSTEIN, P. see BARBAROT, S.
WOLKERSTORFER, A. see ORANJE, A.P.
WON, Y.H. see YUN, S.J.
WONG, K.Y. see HON, K.L.E.
WONG, K-Y. see HON, K-L.E.
WONG, T.W. see HSU, C.K.
WU, C-S. see HU, S.C-S.
WU, T-S. see YANG, C-H.
WU, Y-H. see TSAI, Y-S.
WULF, H.C. see HOLM, E.A.

XU, Y. see ZUO, Y-G.
XU, Y-H. see FANG, Y.

YAAR, M. & GILCHREST, B.A. Photoageing: mechanism, prevention and therapy, 874
YAGUE, J. see COTO-SEGURA, P.
YAHARA, H., SATOH, T., HASHIMOTO, T. & YOKOZEKI, H. Transient macular erythema with eosinophilia in a patient carrying the *FIP1L1-PDGFRA* fusion gene, 1284
YAHARA, H. see UGAJIN, T.
YAMADA, A., YAMASAKI, O., ASAGOE, K., TSUJI, K., HAMADA, T., OTA, Y. & IWATSUKI, K. Recovery from Sézary syndrome following *Mycobacterium avium* spondylitis, 1270
YAMAMOTO, M. see ASAHINA, A.
YAMAMOTO, O. see WATANABE, T.
YAMAMOTO, T. see NISHIKAWA, M.
YAMANAKA, K-I. see KUROKAWA, I.
YAMASAKI, O. see YAMADA, A.
YAMAZAKI, S. see HATAMOCHI, A.
YAN, X-Y. see TAN, H-H.
YANG, C-H., WU, T-S. & CHIU, C-T. Chronic hepatitis B reactivation: a word of caution regarding the use of systemic glucocorticosteroid therapy, 587
YANO, S. see KUWANO, Y.
YAOSAKA, M., ABE, R., UJIIE, H., ABE, Y. & SHIMIZU, H. Unilateral periorbital oedema due to sarcoid infiltration of the eyelid: an unusual presentation of sarcoidosis with facial nerve palsy and parotid gland enlargement, 200
YASUKAWA, K., SAWAMURA, D., GOTO, M., NAKAMURA, H. & SHIMIZU, H. Histone deacetylase inhibitors preferentially augment transient transgene expression in human dermal fibroblasts, 662
YASUKAWA, M. see TOHYAMA, M.
YASUMOTO, S. see HAMADA, T.
YAZAWA, N. see KUWANO, Y.
YIP, D. see KOUBA, D.J.
YOKOZEKI, H. see UGAJIN, T.
YOKOZEKI, H. see YAHARA, H.
YONG, M.K. see TUXEN, A.J.
YOON, T.Y. see KIM, H.J.
YOSHIDA, A. see WATABE, D.
YOSHIDA, R. see SEISHIMA, M.
YOSHIDA, Y. see WATANABE, T.
YSEBAERT, L. see FAGUER, S.
YU, C.H. see HSU, C.K.
YU, H-J., SHIN, H., KANG, M-S. & KIM, J-S. A case of primary anetoderma in an infant, 1267
YU, H-S. see LEE, Y-L.
YUN, S.J., SHIN, M-G., CHOI, C., KIM, H-J., LEE, J-B., KIM, S-J., LEE, S-C. & WON, Y.H. Fatal disseminated angioinvasive *Fusarium falciforme* infection in a patient with acute myeloid leukaemia, 407

ZABALLOS, P., BLAZQUEZ, S., PUIG, S., SALSENCH, E., RODERO, J., VIVES, J.M. & MALVEHY, J. Dermoscopic pattern of intermediate stage in seborrhoeic keratosis regressing to lichenoid keratosis: report of 24 cases, 266
ZABŁOTNA, M. see NEDOSZYTKO, B.
ZAHN, S. see WENZEL, J.
ZAJAC, J.D. see SINCLAIR, R.
ZALAUDEK, I. see ARGENZIANO, G.
ZAMAN, M. see GUPTA, A.K.
ZEBALA, J. see OLIVRY, T.
ZECCA, M. see VASSALLO, C.
ZELGER, B. see ANTAL, A.
ZELGER, B. see EISENDLE, K.
ZELGER, B. see KAATZ, M.
ZERRES, K. see SEITZ, C.S.
ZHENG, Y., NIYONSABA, F., USHIO, H., NAGAOKA, I., IKEDA, S., OKUMURA, K. & OGAWA, H. Cathelicidin LL-37 induces the generation of reactive oxygen species and release of human α-defensins from neutrophils, 1124
ZHOU, Q. see ZHU, K.J.

ZHU, K.J., ZHOU, Q., LIN, A.H., LU, Z.M. & CHENG, H. The use of intravenous immunoglobulin in cutaneous and recurrent perforating intestinal Degos disease (malignant atrophic papulosis), 206
ZHU, M. see TAN, H-H.
ZIEMER, M. see KAATZ, M.
ZITOUNI, M. see MEJRI, K.
ZIZZI, A. see TUCCI, M.G.
ZLOTOFF, B.J., BANG, R.H., PADILLA, R.S. & MORRISON, L. Cutaneous angiokeratoma and venous malformations in a Hispanic-American patient with cerebral cavernous malformations, 210
ZUO, Y-G., XU, Y., WANG, B., LIU, Y-H., QU, T., FANG, K. & HO, M.G. A novel mutation of CYLD in a Chinese family with multiple familial trichoepithelioma and no CYLD protein expression in the tumour tissue, 818
ZWIJSEN, A. see SERCU, S.

Subject index

acidified nitrite, topical application to nail, 494
acitretin with laser therapy in treatment of giant genital variant of folliculosebaceous cystic hamartoma (Correspondence), 833
acne
community-based study in adolescents in Singapore, 547
moderate to severe facial, oral R115866 therapy, 122
photodynamic therapy (Correspondence), 810
relapse, and isotretinoin therapy, 1240
smoker's (Correspondence), 1070
tetracycline antibiotics and lupus erythematosus, 540
treatment with lotion containing triethyl citrate and ethyl linoleate, 569
acquired palmoplantar keratoderma associated with antibodies to desmocollin-3 (Case Report), 168
acral lentiginous melanoma, histopathological prognostic features, 311
acrodermatitis continua of Hallopeau due to terbinafine (Correspondence), 1073
acrodermatitis enteropathica caused by novel mutation of *SLC39A4* gene (Gene Corner), 386
actinic keratosis
head, safety and efficacy of imiquimod 5% cream, 133
microarray analysis of aberrant gene expression and effect of imiquimod therapy, 1132
scalp, comparison of topical 5-aminolaevulinic acid methylester with photodynamic therapy, 87
variable pulsed light compared with light-emitting diodes in topical photodynamic therapy, 111
actinic prurigo, deterioration due to degradation of DermaGard® window film (Correspondence), 619
activator protein-1, abnormal expression in CD30+ cutaneous large-cell lymphoma, 914
acute generalized exanthematous pustulosis
hydroxyzine-induced (Correspondence), 1296
risk factors, results of EuroSCAR study, 989
acute myeloid leukaemia, fatal *Fusarium falciforme* infection in (Correspondence), 407
adalimumab
in treatment of psoriatic arthritis, hypertriglyceridaemia during (Correspondence), 1273
in treatment of pyoderma gangrenosum (Correspondence), 1274
Adams–Oliver syndrome, incomplete form (Correspondence), 836
adhesion molecules in psoriasis, 259
AIDS *see* HIV/AIDS
alcohol as irritant, 74
alcohol hand rub as a soap substitute, 1
alemtuzumab, transformation of acute cutaneous T-cell lymphoma during treatment (Correspondence), 841
allergic contact dermatitis
complementary and alternative treatment, 301
flexural, to benzalkonium chloride in antiseptic bath oil (Case Report), 795
to isoeugenol (Concise Communication), 580
alopecia
androgenetic, and Kennedy disease, 290
focal congenital, and Gomez–Lopez–Hernandez syndrome (Correspondence), 196
scarring, in cutaneous *Mycobacterium neoaurum* infection (Correspondence), 204
alopecia areata, serum chemokine profiles, 466
α-defensins, cathelicidin LL-37-induced release from neutrophils, 1124
5-aminolaevulinic acid methylester, topical, comparison with photodynamic therapy in scalp actinic keratosis, 87
aminopterin, efficacy of low-dose treatment in canine homologue of atopic dermatitis (Correspondence), 1040
amorolfine, oral terbinafine compared with combination of amorolfine nail lacquer and oral terbinafine in onychomycosis with matrix involvement, 149
anal intraepithelial neoplasia, imiquimod treatment in HIV infection, correlation of $p16^{ink4a}$ expression with decline of lesional high-risk HPV DNA load, 523
anaplastic large cell lymphoma, systemic, Bcl-2 expression and survivin location, 41
androgenetic alopecia and Kennedy disease, 290
anetoderma, primary in infancy (Correspondence), 1267
angioid streaks in pseudoxanthoma elasticum, biopsy of clinically normal skin in investigation of, 748
angiokeratoma, cutaneous, in Hispanic–American patient with cerebral cavernous malformations (Correspondence), 210
angiomatous papillomatosis of the oral cavity, pseudomembranous *Bartonella*-related, association with bone marrow transplantation and oral GVHD (Case Report), 174
angiomyofibroblastoma of the vulva (Correspondence), 189
anticentromere antibodies in systemic sclerosis associated with discoid lupus erythematosus in Japanese patients (Correspondence), 1289
antiphospholipid syndrome with fibromuscular dysplasia of peripheral arteries, livedo racemosa with digital necrosis (Correspondence), 389
antiseptic medication, cytotoxic analysis on skin substitutes and autograft, 33
aortic coarctation with aplasia cutis (Correspondence), 836
aplasia cutis with aortic coarctation (Correspondence), 836
Arndt–Gottron scleromyxoedema, intravenous immunoglobulin therapy (Correspondence), 1058
arrector pili muscle, morphological relationship with sebaceous gland in the follicular unit, 325

 © 2007 British Association of Dermatologists

atopic dermatitis
canine homologue, efficacy of low-dose aminopterin (Correspondence), 1040
childhood, role of brain-derived neurotrophic factor and substance P in nocturnal scratching, 922
clinical scoring and noninvasive measurement in assessment of, 674
cutaneous *Malassezia* flora, difference between adults and children, 1178
efficacy and tolerability of Chinese herbal medicine, 357
environmental factors and parental atopy in primary-school children in Taiwan, 1217
head and neck, trial of pimecrolimus cream in adolescents and adults, 954
lipopolysaccharide-induced TNF-α, IFN-γ and IL-10 production (Concise Communication), 583
practical issue on interpretation of scoring (Review), 645
role of epidermal differentiation complex (Review), 441
safety of tacrolimus ointment (Review), 861
SCORAD index (Review), 645
severe, addition of topical pimecrolimus to once-daily mid-potent steroid (Concise Communication), 378
severe childhood, mycophenolate mofetil therapy, 127
ATP2A2 gene mutation in Japanese family with haemorrhagic Darier disease (Gene Corner), 605
atypical melanocytic lesions, prediction of severe histological dysplasia/early melanoma, 758
autograft, cytotoxic analysis of antiseptic medication, 33
autosomal recessive congenital ichthyosis, transglutaminase 1 deficiency and corneocyte collapse as indication for targeted molecular screening (Correspondence), 808
autosomal recessive hypohidrotic ectodermal dysplasia, novel *EDAR* gene deletion mutation (Correspondence), 207
axillary hyperhidrosis, repeat liposuction–curettage treatment, 739

B-cell leukaemia, systemic, and cutaneous anaplastic large-cell lymphoma (Correspondence), 1060
B-cell lymphomas, coexistence of discordant lymphomas in skin and lymph node (Correspondence), 629
Bartonella-related pseudomembranous angiomatous papillomatosis of the oral cavity associated with bone marrow transplantation and oral GVHD (Case Report), 174
basal cell carcinoma
of inner canthus, incomplete excision (Correspondence), 1301
lack of association with *MDM2* SNP309 promoter polymorphism (Concise Communication), 375
low-risk nodular, minimal curettage and photodynamic therapy compared with surgical excision (Correspondence), 401
nodular, lentigo maligna involving tumour nests and stroma (Correspondence), 184
Bcl-2 expression in CD30+ lymphoproliferative disorders and systemic anaplastic large cell lymphoma, 41
becocalcidiol, topical treatment in psoriasis, 369
Behçet's disease, clinical features and natural course, 901
benzalkonium chloride in antiseptic bath oil, flexural allergic contact dermatitis due to (Case Report), 795
β-catenin
increased expression in suprabasal involved psoriatic epidermis, 1168
involvement in progression and prognosis of cutaneous melanoma, 1212
β-estradiol, paradoxical effects on epidermal permeability barrier status (Concise Communication), 776
bexarotene, optimal use in cutaneous T-cell lymphoma (Review), 433
bloodroot as do-it-yourself Mohs' surgery (Correspondence), 1078
blunt soft tissue trauma, lipoma following, 92
body surface area, 'handprint' versus 'palm minus the fingers' (Correspondence), 1080
bone marrow transplantation associated with *Bartonella*-related pseudomembranous angiomatous papillomatosis of the oral cavity (Case Report), 174
borreliosis (Correspondence), 403
morphoea as manifestation of infection, 1189
bortezomib-associated cutaneous vasculitis (Correspondence), 799
bowel cancer and obstruction, potential masking of symptoms by Fumaderm® therapy (Correspondence), 825
brain-derived neurotrophic factor, role in nocturnal scratching in childhood atopic dermatitis, 922
bullous congenital ichthyosiform erythroderma, *KRT10* gene mutation in annular variant with clinical worsening in pregnancy (Gene Corner), 602
bullous dermolysis of the newborn, transient with pseudosyndactyly, novel *COL7A1* mutations (Gene Corner), 179

C16 laminin, effect on extravascular migration of human melanoma cells in shell-less chick chorioallantoic membrane assay (Concise Communication), 780
calcinosis cutis, metastatic, presentation as bilateral vulval cysts (Correspondence), 622
calcipotriol–betamethasone dipropionate in morphoea (Correspondence), 615
calcitriol compared with tacrolimus in chronic plaque psoriasis of the facial/genitofemoral area, 1005
capillary malformation, long-standing, topical imiquimod therapy (Correspondence), 1071
capillary morphogenesis protein-2 gene mutation in juvenile hyaline fibromatosis (Gene Corner), 1037
cathelicidin LL-37 induction of generation of reactive oxygen species and release of human α-defensins from neutrophils, 1124
Cdc42, involvement in progression and prognosis of cutaneous melanoma, 1212
cellulitis, non-necrotizing of the lower limb, seasonal variations in admission to UK teaching hospital (Correspondence), 1047

central nervous system, involvement in stage 1b mycosis fungoides (Correspondence), 815
ceramide analogues and selective recovery of perturbed human skin barrier, 704
cerebral cavernous malformations with cutaneous angiokeratoma and venous malformations in Hispanic–American patient (Correspondence), 210
cetirizine, better control of chronic idiopathic urticaria with increased dosage (Correspondence), 803
Chaetomium funicola, chromoblastomycosis caused by (Case Report), 1025
chemokine serum profiles in alopecia areata, 466
childhood
 environmental factors and parental atopy in primary-school children with atopic dermatitis in Taiwan, 1217
 guidelines for evaluation and management of urticaria, 1116
 see also infancy
Chinese herbal medicine, efficacy and tolerability in atopic dermatitis, 357
chondrodermatitis nodularis helicis, punch and graft technique as novel surgical treatment method, 744
chromium, occupational dermatitis due to, 518
chromoblastomycosis caused by *Chaetomium funicola* (Case Report), 1025
chronic lymphocytic leukaemia
 with erythema annulare centrifugum (Correspondence), 1044, 1045
 with primary cutaneous anaplastic large-cell lymphoma and mycosis fungoides (Correspondence), 1291
 with primary cutaneous marginal zone B-cell lymphoma (Case Report), 591
ciclosporin
 and disseminated cryptococcal infection in psoriasis (Correspondence), 1067
 and quality of life in Kimura's disease (Correspondence), 420
cidofovir, topical 1% in treatment of lentigo maligna (Correspondence), 421
cobalt, occupational dermatitis due to, 518
coccygeal polypoid eccrine naevus (Correspondence), 614
COL7A1 gene
 mutational analysis in Korean patients with dystrophic epidermolysis bullosa (Gene Corner), 1260
 novel mutations in transient bullous dermolysis of the newborn with pseudosyndactyly (Gene Corner), 179
cold urticaria, tolerance induction (Correspondence), 835
complementary and alternative treatment in allergic contact dermatitis, 301
Conradi–Hünermann–Happle syndrome, novel *EBP* gene mutation, 1225
contact allergy
 lack of association with filaggrin null alleles, 1199
 relationship between exposure dose and response in induction and elicitation (Review), 1093
 to gold, in patients with endovascular coronary stents, 730
corneocyte collapse as indication for targeted molecular screening in autosomal recessive congenital ichthyosis (Correspondence), 808
coronary stenting, contact allergy to gold in patients with, 730
corticosteroids
 addition of pimecrolimus to once-daily mid-potent steroid in severe atopic dermatitis (Concise Communication), 378
 allergy to in patients with inflammatory bowel disease, 967
 clinical adverse effects induced by, 142
 systemic
  effect on clinical manifestations in non-Herlitz junctional epidermolysis bullosa (Case Report), 596
  and reactivation of chronic hepatitis B infection (Concise Communication), 587
COX-2 gene, association of functional variants in regulatory regions with nonmelanoma skin cancer following organ transplantation, 49
creeping eruption, outbreak in southern France (Correspondence), 824
Crohn disease, development in patient on etanercept therapy for psoriasis (Correspondence), 396
cryptococcal infection, disseminated, in psoriasis treated with efalizumab, methotrexate and ciclosporin (Correspondence), 1067
CTACK/CCL27, cutaneous expression in psoriasis and modification following etanercept administration, 1155
cutaneous anaplastic large-cell lymphoma and systemic B-cell leukaemia (Correspondence), 1060
cutaneous large-cell lymphoma, CD30+, abnormal activator protein-1 transcription factor expression, 914
cutaneous lupus erythematosus
 expression pattern of interferon-inducible proteins in subsets, 752
 matrix metalloproteinases as mediators of tissue injury, 970
cutaneous pseudolymphoma associated with leishmaniasis (Correspondence), 1042
cutaneous T-cell lymphoma
 acute, transformation during alemtuzumab treatment (Correspondence), 841
 optimal use of bexarotene (Review), 433
cutis verticis gyrata, primary essential with hyaluronic acid deposition (Correspondence), 806
CXCR4, involvement in progression and prognosis of cutaneous melanoma, 1212
CYLD gene mutation in Chinese family with multiple familial trichoepithelioma (Correspondence), 818

Darier disease, haemorrhagic, *ATP2A2* gene mutation in Japanese family (Gene Corner), 605
Degos disease, cutaneous and recurrent perforating intestinal, use of intravenous immunoglobulin (Correspondence), 206
delayed-type hypersensitivity to low molecular weight heparins and heparinoids, 514
dendritic cells, impairment of function by infliximab, 249

DermaGard® window film, deterioration of actinic prurigo due to degradation of (Correspondence), 619
dermatofibroma
multiple eruptive myxoid (Case Report), 382
stromelysin-3 expression in differential diagnosis, 319
dermatofibrosarcoma protuberans, stromelysin-3 expression in differential diagnosis, 319
dermatomyositis, juvenile-onset clinically amyopathic (Review), 637
dermatophyte infections, diagnosis by a novel multiplex real-time PCR detection/identification scheme, 681
dermoscopy
benefits of automated image analysis instruments, 926
in intermediate stage of seborrhoeic keratosis regressing to lichenoid keratosis, 266
significance of granularity in diagnosis of melanoma, 907
desmocollin-3 antibodies associated with acquired palmoplantar keratoderma and immunobullous disease (Case Report), 168
digital necrosis with livedo racemosa in patient with antiphospholipid syndrome and fibromuscular dysplasia of peripheral arteries (Correspondence), 389
dilated cardiomyopathy with recessive dystrophic epidermolysis bullosa (Correspondence), 610
2,5-dimethyl-4-hydroxy-3(2H)-furanone, mechanism of melanogenesis inhibition, 242
discoid lupus erythematosus with limited cutaneous systemic sclerosis in Japanese patients with anticentromere antibodies (Correspondence), 1289
Down syndrome, milium-like syringoma with focal calcification (Correspondence), 612
drug-induced hypersensitivity syndrome, association of HHV-6 with flaring and severity, 934
drug-induced lupus erythematosus, and use of tetracycline antibiotics in acne vulgaris, 540
dystrophic epidermolysis bullosa, *COL7A1* mutational analysis in Korean patients (Gene Corner), 1260

E-cadherin, involvement in progression and prognosis of cutaneous melanoma, 1212
ears, turkey ear (Correspondence), 816
EBP gene mutation in Conradi–Hünermann–Happle syndrome, 1225
EDAR gene mutation in autosomal recessive hypohidrotic ectodermal dysplasia (Correspondence), 207
efalizumab and disseminated cryptococcal infection in psoriasis (Correspondence), 1067
elbow, total arthroplasty, skin pigmentation caused by metal particle deposition following (Correspondence), 1074
endovascular coronary stenting and contact allergy to gold, 730
eosinophilia with transient macular erythema in patient carrying *FIP1L1-PDGFRA* fusion gene (Correspondence), 1284
epidermal barrier
acceleration of recovery by potassium channel openers, 888
paradoxical effects of β-estradiol on status (Concise Communication), 776
epidermal cysts, filaggrin expression and pathogenesis (Correspondence), 415
epidermal differentiation, functional redundancy of extracellular matrix protein 1 (Concise Communication), 771
epidermal differentiation complex, role in ichthyosis vulgaris, atopic dermatitis and psoriasis (Review), 441
epidermodysplasia verruciformis
novel homozygous nonsense *TMC8* mutation in Brazilian family (Correspondence), 831
novel mutation of *EVER1/TMC6* gene in Japanese patient (Gene Corner), 1265
epidermolysis bullosa acquisita, treatment-resistant, response to rituximab (Correspondence), 417
EpiDerm™ tissues, inhibition of tumour necrosis factor-α secretion by UTL-5d (Concise Communication), 575
Epstein Barr virus, epidermal cell necrosis with direct epidermal infiltration of EBV-encoded small nuclear RNA+ T cells in EBV-associated haemophagocytic syndrome (Correspondence), 1053
eruptive vellus hair cysts mimicking naevus of Ota (Correspondence), 188
erythema annulare centrifugum with chronic lymphocytic leukaemia (Correspondence), 1044, 1045
erythema dyschromicum perstans, differentiation from idiopathic eruptive macular pigmentation in 7-year-old girl (Correspondence), 839
erythrokeratoderma variabilis, lack of *GJB3* or *GJB4* mutation (Correspondence), 410
erythropoietic protoporphyria, late presentation (Case Report), 1030
essential cryoglobulinaemia with livedoid vasculitis, therapeutic effect of lipoprostaglandin E_1 (Correspondence), 1051
etanercept therapy in psoriasis
and cutaneous CTACK/CCL27 expression, 1155
and development of Crohn disease (Correspondence), 396
effect on fatigue and symptoms of depression (Correspondence), 1275
rapid onset of multiple squamous cell carcinomas following (Correspondence), 1076
ethyl linoleate with triethyl citrate in lotion for treatment of acne, 569
etretinate in treatment of milia en plaque (Correspondence), 1287
EuroSCAR study, risk factors for acute generalized exanthematous pustulosis, 989
EVER1/TMC6 gene, novel mutation in Japanese patient with epidermodysplasia verruciformis (Gene Corner), 1265
extracellular matrix modulators, alteration after nonablative laser therapy in skin rejuvenation, 306
extracellular matrix protein 1, functional redundancy in epidermal differentiation (Concise Communication), 771

Fabry disease, Fabry outcome survey, 331
facial nerve palsy in sarcoidosis (Correspondence), 200
fibroblast growth factor 23, production by phosphaturic mesenchymal tumour developing in subcutaneous tissue of patient with oncogenic osteomalacia (Correspondence), 198
fibroblasts
 cutaneous
  DNA repair capacities, 26
  effect of sun exposure, age and smoking on response to acute oxidative stress, 26
 human dermal, preferential augmentation of transient transgene expression by histone deacetylase inhibitors, 662
fibronectin expression in sentinel lymph nodes in melanoma (Correspondence), 398
filaggrin
 expression and pathogenesis of epidermal cysts (Correspondence), 415
 null alleles not associated with hand eczema or contact allergy, 1199
FIP1L1-PDGFRA fusion gene and transient macular erythema with eosinophilia (Correspondence), 1284
flexural allergic contact dermatitis to benzalkonium chloride in antiseptic bath oil (Case Report), 795
focal congenital alopecia and Gomez–Lopez–Hernandez syndrome (Correspondence), 196
folate with methotrexate (Correspondence), 213
follicular mucinosis, neonatal (Correspondence), 609
follicular unit, morphological relationship between sebaceous gland and arrector pili muscle, 325
folliculosebaceous cystic hamartoma, giant genital variant, management by laser and acitretin therapy (Correspondence), 833
14S24, and selective recovery of perturbed human skin barrier, 704
fragrance ingredient labelling in products for sale in UK, 295
Fumaderm®, potential masking of symptoms of bowel cancer and obstruction (Correspondence), 825
furuncles, prevalence of *Staphylococcus aureus* toxins and nasal carriage, 1161
Fusarium falciforme, fatal infection in acute myeloid leukaemia (Correspondence), 407

giant bathing trunk naevus with lymphadenopathy and unusual pathology (Case Report), 599
giant genital folliculosebaceous cystic hamartoma, management by laser and acitretin therapy (Correspondence), 833
glycopyrronium bromide, oral therapy in hyperhidrosis, 118
gold, contact allergy to, in patients with endovascular coronary stents, 730
Gomez–Lopez–Hernandez syndrome and focal congenital alopecia (Correspondence), 196
graft-versus-host disease, oral, associated with *Bartonella*-related pseudomembranous angiomatous papillomatosis of the oral cavity (Case Report), 174
granulocyte/macrophage colony-stimulating factor knockout mice, impaired cutaneous wound healing, 458
granuloma annulare, severe linear form along Blaschko's lines preceding onset of classical form in childhood (Correspondence), 1056
granulomatous slack skin with clonal T-cell receptor-γ gene rearrangement in skin and lymph node (Correspondence), 405

haemangioma
 infantile, origin of endothelial cells (Concise Communication), 158
 mimicked by plexiform schwannoma (Correspondence), 838
haemophagocytic syndrome, EBV-associated, epidermal cell necrosis with direct epidermal infiltration of EBV-encoded small nuclear RNA+ T cells (Correspondence), 1053
hair, selective biodegradation in shafts derived from archaeological, forensic and experimental contexts, 450
hair dye allergy
 clinical assessment of patch test kit marketed to UK hairdressers (Concise Communication), 1017
 role of self-tests in diagnosis, 847
hair follicle
 epithelial compartment (follicular trochanter) in need of further characterization (Concise Communication), 1013
 human anagen, TGF-β receptor II preferential expression in companion layer (Concise Communication), 161
hairdressing
 and scalp disease in African adults, 981
 and scalp disease in African schoolchildren, 106
hand eczema
 incidence in population-based twin cohort, 552
 lack of association with filaggrin null alleles, 1199
head, actinic keratosis, safety and efficacy of imiquimod 5% cream, 133
henna dye application, cutaneous mercury deposits associated (Correspondence), 394
heparinoids, low molecular weight, delayed-type hypersensitivity to, 514
heparins, low molecular weight, delayed-type hypersensitivity to, 514
hepatitis B, chronic, reactivation in systemic corticosteroid therapy (Concise Communication), 587
histone deacetylase inhibitors and preferential augmentation of transient transgene expression in human dermal fibroblasts, 662
HIV/AIDS
 imiquimod treatment of anal intraepithelial neoplasia, correlation of $p16^{ink4a}$ expression with decline of lesional high-risk HPV DNA load, 523
 multiple squamous cell carcinomas of the fingernails caused by HPV type 26 infection in AIDS patient under HAART (Case Report), 788
 post-kala-azar dermal leishmaniasis as an immune reconstitution inflammatory syndrome (Case Report), 1032
 rapid onset of HPV-associated oral intraepithelial neoplasia disease (Correspondence), 826

human herpesvirus-6 associated with flaring and severity in drug-induced hypersensitivity syndrome, 934
human papillomaviruses (HPVs)
oncogenic potential (Review), 228
rapid onset of type 72-associated oral intraepithelial neoplasia in HIV infection (Correspondence), 826
type 26 infection causing multiple squamous cell carcinomas of the fingernails in AIDS patient under HAART (Case Report), 788
hyaluronic acid deposition in primary essential cutis verticis gyrata (Correspondence), 806
hydroxycarbamide in treatment of lichen sclerosus (Correspondence), 622
hydroxychloroquine resistance due to smoking in a patient with lupus erythematosus tumidus (Correspondence), 1081
hydroxyzine-induced acute generalized exanthematous pustulosis (Correspondence), 1296
hyperhidrosis
axillary, repeat liposuction–curettage treatment, 739
use of oral glycopyrronium bromide, 118
hypertrichosis lanuginosa acquisita, paraneoplastic, 1087
hypertriglyceridaemia during adalimumab treatment of psoriatic arthritis (Correspondence), 1273
hypocomplementaemic urticarial vasculitis with non-Hodgkin lymphoma, intravenous immunoglobulin treatment (Correspondence), 392
hypohidrotic ectodermal dysplasia, autosomal recessive, novel *EDAR* gene deletion mutation (Correspondence), 207

ichthyosis vulgaris, role of epidermal differentiation complex (Review), 441
imiquimod
effect on aberrant gene expression in actinic keratosis, 1132
safety and efficacy of 5% cream in actinic keratosis of the head, 133
treatment of anal intraepithelial neoplasia in HIV infection, correlation of $p16^{ink4a}$ expression with decline of lesional high-risk HPV DNA load, 523
treatment of long-standing capillary malformation (Correspondence), 1071
treatment of primary cutaneous follicle centre lymphoma (Correspondence), 620
immunobullous disease associated with antibodies to desmocollin-3 (Case Report), 168
immunoglobulin, intramuscular, in recalcitrant suppurative skin diseases, 563
see also intravenous immunoglobulin
impetigo
epidemic and nonepidemic phases, incidence study in a general population, 100
prevalence of *Staphylococcus aureus* toxins and nasal carriage, 1161
inducible nitric oxide synthase inhibition and wound healing in SKH-1 female mouse, 656
infancy
haemangioma, origin of endothelial cells (Concise Communication), 158
pityriasis lichenoides et varioliformis acuta (Correspondence), 194
primary anetoderma (Correspondence), 1267
sock-line bands (Correspondence), 1063
see also childhood
inflammatory bowel disease and allergy to corticosteroids, 967
infliximab
inhibition of skin-homing CD4+ and CD8+ T cell activation and impairment of dendritic cell function, 249
and rapid clearing of erythrodermic psoriasis (Correspondence), 828
in treatment of severe childhood psoriatic arthritis (Correspondence), 191
inner canthus, basal cell carcinoma, incomplete excision (Correspondence), 1301
insulin resistance and psoriasis (Concise Communication), 1249
intercellular adhesion molecule 1, interaction with lymphocyte function-associated antigen type 1, and adhesion of peripheral blood mononuclear cells and CD4+ T cells to cultured endothelial cells, 259
interferon-β-1a therapy, calcified subcutaneous nodules as long-term complication (Correspondence), 624
interferon-γ, lipopolysaccharide-induced production in atopic dermatitis (Concise Communication), 583
interferon-inducible protein expression patterns in subsets of cutaneous lupus erythematosus, 752
interleukin-8 and pyoderma gangrenosum (Correspondence), 1279
interleukin-10, lipopolysaccharide-induced production in atopic dermatitis (Concise Communication), 583
intramuscular immunoglobulin in recalcitrant suppurative skin diseases, 563
intravascular lymphoma, skin manifestations mimicking inflammatory skin disease (Review), 16
intravenous immunoglobulin
in Arndt–Gottron scleromyxoedema (Correspondence), 1058
in cutaneous and recurrent perforating intestinal Degos disease (Correspondence), 206
in hypocomplementaemic urticarial vasculitis with non-Hodgkin lymphoma (Correspondence), 392
in pyoderma gangrenosum, 1235
isoeugenol, frequency of allergic contact dermatitis to (Concise Communication), 580
isotretinoin and incidence of relapse in acne, 1240

junctional epidermolysis bullosa, non-Herlitz, effect of oral steroids on clinical manifestations (Case Report), 596
juvenile hyaline fibromatosis, novel point mutation in gene encoding capillary morphogenesis protein-2 (Gene Corner), 1037

Kennedy disease and androgenetic alopecia, 290
Kimura's disease, ciclosporin and quality of life (Correspondence), 420

KIND1 gene recurrent mutation in a Brazilian pedigree with Kindler syndrome (Correspondence), 1281
Kindler syndrome
recurrent KIND1 gene mutation in a Brazilian pedigree (Correspondence), 1281
unusual molecular findings (Case Report), 1252
KRT10 gene mutation in annular variant of bullous congenital ichthyosiform erythroderma with clinical worsening in pregnancy (Gene Corner), 602

laminin expression in sentinel lymph nodes in melanoma (Correspondence), 398
Langerhans cell histiocytosis, cutaneous, in elderly man successfully treated with narrowband UVB phototherapy (Correspondence), 1277
lanreotide treatment of phaeochromocytoma, radiation recall dermatitis following (Correspondence), 1061
laser therapy
with acitretin in treatment of giant genital variant of folliculosebaceous cystic hamartoma (Correspondence), 833
nonablative in skin rejuvenation, alteration of extracellular matrix modulators after, 306
verrucous carcinoma of the lips in pregnancy (Correspondence), 813
legs, non-necrotizing cellulitis, seasonal variations in admission to UK teaching hospital (Correspondence), 1047
leishmaniasis
cutaneous pseudolymphoma associated (Correspondence), 1042
post-kala-azar dermal
as an immune reconstitution inflammatory syndrome in AIDS (Case Report), 1032
with borderline tuberculoid leprosy (Correspondence), 811
lentigo maligna
involvement of tumour nests and stroma of nodular basal cell carcinoma (Correspondence), 184
treatment with topical 1% cidofovir (Correspondence), 421
LEOPARD syndrome with melanoma (Correspondence), 1297
leprosy
borderline tuberculoid, with post-kala-azar dermal leishmaniasis (Correspondence), 811
long-term culture of multibacillary macrophages isolated from skin lesions, 273
lichen planus, oral cavity, scoring system for disease severity, 765
lichen sclerosus
hydroxycarbamide treatment (Correspondence), 622
male genital, tacrolimus therapy (Correspondence), 1079
lichen sclerosus et atrophicus, lesions resembling in mycosis fungoides (Correspondence), 411
lipoma following blunt soft tissue trauma, 92
lipoprostaglandin E_1, therapeutic effect on livedoid vasculitis associated with essential cryoglobulinaemia (Correspondence), 1051
liposuction–curettage, repeat treatment in axillary hyperhidrosis, 739
lips, verrucous carcinoma in pregnancy, laser therapy (Correspondence), 813
livedo racemosa with digital necrosis in patient with antiphospholipid syndrome and fibromuscular dysplasia of peripheral arteries (Correspondence), 389
livedoid vasculitis with essential cryoglobulinaemia, therapeutic effect of lipoprostaglandin E_1 (Correspondence), 1051
lupus erythematosus, drug-induced, and use of tetracycline antibiotics in acne vulgaris, 540
lupus erythematosus tumidus (Correspondence), 403
resistance to hydroxychloroquine in a smoker (Correspondence), 1081
lymphocyte function-associated antigen type 1, interaction with ICAM-1, and adhesion of peripheral blood mononuclear cells and CD4+ T cells to cultured endothelial cells, 259
lymphocytic infiltration, Jessner–Kanof (Correspondence), 403
lymphoma, intravascular, skin manifestations mimicking inflammatory skin disease (Review), 16
lymphomatoid granulomatosis as complication of other haematological malignancies (Correspondence), 426
lymphoproliferative disorders, CD30+, Bcl-2 expression and survivin location, 41

macular pigmentation, idiopathic eruptive in 7-year-old girl, differentiation from erythema dyschromicum perstans (Correspondence), 839
Malassezia
cutaneous flora in atopic dermatitis, difference between adults and children, 1178
quantitative analysis in scale of patients with psoriasis, 670
malignant atrophic papulosis, cutaneous and recurrent perforating intestinal, use of intravenous immunoglobulin (Correspondence), 206
mantle-cell lymphoma, nodal, coexistence with primary cutaneous follicle centre lymphoma (Correspondence), 629
matrix metalloproteinases as mediators of tissue injury in cutaneous lupus erythematosus, 970
MC1R genotype and erythemal sensitivity to PUVA, 1230
MDM2 SNP309 promoter polymorphism, lack of association with basal cell carcinoma (Concise Communication), 375
melanocortin-1 receptor genotype and erythemal sensitivity to PUVA, 1230
melanocytic naevi
multiple cutaneous, and leptomeningeal melanoma (Correspondence), 397
new classification system (Review), 217
melanogenesis, inhibition by 2,5-dimethyl-4-hydroxy-3(2H)-furanone, 242
melanoma
acral lentiginous, histopathological prognostic features, 311
beauty and sunbeds, 215
early, prediction in excised atypical melanocytic lesions, 758

effect of C16 laminin on extravascular migration of human melanoma cells in shell-less chick chorioallantoic membrane assay (Concise Communication), 780
evaluation of tumour-infiltrating CD4+CD25+FOXP3+ regulatory T cells, 531
fibronectin and laminin expression in sentinel lymph nodes (Correspondence), 398
involvement of E-cadherin, β-catenin, Cdc42 and CXCR4 in progression and prognosis, 1212
with LEOPARD syndrome (Correspondence), 1297
leptomeningeal, and multiple cutaneous melanocytic naevi (Correspondence), 397
metastatic, evaluation of tumour-infiltrating CD4+CD25+FOXP3+ regulatory T cells, 531
sentinel lymph node biopsy, 58
significance of granularity in dermoscopic diagnosis, 907
trends in epidemiology, 338
types, 338
visceral metastatic, autoimmunity and survival (Correspondence), 413
menstrual cycle, morphological effects on vulval vestibular mucosa, 487
mercury, cutaneous deposits associated with henna dye application (Correspondence), 394
metabolic syndrome, prevalence in psoriasis, 68
methotrexate
and disseminated cryptococcal infection in psoriasis (Correspondence), 1067
with folate (Correspondence), 213
milia en plaque, treatment with oral etretinate (Correspondence), 1287
mites, bacterial antigens related to and stimulation of inflammatory cells in rosacea, 474
Mohs' surgery, do-it-yourself with internet-obtained bloodroot (Correspondence), 1078
Mondor's phlebitis after use of tadalafil (Correspondence), 209
morphoea
as manifestation of *Borrelia* infection, 1189
use of calcipotriol–betamethasone dipropionate (Correspondence), 615
mucosal disease, scoring system for severity, 765
multiple eruptive myxoid dermatofibromas (Case Report), 382
multiple familial trichoepithelioma, novel mutation of *CYLD* in Chinese family (Correspondence), 818
Mycobacterium avium spondylitis, recovery from Sézary syndrome following (Correspondence), 1270
Mycobacterium leprae, model to study interaction with human cells, 273
Mycobacterium neoaurum, cutaneous infection causing scarring alopecia (Correspondence), 204
mycophenolate mofetil treatment of severe childhood atopic dermatitis, 127
mycosis fungoides
CD8+ poikilodermatous nonaggressive, response to PUVA (Correspondence), 1064
central nervous system involvement in stage 1b disease (Correspondence), 815
differentiation from psoriasis by serum proteomic analysis, 946
lichen sclerosus et atrophicus-like lesions in (Correspondence), 411
with primary cutaneous anaplastic large-cell lymphoma in patient with B-cell chronic lymphocytic leukaemia (Correspondence), 1291
serum tissue polypeptide antigen correlating with clinical course (Correspondence), 423
transformed, 284

naevi, atypical and benign, evaluation of tumour-infiltrating CD4+CD25+FOXP3+ regulatory T cells, 531
nails
anonychia, hyponychia and spontaneous phalangeal amputation as a consequence of ischaemic necrosis of the extremities following umbilical catheterization (Correspondence), 1299
combination of surgical avulsion and topical therapy in single nail onychomycosis, 364
impact of public service advertisement about onychomycosis on health behaviour of Greek population (Correspondence), 821
lack of RSPO4 mutation in congenital nail hypoplasia/aplasia with underlying skeletal defects (Correspondence), 801
multiple squamous cell carcinomas caused by human papillomavirus type 26 infection in AIDS patient under HAART (Case Report), 788
thickness measurements using optical coherence tomography and ultrasonography, 894
topical application of acidified nitrite, 494
narrowband UVB phototherapy
challenge of follow-up, 344
and cutaneous Langerhans cell histiocytosis (Correspondence), 1277
neonates
follicular mucinosis (Correspondence), 609
pemphigus vulgaris in siblings associated with mild maternal disease (Correspondence), 192
nephrogenic systemic fibrosis, case series (Case Report), 783
neurofibromatosis 1, terminology for cutaneous lesions (Correspondence), 183
neutropenia, late-onset, following rituximab treatment in autoimmune diseases (Correspondence), 1271
neutrophils, cathelicidin LL-37-induced generation of reactive oxygen species and release of human α-defensins, 1124
nickel allergy, relationship between patch test and repeated open application test thresholds, 723
NOD2 gene mutation in sarcoidosis resembling Blau syndrome (Case Report), 1257
non-Hodgkin lymphoma with hypocomplementaemic urticarial vasculitis, intravenous immunoglobulin treatment (Correspondence), 392

nonmelanoma skin cancer, association of functional variants in regulatory regions of COX-2 gene following organ transplantation, 49

obesity and psoriasis, 649
occupational dermatitis to chromium and cobalt, 518
occupational skin disease, incidence as reported to THOR network, 713
oncogenic osteomalacia, development of phosphaturic mesenchymal tumour in subcutaneous tissue (Correspondence), 198
onychomycosis
 combination of surgical avulsion and topical therapy, 364
 detection of *Trichophyton rubrum* DNA from nail samples, 698
 impact of public service advertisement on health behaviour of Greek population (Correspondence), 821
 with matrix involvement, oral terbinafine compared with combination of amorolfine nail lacquer and oral terbinafine, 149
oral cavity
 Bartonella-related pseudomembranous angiomatous papillomatosis associated with bone marrow transplantation and oral GVHD (Case Report), 174
 lichen planus, scoring system for disease severity, 765
oral contraceptives, morphological effects on vulval vestibular mucosa, 487
oral intraepithelial neoplasia, rapid onset of HPV-associated disease in HIV infection (Correspondence), 826
osteomalacia, oncogenic, development of phosphaturic mesenchymal tumour in subcutaneous tissue (Correspondence), 198

p16^{ink4a} expression during imiquimod treatment of anal intraepithelial neoplasia in HIV infection, correlation with decline of lesional high-risk HPV DNA load, 523
palmar hypokeratosis, circumscribed, partial remission with photodynamic therapy (Correspondence), 804
paraneoplastic hypertrichosis lanuginosa acquisita, 1087
parotid gland enlargement in sarcoidosis (Correspondence), 200
patch test
 clinical assessment of kit marketed to UK hairdressers for detection of hair dye allergy (Concise Communication), 1017
 in nickel allergy, relationship with repeated open application test thresholds, 723
patient information website, designing (Correspondence), 1048
pemphigoid gestationis, severe persistent (Correspondence), 388
pemphigus
 lack of association with *PTPN22* R620W polymorphism (Correspondence), 1068
 neonatal, in siblings associated with mild maternal disease (Correspondence), 192
periorbital oedema in sarcoidosis (Correspondence), 200
periumbilical dermatitis, urachal sinus presenting as (Correspondence), 419
phaeochromocytoma, radiation recall dermatitis after lanreotide treatment (Correspondence), 1061
phenytoin, topical, clinical effect on wound healing, 997
phosphaturic mesenchymal tumour developing in subcutaneous tissue of patient with oncogenic osteomalacia (Correspondence), 198
photoageing, mechanism, prevention and therapy, 874
photodynamic therapy
 acne (Correspondence), 810
 comparison with topical 5-aminolaevulinic acid methylester in scalp actinic keratosis, 87
 with minimal curettage in low-risk nodular basal cell carcinoma, comparison with surgical excision (Correspondence), 401
 partial remission of circumscribed palmar hypokeratosis (Correspondence), 804
 variable pulsed light compared with light-emitting diodes in actinic keratosis, 111
photosensitivity, remission following tumour necrosis factor inhibitor treatment of psoriasis (Correspondence), 625
pigmentation caused by deposits of metal particles following total elbow arthroplasty (Correspondence), 1074
pimecrolimus
 addition to once-daily mid-potent steroid in severe atopic dermatitis (Concise Communication), 378
 trial in adolescents and adults with head and neck atopic dermatitis intolerant of/dependent on steroids, 954
pityriasis lichenoides, differences between children and adults, 941
pityriasis lichenoides et varioliformis acuta in infancy (Correspondence), 194
pityriasis rubra pilaris
 classical juvenile, recurrence in adulthood (Correspondence), 842
 in mother and daughters (Correspondence), 202
plexiform schwannoma mimicking haemangioma (Correspondence), 838
polypoid eccrine naevus, coccygeal (Correspondence), 614
porphyria cutanea tarda, familial in Spain, molecular heterogeneity and novel mutations in *UROD* gene, 501
potassium channel openers and acceleration of epidermal barrier recovery, 888
pregnancy, laser therapy of verrucous carcinoma of the lips (Correspondence), 813
primary cutaneous anaplastic large-cell lymphoma with mycosis fungoides in patient with B-cell chronic lymphocytic leukaemia (Correspondence), 1291
primary cutaneous B-cell lymphoma, applicability and prognostic value of new TNM classification system, 1205
primary cutaneous follicle centre lymphoma
 coexistence with nodal mantle-cell lymphoma (Correspondence), 629
 treatment with topical imiquimod (Correspondence), 620

primary cutaneous marginal zone B-cell lymphoma with chronic lymphocytic leukaemia (Case Report), 591
pseudolymphoma, cutaneous, associated with leishmaniasis (Correspondence), 1042
pseudomembranous angiomatous papillomatosis of the oral cavity, *Bartonella*-related, association with bone marrow transplantation and oral GVHD (Case Report), 174
pseudosyndactyly with transient bullous dermolysis of the newborn, novel *COL7A1* mutations (Gene Corner), 179
pseudoxanthoma elasticum, biopsy of clinically normal skin in investigation of patients with angioid streaks, 748
psoriasis
 adhesion of peripheral blood mononuclear cells and CD4+ T cells to cultured endothelial cells, 259
 changes in clinical severity and psychiatric morbidity in patients, 508
 chronic plaque of the facial/genitofemoral area, comparison of tolerance to and efficacy of calcitriol and tacrolimus, 1005
 consecutive use of different biological therapies (Correspondence), 394
 differentiation from mycosis fungoides by serum proteomic analysis, 946
 disseminated cryptococcal infection following treatment with efalizumab, methotrexate and ciclosporin (Correspondence), 1067
 early-onset, association with promoter region polymorphisms in TNF-α gene in northern Polish population (Concise Communication), 165
 erythrodermic, rapid clearing with infliximab (Correspondence), 828
 etanercept treatment
  CTACK/CCL27 cutaneous expression and its modification following, 1155
  and development of Crohn disease (Correspondence), 396
  effects on fatigue and symptoms of depression (Correspondence), 1275
  rapid onset of multiple squamous cell carcinomas following (Correspondence), 1076
 evolution of lesion (Review), 4
 evolution of pathogenic concepts and new therapies through phases of translational research (Review), 1103
 increased nuclear β-catenin in suprabasal involved epidermis, 1168
 and insulin resistance (Concise Communication), 1249
 multidisciplinary evaluation of patients (Correspondence), 1050
 and obesity, 649
 prevalence of metabolic syndrome, 68
 and psoriatic arthritis (Review), 850
 quantitative analysis of *Malassezia* in scale, 670
 recalcitrant lithium-induced, alleviation by tumour necrosis factor inhibitors (Correspondence), 627
 reverse transcriptase activity in skin samples, 482
 role of epidermal differentiation complex (Review), 441
 topical becocalcidiol treatment, 369
 treatment of severe natal cleft fissuring with tissue adhesive (Correspondence), 1269
 treatment with tumour necrosis factor inhibitors, remission of photosensitivity following (Correspondence), 625
psoriatic arthritis
 hypertriglyceridaemia during adalimumab treatment (Correspondence), 1273
 and psoriasis (Review), 850
 severe childhood, infliximab treatment (Correspondence), 191
psychiatric morbidity in psoriasis, impact of changes in clinical severity, 508
PTPN22 R620W polymorphism, lack of association with pemphigus (Correspondence), 1068
punch and graft technique as novel surgical treatment method in chondrodermatitis nodularis helicis, 744
PUVA
 erythemal sensitivity to and melanocortin-1 receptor genotype, 1230
 response of CD8+ poikilodermatous nonaggressive mycosis fungoides (Correspondence), 1064
pyoderma gangrenosum
 adalimumab treatment (Correspondence), 1274
 and interleukin-8 (Correspondence), 1279
 peristomal, with systemic sclerosis (Correspondence), 618
 T-cell receptor repertoire, 960
 treatment with intravenous immunoglobulin, 1235

QuantiFERON® test, usefulness in confirmation of latent tuberculosis (Correspondence), 1293

R115866 in moderate to severe facial acne, 122
radiation recall dermatitis in phaeochromocytoma after lanreotide treatment (Correspondence), 1061
reactive oxygen species, cathelicidin LL-37-induced generation from neutrophils, 1124
recessive dystrophic epidermolysis bullosa with dilated cardiomyopathy (Correspondence), 610
reverse transcriptase activity in normal and psoriatic skin samples, 482
review articles, maximizing quality (Correspondence), 409
rituximab
 late-onset neutropenia following treatment in autoimmune diseases (Correspondence), 1271
 response of treatment-resistant epidermolysis bullosa acquisita (Correspondence), 417
 in severe persistent pemphigoid gestationis (Correspondence), 388
rosacea, stimulation of inflammatory cells by mite-related bacterial antigens, 474
RSPO4, lack of mutation in congenital nail hypoplasia/aplasia with underlying skeletal defects (Correspondence), 801

sarcoidosis
 with facial nerve palsy and parotid gland enlargement (Correspondence), 200

resemblance to Blau syndrome, recurrent missense mutation in *NOD2* gene (Case Report), 1257
scalp
actinic keratosis, comparison of topical 5-aminolaevulinic acid methylester with photodynamic therapy, 87
disease in African adults associated with hairdressing, 981
disease in African schoolchildren associated with hairdressing, 106
scarring alopecia in cutaneous *Mycobacterium neoaurum* infection (Correspondence), 204
schwannoma, plexiform, mimicking haemangioma (Correspondence), 838
SCORAD index (Review), 645
SCORTEN, respiratory involvement in toxic epidermal necrolysis and poor prognosis not reflected in (Correspondence), 1294
scratching, nocturnal, in childhood atopic dermatitis, role of brain-derived neurotrophic factor and substance P, 922
sebaceous gland
morphological relationship with arrector pili muscle in the follicular unit, 325
study of secretion mechanism using 3D reconstruction, 325
seborrhoeic keratosis, intermediate stage regressing to lichenoid keratosis, dermoscopic pattern, 266
sentinel lymph node biopsy
melanoma, 58
fibronectin and laminin expression (Correspondence), 398
prognostic value (Correspondence), 405
serum proteomic analysis in differentiation of mycosis fungoides, psoriasis and normal controls, 946
Sézary syndrome following *Mycobacterium avium* spondylitis (Correspondence), 1270
skin barrier function
improvement following artificial reduction in transepidermal water loss, 82
selective recovery with 14S24 ceramide analogue, 704
skin substitutes, cytotoxic analysis of antiseptic medication, 33
SLC39A4 gene mutation in acrodermatitis enteropathica (Gene Corner), 386
smoking
and acne (Correspondence), 1070
and resistance to hydroxychloroquine in lupus erythematosus tumidus (Correspondence), 1081
soap substitutes, alcohol hand rub, 1
sock-line bands in infancy (Correspondence), 1063
spondylitis, *Mycobacterium avium*, recovery from Sézary syndrome following (Correspondence), 1270
squamous cell carcinoma
multiple, rapid onset following etanercept treatment of psoriasis (Correspondence), 1076
multiple of the fingernails caused by human papillomavirus type 26 infection in AIDS patient under HAART (Case Report), 788
Staphylococcus aureus, prevalence of toxins and nasal carriage in furuncles and impetigo, 1161
stoma, peristomal pyoderma gangrenosum with systemic sclerosis (Correspondence), 618
stromal cell-derived factor-1 expression during wound healing, 1148
stromelysin-3 expression in differential diagnosis of dermatofibroma and dermatofibrosarcoma protuberans, 319
substance P, role in nocturnal scratching in childhood atopic dermatitis, 922
sunbeds
impact of new high power lamps, 350
and melanoma, 215
quantitative risk assessment, 350
survivin location in CD30+ lymphoproliferative disorders and systemic anaplastic large cell lymphoma, 41
syringoma, milium-like with focal calcification in Down syndrome (Correspondence), 612
systemic fibrosis, nephrogenic, case series (Case Report), 783
systemic sclerosis
assessment of abnormal blood flow and efficacy of treatment with laser Doppler flowmeter and arm-raising test, 690
limited cutaneous, associated with discoid lupus erythematosus in Japanese patients with anticentromere antibodies (Correspondence), 1289
with peristomal pyoderma gangrenosum (Correspondence), 618

T-cell receptors
repertoire in pyoderma gangrenosum, 960
TCR-γ gene rearrangement in skin and lymph node in granulomatous slack skin (Correspondence), 405
T cells
infliximab inhibition of skin-homing CD4+ and CD8+ T cell activation, 249
tumour-infiltrating CD4+CD25+FOXP3+ regulatory, evaluation in benign and atypical naevi, melanoma and melanoma metastases, 531
T-large granular lymphocyte leukaemia, parallel evolution with cutaneous vasculitis (Correspondence), 631
tacrolimus
compared with calcitriol in chronic plaque psoriasis of the facial/genitofemoral area, 1005
safety of ointment in atopic dermatitis (Review), 861
in treatment of male genital lichen sclerosus (Correspondence), 1079
tadalafil, Mondor's phlebitis following use (Correspondence), 209
Taiwan, environmental factors and parental atopy and atopic dermatitis in primary-school children, 1217
telangiectasia, photodistributed eruptive, adverse drug reaction to venlafaxine (Correspondence), 822
terbinafine
acrodermatitis continua of Hallopeau due to (Correspondence), 1073

oral terbinafine compared with combination of amorolfine nail lacquer and oral terbinafine in onychomycosis with matrix involvement, 149
tetracycline antibiotics in acne vulgaris and development of drug-induced lupus erythematosus, 540
The Health and Occupation Reporting (THOR) network, incidence of occupational skin disease reported to, 713
tissue polypeptide antigen, serum, correlation with clinical course in mycosis fungoides (Correspondence), 423
TMC8 gene mutation in Brazilian family with epidermodysplasia verruciformis (Correspondence), 831
total elbow arthroplasty, skin pigmentation caused by deposits of metal particles following (Correspondence), 1074
toxic epidermal necrolysis, respiratory involvement and poor prognosis not reflected in SCORTEN (Correspondence), 1294
transepidermal water loss, improvement in skin barrier function following artificial reduction in, 82
transforming growth factor-β receptor II, preferential expression in companion layer of human anagen hair follicle (Concise Communication), 161
transglutaminase 1 deficiency as indication for targeted molecular screening in autosomal recessive congenital ichthyosis (Correspondence), 808
transient bullous dermolysis of the newborn with pseudosyndactyly, novel *COL7A1* mutations (Gene Corner), 179
transplant patients, skin cancer thresholds and risks for reduction of immunosuppression, 1183
transplant recipients, association of functional variants in regulatory regions of COX-2 gene on nonmelanoma skin cancer, 49
trauma, blunt soft tissue, lipoma following, 92
Trichophyton rubrum DNA, detection from nail samples in onychomycosis, 698
trichorhinophalangeal syndrome type I, *TRPS1* gene missense mutation in Italian family with mild form (Concise Communication), 1021
triethyl citrate with ethyl linoleate in lotion for treatment of acne, 569
TRPS1 gene mutation in Italian family with mild form of trichorhinophalangeal syndrome type I (Concise Communication), 1021
tuberculosis, latent, usefulness of QuantiFERON® test in confirmation of (Correspondence), 1293
tumour necrosis factor-α
 gene promoter region polymorphisms in early-onset psoriasis in northern Polish population (Concise Communication), 165
 inhibition of secretion from EpiDerm™ tissues by UTL-5d (Concise Communication), 575
 lipopolysaccharide-induced production in atopic dermatitis (Concise Communication), 583
tumour necrosis factor inhibitors
 in treatment of psoriasis, remission of photosensitivity following (Correspondence), 625
 in treatment of recalcitrant lithium-induced psoriasis (Correspondence), 627
turkey ear (Correspondence), 816
twin studies in hand eczema, 552

umbilical catheterization, anonychia, hyponychia and spontaneous phalangeal amputation as a consequence of ischaemic necrosis of the extremities following (Correspondence), 1299
urachal sinus presenting as periumbilical dermatitis (Correspondence), 419
UROD gene mutations in familial porphyria cutanea tarda in Spain, 501
urticaria
 chronic idiopathic, better control with increased cetirizine dosage (Correspondence), 803
 guidelines for evaluation and management in adults and children, 1116
urticarial vasculitis, hypocomplementaemic, with non-Hodgkin lymphoma, intravenous immunoglobulin treatment (Correspondence), 392
UTL-5d, and inhibition of tumour necrosis factor-α secretion from EpiDerm™ tissues (Concise Communication), 575

validity, confusing prima facie with true (Correspondence), 425
vasculitis, cutaneous
 bortezomib-associated (Correspondence), 799
 parallel evolution with T-large granular lymphocyte leukaemia (Correspondence), 631
venlafaxine, photodistributed eruptive telangiectasia as adverse drug reaction to (Correspondence), 822
venous/lymphatic malformations, extensive, life-threatening haematological complications, 558
verrucous carcinoma of the lips, laser therapy during pregnancy (Correspondence), 813
vulva
 angiomyofibroblastoma (Correspondence), 189
 bilateral cysts as presentation of metastatic calcinosis cutis (Correspondence), 622
 morphological effects of oral contraceptives and menstrual cycle on vestibular mucosa, 487

wound healing
 biphasic expression of stromal cell-derived factor-1, 1148
 clinical effect of topical phenytoin, 997
 impaired, in granulocyte/macrophage colony-stimulating factor knockout mice, 458
 in SKH-1 female mouse following inducible nitric oxide synthase inhibition, 656

British Journal of Dermatology

Volume 157

July–December 2007

Blackwell Publishing

Published for the
British Association of Dermatologists
by Blackwell Publishing

British Journal of Dermatology

The *British Journal of Dermatology* is owned by and is the official organ of the British Association of Dermatologists.

EDITOR
DR J.ENGLISH

© 2007 British Association of Dermatologists
Blackwell Publishing is part of Wiley-Blackwell

Blackwell Publishing Ltd:
9600 Garsington Road, Oxford, OX4 2DQ, UK

Blackwell Publishing, Inc.:
Commerce Place, 350 Main Street, Malden, Massachusetts 02148-5018, USA

Blackwell Publishing Asia:
550 Swanston Street, Carlton South, Victoria 3053, Australia

Blackwell Verlag:
Kurfürstendamm 58, 10707 Berlin, Germany

Blackwell Munksgaard:
1 Rosenørns Allè, PO Box 227, DK-1502 Copenhagen V, Denmark

Blackwell Publishing Japan/Blackwell Publishing Asia, Tokyo Office:
5F, GS Chiyoda Building, 3-11-14 Iidabashi, Chiyoda-ku, Tokyo 102-0072, Japan

Blackwell Publishing Professional:
2121 State Avenue, Ames, IA 50014-8300, USA

Contents

Volume 157, Number 1, July

Snippets
Research Snippets
Clinical Snippets

Editorial
1 The alcohol hand rub: a good soap substitute?
G.A.JOHNSTON AND J.S.C.ENGLISH

Review articles
4 The evolution of the psoriatic lesion
P.C.M.VAN DE KERKHOF
16 Skin manifestations of intravascular lymphoma mimic inflammatory diseases of the skin
J.RÖGLIN AND A.BOER

Original articles
Cutaneous biology
26 DNA repair capacities of cutaneous fibroblasts: effect of sun exposure, age and smoking on response to an acute oxidative stress
S.SAUVAIGO, M.BONNET-DUQUENNOY, F.ODIN, F.HAZANE-PUCH, N.LACHMANN, F.BONTÉ, R.KURFÜRST AND A.FAVIER
33 A cytotoxic analysis of antiseptic medication on skin substitutes and autografi
Q.LE DUC, M.BREETVELD, E.MIDDELKOOP, R.J.SCHEPER, M.M.W.ULRICH AND S.GIBBS

Clinical and laboratory investigations
41 Differences in survivin location and Bcl-2 expression in CD30+ lymphoproliferative disorders of the skin compared with systemic anaplastic large cell lymphomas: an immunohistochemical study
G.GOTERI, O.SIMONETTI, S.RUPOLI, G.PICCININI, C.RUBINI, D.STRAMAZZOTTI, F.FAZIOLI, C.CAPOMAGI, P.LEONI, A.M.OFFIDANI AND L.LOMUZIO
49 Association of functional gene variants in the regulatory regions of COX-2 gene (PTGS2) with nonmelanoma skin cancer after organ transplantation
M.GOMEZ LIRA, S.MAZZOLA, G.TESSARI, G.MALERBA, M.ORTOMBINA, L.NALDI, G.REMUZZI, L.BOSCHIERO, A.FORNI, C.RUGIU, S.PIASERICO, G.GIROLOMONI AND A.TURCO
58 Sentinel lymph node biopsy in melanoma: a micromorphometric study relating to prognosis and completion lymph node dissection
S.DEBARBIEUX, G.DURU, S.DALLE, O.BÉATRIX, B.BALME AND L.THOMAS
68 Prevalence of metabolic syndrome in patients with psoriasis: a hospital-based case–control study
P.GISONDI, G.TESSARI, A.CONTI, S.PIASERICO, S.SCHIANCHI, A.PESERICO, A.GIANNETTI AND G.GIROLOMONI

Contact dermatitis and allergy
74 How irritant is alcohol?
H.LÖFFLER, G.KAMPF, D.SCHMERMUND AND H.I.MAIBACH
82 Artificial reduction in transepidermal water loss improves skin barrier function
I.BURACZEWSKA, U.BROSTRÖM AND M.LODÉN

Dermatological surgery and lasers
87 Randomized, double-blind, prospective study to compare topical 5-aminolaevulinic acid methylester with topical 5-aminolaevulinic acid photodynamic therapy for extensive scalp actinic keratosis
F.J.MOLONEY AND P.COLLINS
92 Lipomas after blunt soft tissue trauma: are they real? Analysis of 31 cases
M.C.AUST, M.SPIES, S.KALL, A.GOHRITZ, P.BOORBOOR, P.KOLOKYTHAS AND P.M.VOGT

Epidemiology and health services research
100 Impetigo in epidemic and nonepidemic phases: an incidence study over 4½ years in a general population
S.RØRTVEIT AND G.RØRTVEIT
106 Hairdressing is associated with scalp disease in African schoolchildren
N.P.KHUMALO, S.JESSOP, F.GUMEDZE AND R.EHRLICH

Photobiology
111 Variable pulsed light is less painful than light-emitting diodes for topical photodynamic therapy of actinic keratosis: a prospective randomized controlled trial
P.BABILAS, R.KNOBLER, S.HUMMEL, C.GOTTSCHALLER, T.MAISCH, M.KOLLER, M.LANDTHALER AND R-M.SZEIMIES

Therapeutics
118 Use of oral glycopyrronium bromide in hyperhidrosis
V.BAJAJ AND J.A.A.LANGTRY
122 Oral R115866 in the treatment of moderate to severe facial acne vulgaris: an exploratory study
C.J.VERFAILLE, M.COEL, I.H.BOERSMA, J.MERTENS, M.BORGERS AND D.ROSEEUW
127 Mycophenolate mofetil for severe childhood atopic dermatitis: experience in 14 patients
M.HELLER, H.T.SHIN, S.J.ORLOW AND J.V.SCHAFFER
133 Vehicle-controlled, randomized, double-blind study to assess safety and efficacy of imiquimod 5% cream applied once daily 3 days per week in one or two courses of treatment of actinic keratoses on the head
A.ALOMAR, J.BICHEL AND S.MCRAE
142 Corticosteroid-induced clinical adverse events: frequency, risk factors and patient's opinion
L.FARDET, A.FLAHAULT, A.KETTANEH, K.P.TIEV, T.GÉNÉREAU, C.TOLÉDANO, C.LEBBÉ AND J.CABANE
149 A multicentre, randomized, controlled study of the efficacy, safety and cost-effectiveness of a combination therapy with amorolfine nail lacquer and oral terbinafine compared with oral terbinafine alone for the treatment of onychomycosis with matrix involvement
R.BARAN, B.SIGURGEIRSSON, D.DE BERKER, R.KAUFMANN, M.LECHA, J.FAERGEMANN, N.KERROUCHE AND F.SIDOU

Concise communications
158 Endothelial cells in infantile haemangiomas originate from the child and not from the mother (a fluorescence in situ hybridization-based study)
S.RÉGNIER, N.DUPIN, C.LE DANFF, M.WASSEF, O.ENJOLRAS AND S.ARACTINGI
161 Transforming growth factor-β receptor II is preferentially expressed in the companion layer of the human anagen hair follicle
H.M.SOWDEN, R.O.S.KAROO AND D.J.TOBIN
165 Associations of promoter region polymorphisms in the tumour necrosis factor-α gene and early-onset psoriasis vulgaris in a northern Polish population
B.NEDOSZYTKO, A.SZCZERKOWSKA-DOBOSZ, M.ZABŁOTNA, J.GLEŃ, K.RBAŁA AND J.ROSZKIEWICZ

Case reports

168 Acquired palmoplantar keratoderma and immunobullous disease associated with antibodies to desmocollin 3
M.C.BOLLING, J.R.MEKKES, W.F.M.GOLDSCHMIDT, C.J.M.VAN NOESEL, M.F.JONKMAN AND H.H.PAS

174 *Bartonella*-related pseudomembranous angiomatous papillomatosis of the oral cavity associated with allogeneic bone marrow transplantation and oral graft-versus-host disease
C.VASSALLO, M.ARDIGÒ, V.BRAZZELLI, M.ZECCA, F.LOCATELLI, P.E.ALESSANDRINO, M.LAZZARINO, S.CORONA, P.LANZERINI, M.BENAZZO, M.FABBI AND G.BORRONI

Gene corner

179 Novel *COL7A1* mutations in a Japanese family with transient bullous dermolysis of the newborn associated with pseudosyndactyly
H.NAKANO, Y.TOYOMAKI, S.OHASHI, A.NAKANO, H.JIN, T.MUNAKATA, N.AKITA, K.TAMAI AND Y.MITSUHASHI

Correspondence

183 Cutaneous lesions in neurofibromatosis 1: confused terminology
S.BARBAROT, C.NICOL, C.VOLTEAU, D.LE FORESTIER, J.M.N'GUYEN, E.MANSAT, P.WOLKENSTEIN AND J. F.STALDER

184 Lentigo maligna involving the tumour nests and stroma of a nodular basal cell carcinoma
S.M.TAIBJEE, B.C.GEE, D.S.A.SANDERS, A.SMITH AND R.A.CARR

188 Eruptive vellus hair cysts presenting as bluish-grey facial discoloration masquering as naevus of Ota
K.H.N.CHAN, W.Y.M.TANG, W.Y.LAM AND K.K.LO

189 Angiomyofibroblastoma of the vulva with a penile appearance
T.WATANABE, Y.YOSHIDA AND O.YAMAMOTO

191 Successful treatment of severe psoriatic arthritis with infliximab in an 11-year-old child suffering from linear psoriasis along lines of Blaschko
S.ROTT, R.M.KÜSTER AND U.MROWIETZ

192 Two siblings with neonatal pemphigus vulgaris associated with mild maternal disease
T.UGAJIN, H.YAHARA, Y.MORIYAMA, T.SATO, K.NISHIOKA AND H.YOKOZEKI

194 An infantile case of pityriasis lichenoides et varioliformis acuta
D.HOSHINA, M.AKIYAMA, K.HAMASAKA AND H.SHIMIZU

196 Gomez–Lopez–Hernandez syndrome: another consideration in focal congenital alopecia
D.J.PURVIS, A.RAMIREZ, N.ROBERTS AND J.I.HARPER

198 A case of phosphaturic mesenchymal tumour (mixed connective tissue variant) that developed in the subcutaneous tissue of a patient with oncogenic osteomalacia and produced fibroblast growth factor 23
M.OKA, T.KAMO, E.SASAKI, H.KAJI, H.NISHIZAWA, Y.IMANISHI AND C.NISHIGORI

200 Unilateral periorbital oedema due to sarcoid infiltration of the eyelid: an unusual presentation of sarcoidosis with facial nerve palsy and parotid gland enlargement
M.YAOSAKA, R.ABE, H.UJIIE, Y.ABE AND H.SHIMIZU

202 Pityriasis rubra pilaris in a mother and two daughters
M.A.THOMSON AND C.MOSS

204 Cutaneous *Mycobacterium neoaurum* infection causing scarring alopecia in an immunocompetent host
L.K.MARTIN, R.LAWRENCE, S.KOSSARD AND D.F.MURRELL

206 The use of intravenous immunoglobulin in cutaneous and recurrent perforating intestinal Degos disease (malignant atrophic papulosis)
K.J.ZHU, Q.ZHOU, A.H.LIN, Z.M.LU AND H.CHENG

207 A novel deletion mutation in the *EDAR* gene in a Pakistani family with autosomal recessive hypohidrotic ectodermal dysplasia
M.TARIQ, N.WASIF AND W.AHMAD

209 Mondor's phlebitis after using tadalafil
C.GUARNERI AND F.GUARNERI

210 Cutaneous angiokeratoma and venous malformations in a Hispanic-American patient with cerebral cavernous malformations
B.J.ZLOTOFF, R.H.BANG, R.S.PADILLA AND L.MORRISON

213 Folate with methotrexate: big benefit, questionable cost
I.BROWNELL AND B.E.STROBER

213 **News and Notices**

Volume 157, Number 2, August

Snippets
Research Snippets
Clinical Snippets

Editorial

215 Sunbeds, beauty and melanoma
B.DIFFEY

Review articles

217 Proposal of a new classification system for melanocytic naevi
G.ARGENZIANO, I.ZALAUDEK, G.FERRARA, R.HOFMANN-WELLENHOF AND H.P.SOYER

228 The oncogenic potential of human papillomaviruses: a review on the role of host genetics and environmental cofactors
V.K.MADKAN, R.H.COOK-NORRIS, M.C.STEADMAN, A.ARORA AND S.K.TYRING

Original articles

Cutaneous biology

242 Mechanisms of melanogenesis inhibition by 2,5-dimethyl-4-hydroxy-3(2H)-furanone
J.LEE, E.JUNG, J.LEE, S.HUH, Y.C.BOO, C.G.HYUN, Y-S.KIM AND D.PARK

249 Antitumour necrosis factor-α chimeric antibody (infliximab) inhibits activation of skin-homing CD4+ and CD8+ T lymphocytes and impairs dendritic cell function
C.BEDINI, F.NASORRI, G.GIROLOMONI, O.DE PITÀ AND A.CAVANI

259 Adhesion of peripheral blood mononuclear cells and CD4+ T cells from patients with psoriasis to cultured endothelial cells via the interaction between lymphocyte function-associated antigen type 1 and intercellular adhesion molecule 1
D.WATABE, H.KANNO, A.YOSHIDA, A.KUROSE, T.AKASAKA AND T.SAWAI

Clinical and laboratory investigations

266 Dermoscopic pattern of intermediate stage in seborrhoeic keratosis regressing to lichenoid keratosis: report of 24 cases
P.ZABALLOS, S.BLAZQUEZ, S.PUIG, E.SALSENCH, J.RODERO, J.M.VIVES AND J.MALVEHY

273 Long-term culture of multibacillary leprosy macrophages isolated from skin lesions: a new model to study *Mycobacterium leprae*–human cell interaction

D.F.MOURA, R.M.B.TELES, M.M.RIBEIRO-CARVALHO, R.B.TELES, I.M.C.F.SANTOS, H.FERREIRA, T.O.FULCO, J.A.C.NERY, E.P.SAMPAIO AND E.N.SARNO

284 Transformed mycosis fungoides: clinicopathological features and outcome
E.BARBERIO, L.THOMAS, F.SKOWRON, B.BALME AND S.DALLE

290 Men with Kennedy disease have a reduced risk of androgenetic alopecia
R.SINCLAIR, K.J.GREENLAND, S.VAN EGMOND, C.HOEDEMAKER, A.CHAPMAN AND J.D.ZAJAC

Contact dermatitis and allergy

295 Fragrance ingredient labelling in products on sale in the U.K.
D.A.BUCKLEY

301 Use of complementary and alternative treatment for allergic contact dermatitis
E.NOIESEN, M.D.MUNK, K.LARSEN, M.HØYEN AND T.AGNER

Dermatological surgery and lasers

306 Alteration of extracellular matrix modulators after nonablative laser therapy in skin rejuvenation
J.OH, N.KIM, S.SEO AND I-H.KIM

Dermatopathology

311 Acral lentiginous melanoma: histopathological prognostic features of 121 cases
A.PHAN, S.TOUZET, S.DALLE, S.RONGER-SAVLÉ, B.BALME AND L.THOMAS

319 Stromelysin-3 expression in the differential diagnosis of dermatofibroma and dermatofibrosarcoma protuberans: comparison with factor XIIIa and CD34
H.J.KIM, J.Y.LEE, S.H.KIM, Y.J.SEO, J.H.LEE, J.K.PARK, M.H.KIM, Y.W.CINN, K.H.CHO AND T.Y.YOON

325 A study of the secretion mechanism of the sebaceous gland using three-dimensional reconstruction to examine the morphological relationship between the sebaceous gland and the arrector pili muscle in the follicular unit
W-C.SONG, K-S.HU, H-J.KIM AND K-S.KOH

Epidemiology and health services research

331 Fabry disease and the skin: data from FOS, the Fabry outcome survey
C.H.ORTEU, T.JANSEN, O.LIDOVE, R.JAUSSAUD, D.A.HUGHES, G.PINTOS-MORELL, U.RAMASWAMI, R.PARINI, G.SUNDER-PLASSMAN, M.BECK AND A.B. MEHTA ON BEHALF OF THE FOS INVESTIGATORS

338 Trends in melanoma epidemiology suggest three different types of melanoma
D.LIPSKER, F.ENGEL, B.CRIBIER, M.VELTEN AND G.HEDELIN

Photobiology

344 The challenge of follow-up in narrowband ultraviolet B phototherapy
B.L.DIFFEY AND P.M.FARR

350 Quantitative risk assessment of sunbeds: impact of new high power lamps
H.OLIVER, J.FERGUSON AND H.MOSELEY

Therapeutics

357 Efficacy and tolerability of a Chinese herbal medicine concoction for treatment of atopic dermatitis: a randomized, double-blind, placebo-controlled study
K.L.E.HON, T.F.LEUNG, P.C.NG, M.C.A.LAM, W.Y.C.KAM, K.Y.WONG, K.C.K.LEE, Y.T.SUNG, K.F.CHENG, T.F.FOK, K.P.FUNG AND P.C.LEUNG

364 Combination of surgical avulsion and topical therapy for single nail onychomycosis: a randomized controlled trial
C.GROVER, S.BANSAL, S.NANDA, B.S.N.REDDY AND V.KUMAR

369 Topical becocalcidiol for the treatment of psoriasis vulgaris: a randomized, placebo-controlled, double-blind, multicentre study
Y.R.HELFRICH, S.KANG, T.A.HAMILTON AND J.J.VOORHEES

Concise communications

375 No association between MDM2 SNP309 promoter polymorphism and basal cell carcinoma of the skin
S.WILKENING, K.HEMMINKI, P.RUDNAI, E.GURZAU, K.KOPPOVA, A.FÖRSTI AND R.KUMAR

378 Addition of topical pimecrolimus to once-daily mid-potent steroid confers no short-term therapeutic benefit in the treatment of severe atopic dermatitis; a randomized controlled trial
J.M.SPERGEL, M.BOGUNIEWICZ, A.S.PALLER, A.A.HEBERT, P.R.GALLAGHER, C.MCCORMICK, A.PARNEIX-SPAKE AND T.HULTSCH

Case report

382 Multiple eruptive myxoid dermatofibromas: report of first case and review of literature
A.ANTAL, B.ZELGER, J.REIFENBERGER, T.NIEHUES, O.FEYEN, M.MEGAHED, T.RUZICKA AND B.HOMEY

Gene corner

386 A novel mutation of the *SLC39A4* gene causing acrodermatitis enteropathica
S.S.KILIC, M.GIRAUD, S.SCHMITT, S.BÉZIEAU AND S.KURY

Correspondence

388 Severe persistent pemphigoid gestationis: long-term remission with rituximab
G.CIANCHINI, C.MASINI, F.LUPI, R.CORONA, O.DE PITÀ AND P.PUDDU

389 Livedo racemosa and digital necrosis in a patient with primary seronegative antiphospholipid syndrome and fibromuscular dysplasia of peripheral arteries
K.EISENDLE, W.JASCHKE AND N.SEPP

392 Hypocomplementaemic urticarial vasculitis associated with non-Hodgkin lymphoma and treatment with intravenous immunoglobulin
D.SHAH, A.W.ROWBOTTOM, C.L.THOMAS, P.CUMBER AND M.M.U.CHOWDHURY

394 Consecutive use of different biological therapies in the treatment of psoriasis
A.COSTANZO, M.PAPOUTSAKI, A.MAZZOTTA AND S.CHIMENTI

394 Cutaneous mercury deposits after henna dye application in the arm
G.MOUZOPOULOS, V.TSOUPAROPOULOS, M.STAMATAKOS, I.MIHELARAKIS, D.PASPARAKIS AND E.AGAPITOS

396 Development of Crohn disease in a patient on etanercept for psoriasis
K.AHMAD AND S.ROGERS

397 Leptomeningeal melanoma and multiple cutaneous melanocytic naevi
J.PONNAMPALAM, J.NICHOLSON AND D.ATHERTON

398 Fibronectin and laminin expression in sentinel lymph nodes of patients with malignant melanoma
A.GRADILONE, P.GAZZANIGA, E.CIGNA, F.VASATURO, B.VINCENZI, O.GANDINI, I.SILVESTRI, D.RIBUFFO, S.SCARPA, N.SCUDERI AND A.M.AGLIANO

401 A randomized study of minimal curettage followed by topical photodynamic therapy compared with surgical excision for low-risk nodular basal cell carcinoma
L.BERROETA, C.CLARK, R.S.DAWE, S.H.IBBOTSON AND C.J.FLEMING

403 Lymphocytic infiltration (Jessner–Kanof): lupus erythematosus tumidus or a manifestation of borreliosis?
M.KAATZ, B.ZELGER, J.NORGAUER AND M.ZIEMER

405 Prognostic value of sentinel lymph node biopsy
H.M.SHAW AND J.F.THOMPSON

405 Granulomatous slack skin with clonal T-cell receptor-γ gene rearrangement in skin and lymph node
I.E.BELOUSOVA, S.M.NIKONOVA, R.SIMA AND D.V.KAZAKOV

407 Fatal disseminated angioinvasive *Fusarium falciforme* infection in a patient with acute myeloid leukaemia
S.J.YUN, M-G.SHIN, C.CHOI, H-J.KIM, J-B.LEE, S-J.KIM, S-C.LEE AND Y.H.WON

409 Maximizing the quality of review articles
M.J.SLADDEN AND C.S.SLADDEN

410 Erythrokeratoderma variabilis without GJB3 or GJB4 mutation: a review of Japanese patients
M.NAKAMURA AND O.ISHIKAWA

411 Lichen sclerosus et atrophicus-like lesions in mycosis fungoides
E.PARERA, A.TOLL, F.GALLARDO, B.BELLOSILLO, R.M.PUJOL AND R.MARTÍ

413 Does spontaneous autoimmunity improve survival in visceral metastatic melanoma?
S.VERCAMBRE-DARRAS, S.DUBUCQUOI, I.FAJARDY, F.PIETTE AND L.MORTIER

415 Filaggrin expression and the pathogenesis of epidermal cysts
I.KUROKAWA, K.UMEDA, K.NISHIMURA, K-I.YAMANAKA, A.HAKAMADA, K-I.ISODA, A.TSUBURA AND H.MIZUTANI

417 Treatment-resistant classical epidermolysis bullosa acquisita responding to rituximab
E.SADLER, B.SCHAFLEITNER, C.LANSCHUETZER, M.LAIMER, G.POHLA-GUBO, R.HAMETNER, H.HINTNER AND J.W.BAUER

419 Urachal sinus presenting as periumbilical dermatitis
G.A.COX, I.CHAN, J.LLOYD, R.O.WITHEROW AND J.N.LEONARD

420 Ciclosporin improves quality of life in Kimura's disease
M.VOURC'H, S.BARBAROT AND J-F.STALDER

421 Treatment of lentigo maligna with topical 1% cidofovir
D.CALISTA

423 Serum tissue polypeptide antigen correlating with clinical course in a patient with mycosis fungoides: a potential disease marker?
S.C-S.HU, G-S.CHEN, C-S.WU AND C-C.E.LAN

425 On confusing prima facie validity with true validity
V.W.BERGER AND E.GEE

426 Lymphomatoid granulomatosis complicating other haematological malignancies
F.M.MULLER, S.LEWIS-JONES, S.MORLEY, N.KERNOHAN, D.MEIKLEJOHN, J.R.GOODLAD AND A.EVANS

Book review

429 *Photodermatology*. Henry W. Lim, Herbert Hönigsmann & John L.M. Hawk (editors). New York: Informa Healthcare, 2007
A.V.ANSTEY

430 **News and Notices**

431 **Corrigenda**

Volume 157, Number 3, September

Snippets
Research Snippets
Clinical Snippets

Review articles

433 The optimal use of bexarotene in cutaneous T-cell lymphoma
R.GNIADECKI, C.ASSAF, M.BAGOT, R.DUMMER, M.DUVIC, R.KNOBLER, A.RANKI, P.SCHWANDT AND S.WHITTAKER

441 On the role of the epidermal differentiation complex in ichthyosis vulgaris, atopic dermatitis and psoriasis
S.HOFFJAN AND S.STEMMLER

Original articles

Cutaneous biology

450 Selective biodegradation in hair shafts derived from archaeological, forensic and experimental contexts
A.S.WILSON, H.I.DODSON, R.C.JANAWAY, A.M.POLLARD AND D.J.TOBIN

458 Impaired cutaneous wound healing in granulocyte/macrophage colony-stimulating factor knockout mice
Y.FANG, S-J.GONG, Y-H.XU, B.D.HAMBLY AND S.BAO

Clinical and laboratory investigations

466 Serum chemokine profiles in patients with alopecia areata
Y.KUWANO, M.FUJIMOTO, R.WATANABE, N.ISHIURA, H.NAKASHIMA, Y.OHNO, S.YANO, N.YAZAWA, H.OKOCHI AND K.TAMAKI

474 Mite-related bacterial antigens stimulate inflammatory cells in rosacea
N.LACEY, S.DELANEY, K.KAVANAGH AND F.C.POWELL

482 Reverse transcriptase activity in human normal and psoriatic skin samples
J.-P.MOLÈS, A.TESNIERE AND J.-J.GUILHOU

487 The vulval vestibular mucosa—morphological effects of oral contraceptives and menstrual cycle
U.JOHANNESSON, B.BLOMGREN, M.HILLIGES, E.RYLANDER AND N.BOHM-STARKE

494 Topical application of acidified nitrite to the nail renders it antifungal and causes nitrosation of cysteine groups in the nail plate
M.J.FINNEN, A.HENNESSY, S.MCLEAN, Y.BISSET, R.MITCHELL, I.L.MEGSON AND R.WELLER

501 Molecular heterogeneity of familial porphyria cutanea tarda in Spain: characterization of 10 novel mutations in the *UROD* gene
M.MÉNDEZ, P.POBLETE-GUTIÉRREZ, M.GARCÍA-BRAVO, T.WIEDERHOLT, M.J.MORÁN-JIMÉNEZ, H.F.MERK, M.C.GARRIDO-ASTRAY, J.FRANK, A.FONTANELLAS AND R.ENRÍQUEZ DE SALAMANCA

508 The impact of changes in clinical severity on psychiatric morbidity in patients with psoriasis: a follow-up study
F.SAMPOGNA, S.TABOLLI, D. ABENI AND THE IDI MULTIPURPOSE PSORIASIS RESEARCH ON VITAL EXPERIENCES (IMPROVE) INVESTIGATORS

Contact dermatitis and allergy

514 Delayed-type hypersensitivity to low molecular weight heparins and heparinoids: cross-reactivity does not depend on molecular weight
R.H.GRIMS, W.WEGER, H.REITER, E.ARBAB, B.KRÄNKE AND W.ABERER

518 Occupational dermatitis related to chromium and cobalt: experience of dermatologists (EPIDERM) and occupational physicians (OPRA) in the U.K. over an 11-year period (1993–2004)
P.ATHAVALE, K.W.SHUM, Y.CHEN, R.AGIUS, N.CHERRY AND D.J.GAWKRODGER ON BEHALF OF EPIDERM

Dermatopathology

523 $p16^{ink4a}$ expression decreases during imiquimod treatment of anal intraepithelial neoplasia in human immunodeficiency virus-infected men and correlates with the decline of lesional high-risk human papillomavirus DNA load

A.KREUTER, U.WIELAND, T.GAMBICHLER, P.ALTMEYER, H.PFISTER, K.TENNER-RACZ, P.RACZ, A.POTTHOFF AND N.H. BROCKMEYER, FOR THE GERMAN NETWORK OF COMPETENCE HIV/AIDS

531 Evaluation of tumour-infiltrating CD4+CD25+FOXP3+ regulatory T cells in human cutaneous benign and atypical naevi, melanomas and melanoma metastases
V.MOURMOURAS, M.FIMIANI, P.RUBEGNI, M.C.EPISTOLATO, V.MALAGNINO, C.CARDONE, E.COSCI, M.C.DE NISI AND C.MIRACCO

Epidemiology and health services research

540 Association or lack of association between tetracycline class antibiotics used for acne vulgaris and lupus erythematosus
D.J.MARGOLIS, O.HOFFSTAD AND W.BILKER

547 Community-based study of acne vulgaris in adolescents in Singapore
H-H.TAN, A.W.H.TAN, T.BARKHAM, X-Y.YAN AND M.ZHU

552 Incidence of hand eczema in a population-based twin cohort: genetic and environmental risk factors
A.LERBAEK, K.O.KYVIK, H.RAVN, T.MENNÉ AND T.AGNER

Paediatric dermatology

558 Extensive venous/lymphatic malformations causing life-threatening haematological complications
J.MAZEREEUW-HAUTIER, S.SYED, R.I.LEISNER AND J.I.HARPER

Therapeutics

563 Intramuscular immunoglobulin for recalcitrant suppurative diseases of the skin: a retrospective review of 63 cases
B.GOO, H.J.CHUNG, W.G.CHUNG AND K.Y.CHUNG

569 Double-blind, randomized, placebo-controlled study of a lotion containing triethyl citrate and ethyl linoleate in the treatment of acne vulgaris
A.CHARAKIDA, M.CHARAKIDA AND A.C.CHU

Concise communications

575 Inhibition of tumour necrosis factor-α secretion from EpiDerm™ tissues by a novel small molecule, UTL-5d
J.SHAW, C.LIU, R.MARTIN, B.CHEN, R.HOLTZ, W-H.HUANG AND A-R.LEE

580 Frequency of allergic contact dermatitis to isoeugenol is increasing: a review of 3636 patients tested from 2001 to 2005
J.M.L.WHITE, I.R.WHITE, A.GLENDINNING, J.FLEMING, D.JEFFERIES, D.A.BASKETTER, J.P.MCFADDEN AND D.A.BUCKLEY

583 Increased lipopolysaccharide-induced tumour necrosis factor-α, interferon-γ and interleukin-10 production in atopic dermatitis
D.SIMON, L.R.BRAATHEN AND H-U.SIMON

587 Chronic hepatitis B reactivation: a word of caution regarding the use of systemic glucocorticosteroid therapy
C-H.YANG, T-S.WU AND C-T.CHIU

Case reports

591 Primary cutaneous marginal zone B-cell lymphoma in a patient with chronic lymphocytic leukaemia
E.ROBAK, D.JESIONEK-KUPNICKA, T.ROBAK, A.HOLUB, E.WAWRZYNIAK, J.BARTKOWIAK, A.BEDNAREK, M.CONSTANTINU AND H.URBANSKA-RYS

596 Oral steroid improves bullous pemphigoid-like clinical manifestations in non-Herlitz junctional epidermolysis bullosa with *COL17A1* mutation
E.MABUCHI, N.UMEGAKI, H.MUROTA, T.NAKAMURA, K.TAMAI AND I.KATAYAMA

599 Giant bathing trunk naevus with lymphadenopathy and unusual pathology
E.A.WEST, J.L.MCPARTLAND, H.RIGBY AND R.A.G.PARSLEW

Gene corner

602 New *KRT10* gene mutation underlying the annular variant of bullous congenital ichthyosiform erythroderma with clinical worsening during pregnancy
N.SHETH, D.GREENBLATT AND J.A.MCGRATH

605 Recurrent p.N767S mutation in the *ATP2A2* gene in a Japanese family with haemorrhagic Darier disease clinically mimicking epidermolysis bullosa simplex with mottled pigmentation
T.HAMADA, S.YASUMOTO, T.KARASHIMA, N.ISHII, H.SHIMADA, Y.KAWANO, S.IMAYAMA, J.A.MCGRATH AND T.HASHIMOTO

Correspondence

609 Neonatal follicular mucinosis
S.DALLE, K.MARROU, B.BALME AND L.THOMAS

610 Recessive dystrophic epidermolysis bullosa associated with dilated cardiomyopathy
S-W.OH, J.S.LEE, M.Y.KIM, J.Y.CHOI AND S-C.KIM

612 A case of milium-like syringoma with focal calcification in Down syndrome
S-H.SEO, C-K.OH, K-S.KWON AND M-B.KIM

614 Coccygeal polypoid eccrine naevus
S-W.OH, T-W.KANG, Y.C.KIM AND W.LEW

615 First case series on the use of calcipotriol–betamethasone dipropionate for morphoea
M.T.DYTOC, I.KOSSINTSEVA AND P.T.TING

618 Systemic sclerosis in association with peristomal pyoderma gangrenosum
M.FUJIKURA, T.OHTSUKA AND Y.OYAMADA

619 Actinic prurigo deterioration due to degradation of DermaGard® window film
A.C.KERR AND J.FERGUSON

620 Successful treatment of primary cutaneous follicle centre lymphoma with topical 5% imiquimod
A.STAVRAKOGLOU, V.L.BROWN AND I.COUTTS

622 Hydroxycarbamide: a treatment for lichen sclerosus?
N.TOMSON AND J.C.STERLING

622 Metastatic calcinosis cutis presenting as bilateral vulval cysts
A.BISWAS, J.COOPER AND B.LATIFAJ

624 Calcified subcutaneous nodules: a long-term complication of interferon beta-1a therapy
A.E.MACBETH, B.R.KENDALL, A.SMITH, G.SALDANHA AND K.E.HARMAN

625 Remission of photosensitivity following treatment of psoriasis vulgaris with tumour necrosis factor inhibitors
M.VIGUIER, M.JEANMOUGIN, E.BEGON, O.VEROLA, L.DUBERTRET AND H.BACHELEZ

627 Recalcitrant lithium-induced psoriasis in a suicidal patient alleviated by tumour necrosis factor-α inhibition
T.WACHTER, W.M.MURACH, E-B.BRÖCKER AND M.P.SCHÖN

629 Coexistence of two discordant B-cell lymphomas in the skin and lymph node: report of a case with primary cutaneous follicle-center lymphoma and nodal mantle-cell lymphoma
G.GOTERI, S.RUPOLI, D.STRAMAZZOTTI, G.DISCEPOLI, A.R.SCORTECHINI, A.GIACCHETTI, D.MORICHETTI, A.TASSETTI, S.PULINI, S.MULATTIERI, A.STRONATI AND P.LEONI

631 Cutaneous vasculitis and T-large granular lymphocyte leukaemia with parallel evolution
N.MEYER, J.DUFOUR, T.LAMY AND J.CHEVRANT-BRETON

633 **News and Notices**

634 **Errata**

Volume 157, Number 4, October

Snippets
Research Snippets
Clinical Snippets

Review articles

637 A systematic review of juvenile-onset clinically amyopathic dermatomyositis
P.GERAMI, H.W.WALLING, J.LEWIS, L.DOUGHTY AND R.D.SONTHEIMER

645 Practical issues on interpretation of scoring atopic dermatitis: the SCORAD index, objective SCORAD and the three-item severity score
A.P.ORANJE, E.J.GLAZENBURG, A.WOLKERSTORFER AND F.B.DE WAARD-VAN DER SPEK

Meeting report

649 Obesity in psoriasis: the metabolic, clinical and therapeutic implications. Report of an interdisciplinary conference and review
W.STERRY, B.E.STROBER AND A.MENTER ON BEHALF OF THE INTERNATIONAL PSORIASIS COUNCIL

Original articles

Cutaneous biology

656 Skin wound healing in the SKH-1 female mouse following inducible nitric oxide synthase inhibition
R.R.BELL, R.W.DUNSTAN AND N.K.KHAN

662 Histone deacetylase inhibitors preferentially augment transient transgene expression in human dermal fibroblasts
K.YASUKAWA, D.SAWAMURA, M.GOTO, H.NAKAMURA AND H.SHIMIZU

Clinical and laboratory investigations

670 Quantitative analysis of *Malassezia* in the scale of patients with psoriasis using a real-time polymerase chain reaction assay
Y.TAKAHATA, T.SUGITA, M.HIRUMA AND M.MUTO

674 Assessment of atopic eczema: clinical scoring and noninvasive measurements
E.A.HOLM, H.C.WULF, L.THOMASSEN AND G.B.E.JEMEC

681 Diagnosis of common dermatophyte infections by a novel multiplex real-time polymerase chain reaction detection/identification scheme
M.ARABATZIS, L.E.S.BRUIJNESTEIJN VAN COPPENRAET, E.J.KUIJPER, G.S.DE HOOG, A.P.M.LAVRIJSEN, K.TEMPLETON, E.M.H.VAN DER RAAIJ-HELMER, A.VELEGRAKI, Y.GRÄSER AND R.C.SUMMERBELL

690 Assessment of abnormal blood flow and efficacy of treatment in patients with systemic sclerosis using a newly developed microwireless laser Doppler flowmeter and arm-raising test
M.KIDO, S.TAKEUCHI, S.HAYASHIDA, K.URABE, R.SAWADA AND M.FURUE

698 Fast and sensitive detection of *Trichophyton rubrum* DNA from the nail samples of patients with onychomycosis by a double-round polymerase chain reaction-based assay
A.K.GUPTA, M.ZAMAN AND J.SINGH

704 Ceramide analogue 14S24 selectively recovers perturbed human skin barrier
K.VÁVROVÁ, A.HRABÁLEK, S.MAC-MARY, P.HUMBERT AND P.MURET

Contact dermatitis and allergy

713 The incidence of occupational skin disease as reported to The Health and Occupation Reporting (THOR) network between 2002 and 2005
S.TURNER, M.CARDER, M.VAN TONGEREN, R.MCNAMEE, S.LINES, L.HUSSEY, A.BOLTON, M.H.BECK, M.WILKINSON AND R.AGIUS

723 Nickel allergy: relationship between patch test and repeated open application test thresholds
L.A.FISCHER, J.D.JOHANSEN AND T.MENNÉ

730 High frequency of contact allergy to gold in patients with endovascular coronary stents
S.EKQVIST, C.SVEDMAN, H.MÖLLER, M.KEHLER, C.M.PRIPP, J.BJÖRK, B.GRUVBERGER, E.HOLMSTRÖM, C.G.GUSTAVSSON AND M.BRUZE

Dermatological surgery and lasers

739 Repeat liposuction-curettage treatment of axillary hyperhidrosis is safe and effective
F.G.BECHARA, M.SAND, N.S.TOMI, P.ALTMEYER AND K.HOFFMANN

744 The punch and graft technique: a novel method of surgical treatment for chondrodermatitis nodularis helicis
N.RAJAN AND J.A.A.LANGTRY

Dermatopathology

748 Pseudoxanthoma elasticum: biopsy of clinically normal skin in the investigation of patients with angioid streaks
S.J.BROWN, S.J.TALKS, S.J.NEEDHAM AND A.E.M.TAYLOR

752 The expression pattern of interferon-inducible proteins reflects the characteristic histological distribution of infiltrating immune cells in different cutaneous lupus erythematosus subsets
J.WENZEL, S.ZAHN, S.MIKUS, A.WIECHERT, T.BIEBER AND T.TÜTING

758 A retrospective study addressed to understanding what predicts severe histological dysplasia/early melanoma in excised atypical melanocytic lesions
R.M.STRAUSS, F.ELLIOTT, P.AFFLECK, A.P.BOON AND J.A.NEWTON-BISHOP

Epidemiology and health services research

765 A scoring system for mucosal disease severity with special reference to oral lichen planus
M.ESCUDIER, N.AHMED, P.SHIRLAW, J.SETTERFIELD, A.TAPPUNI, M.M.BLACK AND S.J.CHALLACOMBE

Concise communications

771 Functional redundancy of extracellular matrix protein 1 in epidermal differentiation
S.SERCU, Y.POUMAY, F.HERPHELIN, J.LIEKENS, L.BEEK, A.ZWIJSEN, V.WESSAGOWIT, D.HUYLEBROECK, J.A.MCGRATH AND J.MERREGAERT

776 Paradoxical effects of β-estradiol on epidermal permeability barrier homeostasis
M.TSUTSUMI AND M.DENDA

780 C16 laminin peptide increases angiotropic extravascular migration of human melanoma cells in a shell-less chick chorioallantoic membrane assay
C.LUGASSY, H.K.KLEINMAN, S.E.VERNON, D.R.WELCH AND R.L.BARNHILL

Case reports

783 Nephrogenic systemic fibrosis: a case series suggesting gadolinium as a possible aetiological factor
J.A.MORENO-ROMERO, S.SEGURA, J.M.MASCARÓ JR, S.E.COWPER, M.JULIÀ, E.POCH, A.BOTEY AND C.HERRERO

788 Human papillomavirus type 26 infection causing multiple invasive squamous cell carcinomas of the fingernails in an AIDS patient under highly active antiretroviral therapy

A.HANDISURYA, A.RIEGER, A.BANKIER, A.KOLLER, A.SALAT, G.STINGL AND R.KIRNBAUER

795 Flexural allergic contact dermatitis to benzalkonium chloride in antiseptic bath oil
S.HANN, T.M.HUGHES AND N.M.STONE

Correspondence

799 Bortezomib-associated cutaneous vasculitis
X.GARCIA-NAVARRO, L.PUIG, M.T.FERNÁNDEZ-FIGUERAS, J.DALMAU, E.ROE AND A.ALOMAR

801 The Wnt signalling ligand RSPO4, causing inherited anonychia, is not mutated in a patient with congenital nail hypoplasia/aplasia with underlying skeletal defects
C.S.SEITZ, M.VAN STEENSEL, J.FRANK, J.SENDEREK, K.ZERRES, H.HAMM AND C.BERGMANN

803 Increasing the dose of cetirizine may lead to better control of chronic idiopathic urticaria: an open study of 21 patients
Y.KAMEYOSHI, T.TANAKA, S.MIHARA, S.TAKAHAGI, N.NIIMI AND M.HIDE

804 Circumscribed palmar hypokeratosis: partial remission by photodynamic therapy
S.BENOIT, C.S.SEITZ, H.HAMM, C.S.VETTER-KAUCZOK AND E-B.BRÖCKER

806 Primary essential cutis verticis gyrata with hyaluronic acid deposition
M.NISHIKAWA, M.TANIOKA, E.ARAKI, T.YAMAMOTO, T.SAKURAI, Y.MIYACHI AND A.UTANI

808 Transglutaminase 1 deficiency and corneocyte collapse: an indication for targeted molecular screening in autosomal recessive congenital ichthyosis
G.ESPOSITO, G.TADINI, F.PAPARO, A.VIOLA, L.IENO, W.PENNACCHIA, F.MESSINA, L.GIORDANO, A.PICCIRILLO AND L.AURICCHIO

810 Photodynamic therapy of acne using methyl aminolaevulinate diluted to 4% together with low doses of red light
L.MAVILIA, G.MALARA, G.MORETTI, M.LO RE AND A.P.GUERRA

811 Postkala-azar dermal leishmaniasis coexisting with borderline tuberculoid leprosy
S.BANSAL, A.GOEL, K.SARDANA, V.KUMAR AND N.KHURANA

813 Lip verrucous carcinoma in a pregnant woman successfully treated with carbon dioxide laser surgery
C.K.HSU, J.Y.Y.LEE, C.H.YU, M.M.L.HSU AND T.W.WONG

815 Central nervous system involvement in stage 1b mycosis fungoides
A.LALLY, K.HOLLOWOOD, S.WHITTAKER AND R.TURNER

816 'Turkey ear': a diagnosis or a physical sign?
C.WILLIAMS, A.MITRA AND S.WALTON

818 A novel mutation of CYLD in a Chinese family with multiple familial trichoepithelioma and no CYLD protein expression in the tumour tissue
Y-G.ZUO, Y.XU, B.WANG, Y-H.LIU, T.QU, K.FANG AND M.G.HO

821 Impact of a public service advertisement about onychomycosis on the health behaviour of the Greek population with nail disorders
S.GREGORIOU, D.KALOGEROMITROS, G.LARIOS, M.MAKRIS AND D.RIGOPOULOS

822 Photodistributed eruptive telangiectasia: an uncommon adverse drug reaction to venlafaxine
M.VACCARO, F.BORGIA, O.BARBUZZA AND B.GUARNERI

824 An outbreak of creeping eruption in southern France
P.DEL GIUDICE, E.CAUMES, C.BOISSY, F.LEDUFF, P.DELAUNAY, V.BLANC-AMRANE, S.L.GOFF-LEVAN, P.MARTY, Y.LE FICHOUX AND E.COUNILLON

825 A salutary case of Fumaderm® potentially masking the symptoms of bowel cancer and partial bowel obstruction
S.Y.NG AND J.WILKINSON

826 Rapid onset of multifocal human papillomavirus 72-associated oral intraepithelial neoplasia in a human immunodeficiency virus-infected patient
A.KREUTER, N.H.BROCKMEYER, P.ALTMEYER, H.PFISTER AND U.WIELAND FOR THE GERMAN COMPETENCE NETWORK HIV/AIDS

828 Infliximab, as sole or combined therapy, induces rapid clearing of erythrodermic psoriasis
M.D.F.TAKAHASHI, L.G.M.CASTRO AND R.ROMITI

831 Novel homozygous nonsense *TMC8* mutation detected in patients with epidermodysplasia verruciformis from a Brazilian family
P.L.RADY, W.R.P.DE OLIVEIRA, Q.HE, C.FESTA, E.A.RIVITTI, S.B.TUCKER AND S.K.TYRING

833 Giant genital variant of folliculosebaceous cystic hamartoma: successful management by CO_2 laser and acitretin therapy
J-J.BRÜCHER, I.FRANKE, J.ULRICH, H.GOLLNICK AND M.LEVERKUS

835 Cold urticaria: tolerance induction with cold baths
Y.A.VON MACKENSEN AND M.STICHERLING

836 Aplasia cutis associated with coarctation of the aorta: could this be an incomplete form of Adams–Oliver syndrome?
C.HERAS MULERO, R.BARTRALOT SOLER, L.RODRÍGUEZ-CANO, J.MOLLET SÁNCHEZ, L.PALACIO ALLER, G.APARICIO ESPAÑOL, D.BODET CASTILLO, P.BASSAS FREIXAS AND V.GARCÍA-PATOS

838 Plexiform schwannoma mimicking haemangioma: pitfalls in clinical diagnosis and histological interpretation
S.I.O, P.HOW AND A.L.M.MOSS

839 Idiopathic eruptive macular pigmentation in a 7-year-old girl: case report and discussion of differences from erythema dyschromicum perstans
A.VOLZ, D.METZE, M.BÖHM, L.BRUCKNER-TUDERMAN AND D.NASHAN

841 Acute cutaneous T-cell lymphoma transformation during treatment with alemtuzumab
S.FAGUER, F.LAUNAY, L.YSEBAERT, C.MAILHOL, O.ESTINES-CHARTIER, L.LAMANT AND C.PAUL

842 Recurrence of classical juvenile pityriasis rubra pilaris in adulthood: report of a case
J-B.HONG, H-C.CHIU, S-H.WANG AND T-F.TSAI

844 **News and Notices**

Volume 157, Number 5, November

Snippets
Research Snippets
Clinical Snippets

Editorials

847 The role of self-tests in the diagnosis of hair dye allergy
J.M.L.WHITE AND I.R.WHITE

849 'Benchside-to-bedside'
H.TSAO AND J.ENGLISH

Review articles

850 Psoriasis and psoriatic arthritis: separate or one and the same?
D.H.CIOCON AND A.B.KIMBALL

861 The safety of tacrolimus ointment for the treatment of atopic dermatitis: a review
M.H.A.RUSTIN

Original articles

From bench to bedside

874 Photoageing: mechanism, prevention and therapy
M.YAAR AND B.A.GILCHREST

Cutaneous biology

888 Potassium channel openers accelerate epidermal barrier recovery
M.DENDA, M.TSUTSUMI, K.INOUE, D.CRUMRINE, K.R.FEINGOLD AND P.M.ELIAS

Clinical and laboratory investigations

894 Nail thickness measurements using optical coherence tomography and 20-MHz ultrasonography
M.MOGENSEN, J.B.THOMSEN, L.T.SKOVGAARD AND G.B.E.JEMEC

901 Clinical features and natural course of Behçet's disease in 661 cases: a multicentre study
E.ALPSOY, L.DONMEZ, M.ONDER, S.GUNASTI, A.USTA, Y.KARINCAOGLU, B.KANDI, S.BUYUKKARA, O.KESEROGLU, S.UZUN, U.TURSEN, M.SEYHAN AND A.AKMAN

907 The significance of multiple blue-grey dots (granularity) for the dermoscopic diagnosis of melanoma
R.P.BRAUN, O.GAIDE, M.OLIVIERO, A.W.KOPF, L.E.FRENCH, J-H.SAURAT AND H.S.RABINOVITZ

914 Abnormal activator protein 1 transcription factor expression in CD30-positive cutaneous large-cell lymphomas
X.MAO, G.ORCHARD, R.RUSSELL-JONES AND S.WHITTAKER

922 Pathophysiology of nocturnal scratching in childhood atopic dermatitis: the role of brain-derived neurotrophic factor and substance P
K-L.E.HON, M-C.A.LAM, K-Y.WONG, T-F.LEUNG AND P-C.NG

926 Can automated dermoscopy image analysis instruments provide added benefit for the dermatologist? A study comparing the results of three systems
A.PERRINAUD, O.GAIDE, L.E.FRENCH, J-H.SAURAT, A.A.MARGHOOB AND R.P.BRAUN

934 Association of human herpesvirus 6 reactivation with the flaring and severity of drug-induced hypersensitivity syndrome
M.TOHYAMA, K.HASHIMOTO, M.YASUKAWA, H.KIMURA, T.HORIKAWA, K.NAKAJIMA, Y.URANO, K.MATSUMOTO, M.IIJIMA AND N.H.SHEAR

941 Pityriasis lichenoides: the differences between children and adults
S.WAHIE, E.HISCUTT, S.NATARAJAN AND A.TAYLOR

946 Differentiation of tumour-stage mycosis fungoides, psoriasis vulgaris and normal controls in a pilot study using serum proteomic analysis
E.W.COWEN, C-W.LIU, S.M.STEINBERG, S.KANG, E.C.VONDERHEID, H.S.KWAK, S.BOOHER, E.F.PETRICOIN, L.A.LIOTTA, G.WHITELEY AND S.T.HWANG

954 A randomized controlled trial of pimecrolimus cream 1% in adolescents and adults with head and neck atopic dermatitis and intolerant of, or dependent on, topical corticosteroids
D.F.MURRELL, S.CALVIERI, J.P.ORTONNE, V.C.HO, S.WEISE-RICCARDI, N.BARBIER AND C.F.PAUL

960 T-cell receptor repertoire in pyoderma gangrenosum: evidence for clonal expansions and trafficking
T.N.BROOKLYN, A.M.WILLIAMS, M.G.S.DUNNILL AND C.S.PROBERT

Contact dermatitis and allergy

967 Steroid allergy in patients with inflammatory bowel disease
M.MALIK, A.-M.TOBIN, F.SHANAHAN, C.O'MORAIN, B.KIRBY AND J.BOURKE

Dermatopathology

970 Matrix metalloproteinases as mediators of tissue injury in different forms of cutaneous lupus erythematosus
T.M.JÄRVINEN, P.KANNINEN, L.JESKANEN, S.KOSKENMIES, J.PANELIUS, T.HASAN, A.RANKI AND U.SAARIALHO-KERE

Epidemiology and health services research

981 Hairdressing and the prevalence of scalp disease in African adults
N.P.KHUMALO, S.JESSOP, F.GUMEDZE AND R.EHRLICH

989 Risk factors for acute generalized exanthematous pustulosis (AGEP)—results of a multinational case–control study (EuroSCAR)
A.SIDOROFF, A.DUNANT, C.VIBOUD, S.HALEVY, J.N.BOUWES BAVINCK, L.NALDI, M.MOCKENHAUPT, J-P.FAGOT AND J-C.ROUJEAU

997 The clinical effect of topical phenytoin on wound healing: a systematic review
J.SHAW, C.M.HUGHES, K.M.LAGAN AND P.M.BELL

Therapeutics

1005 Comparison of cutaneous tolerance and efficacy of calcitriol 3 $\mu g\ g^{-1}$ ointment and tacrolimus 0·3 $mg\ g^{-1}$ ointment in chronic plaque psoriasis involving facial or genitofemoral areas: a double-blind, randomized controlled trial
Y.H.LIAO, H.C.CHIU, Y.S.TSENG AND T.F.TSAI

Concise communications

1013 The 'follicular trochanter': an epithelial compartment of the human hair follicle bulge region in need of further characterization
S.TIEDE, J.E.KLOEPPER, D.A.WHITING AND R.PAUS

1017 A clinical assessment of a patch test kit marketed to U.K. hairdressers for detecting hair dye allergy
D.I.ORTON

1021 Missense mutation in exon 7 of TRPS1 gene in an Italian family with a mild form of trichorhinophalangeal syndrome type I
A.ROSSI, V.DEVIRGILIIS, V.PANASITI, R.G.BORRONI, M.CARLESIMO, M.GENTILE, F.CARIOLA AND S.CALVIERI

Case reports

1025 Chromoblastomycosis caused by *Chaetomium funicola*: a case report from Western Panama
M.PIEPENBRING, O.A.CÁCERES MENDEZ, A.A.ESPINO ESPINOZA, R.KIRSCHNER AND H.SCHOFER

1030 Late presentation of erythropoietic protoporphyria: case report and genetic analysis of family members
L.BERROETA, I.MAN, D.R.GOUDIE, S.D.WHATLEY, G.H.ELDER AND S.H.IBBOTSON

1032 Post-kala-azar dermal leishmaniasis as an immune reconstitution inflammatory syndrome in a patient with acquired immune deficiency syndrome
S.ANTINORI, E.LONGHI, G.BESTETTI, R.PIOLINI, V.ACQUAVIVA, A.FOSCHI, S.TROVATI, C.PARRAVICINI, M.CORBELLINO AND L.MERONI

Gene corner

1037 A novel point mutation in the gene encoding capillary morphogenesis protein 2 in a Japanese patient with juvenile hyaline fibromatosis
A.HATAMOCHI, T.SASAKI, T.KAWAGUCHI, H.SUZUKI AND S.YAMAZAKI

Correspondence

1040 A pilot open trial evaluating the efficacy of low-dose aminopterin in the canine homologue of human atopic dermatitis

T.OLIVRY, J.S.PAPS, P.BIZIKOVA, K.M.MURPHY, H.A.JACKSON AND J.ZEBALA

1042 Cutaneous pseudolymphoma in association with *Leishmania donovani*
M.J.FLAIG AND R.A.RUPEC

1044 Erythema annulare centrifugum associated with chronic lymphocytic leukaemia
I.HELBLING, R.WALEWSKA, M.J.S.DYER, M.BAMFORD AND K.E.HARMAN

1045 Erythema annulare centrifugum revealing chronic lymphocytic leukaemia
J.STOKKERMANS-DUBOIS, M.BEYLOT-BARRY, B.VERGIER, K.BOUABDALLAH AND M.S.DOUTRE

1047 Admissions to a U.K. teaching hospital with nonnecrotizing lower limb cellulitis show a marked seasonal variation
S.F.HAYDOCK, S.BORNSHIN, E.C.WALL AND R.M.CONNICK

1048 Designing a validated patient information website: a quality-controlled information portal illustrated by skin cancer
M.S.LLOYD, A.CLARK, A.PARIKH AND P.BUTLER

1050 Multidisciplinary evaluation of patients with psoriasis presenting with musculoskeletal pain: a dermatology: rheumatology clinic experience
E.MODY, M.E.HUSNI, P.SCHUR AND A.A.QURESHI

1051 Therapeutic effect of lipoprostaglandin E_1 on livedoid vasculitis associated with essential cryoglobulinaemia
T.KAWAKAMI, K.KAWASAKI, M.MIZOGUCHI AND Y.SOMA

1053 Epidermal cell necrosis with direct epidermal infiltration of Epstein–Barr virus (EBV)-encoded small nuclear RNA-positive T lymphocytes in a patient with EBV-associated haemophagocytic syndrome
Y.KAWACHI, M.ITOH, Y.FUJISAWA, J.FURUTA, Y.NAKAMURA, T.BANNO, T.TAKAHASHI AND F.OTSUKA

1056 Severe linear form of granuloma annulare along Blaschko's lines preceding the onset of a classical form of granuloma annulare in a child
F.MORICE-PICARD, F.BORALEVI, S.LEPREUX, C.LABRÈZE, D.LACOMBE AND A.TAÏEB

1058 Arndt–Gottron scleromyxoedema: successful therapy with intravenous immunoglobulins
P.GHOLAM, M.HARTMANN AND A.ENK

1060 Concordant lymphoma of cutaneous anaplastic large cell lymphoma and systemic B-cell leukaemia
H.SATO, Y.NAKAMURA, T.TAKAHASHI AND F.OTSUKA

1061 Radiation recall dermatitis in a patient affected with pheochromocytoma after treatment with lanreotide
A.BAUZÁ, L.J.DEL POZO, J.ESCALAS AND F.MESTRE

1063 Sock-line bands in infancy
D.R.BERK AND S.J.BAYLISS

1064 CD8+ poikilodermatous mycosis fungoides with a nonaggressive clinical behaviour and a good response to psoralen plus ultraviolet A treatment
S.ADA AND A.TÜLIN GÜLEÇ

1067 Disseminated cryptococcal infection in a patient with severe psoriasis treated with efalizumab, methotrexate and ciclosporin
A.J.TUXEN, M.K.YONG, A.C.STREET AND C.DOLIANITIS

1068 PTPN22 R620W polymorphism is not associated with pemphigus
K.MEJRI, M.KALLEL- SELLAMI, E.PETIT-TEIXEIRA, O.ABIDA, H.MBAREK, M.ZITOUNI, M.BEN AYED, V.H.TEIXEIRA, M.MOKNI, B.FAZZA, H.TURKI, F.TRON, D.GILBERT, H.MASMOUDI, F.CORNELIS AND S.MAKNI

1070 'Smoker's acne': a new clinical entity?
B.CAPITANIO, J.L.SINAGRA, M.OTTAVIANI, V.BORDIGNON, A.AMANTEA AND M.PICARDO

1071 Topical imiquimod in the treatment of a long-standing capillary malformation
D.J.KOUBA, D.YIP, E.F.FINCHER AND R.L.MOY

1073 Acrodermatitis continua of Hallopeau due to oral terbinafine
F.NISHIWAKI, Y.MATSUMURA, N.MORITA, S.KORE-EDA, Y.MIYACHI AND M.OMOTO

1074 Extensive skin pigmentation caused by deposits of metallic particles following total elbow arthroplasty: metallosis or not?
A.ASAHINA, H.FUJITA, S.FUKUDA, H.KAI, M.YAMAMOTO, N.HATTORI AND T.MORI

1076 The rapid onset of multiple squamous cell carcinomas during etanercept treatment for psoriasis
L.LY AND D.CZARNECKI

1078 A case of do-it-yourself Mohs' surgery using bloodroot obtained from the internet
A.G.AFFLECK AND S.VARMA

1079 Male genital lichen sclerosus and tacrolimus
C.B.BUNKER

1080 The 'handprint' approximates to 1% of the total body surface area whereas the 'palm minus the fingers' does not
C.L.THOMAS AND A.Y.FINLAY

1081 Resistance to hydroxychloroquine due to smoking in a patient with lupus erythematosus tumidus
R.HÜGEL, T.SCHWARZ AND R.GLÄSER

1083 **News and Notices**

Volume 157, Number 6, December

Snippets
Research Snippets
Clinical Snippets

Topical review

1087 Paraneoplastic hypertrichosis lanuginosa acquisita: uncommon or overlooked?
P.H.T.J.SLEE, R.I.F.VAN DER WAAL, J.H.SCHAGEN VAN LEEUWEN, R.A.TUPKER, R.TIMMER, C.A.SELDENRIJK AND M.A.M.VAN STEENSEL

Review articles

1093 The relationships between exposure dose and response in induction and elicitation of contact hypersensitivity in humans
P.S.FRIEDMANN

1103 Psoriasis: evolution of pathogenic concepts and new therapies through phases of translational research
E.GUTTMAN-YASSKY AND J.G.KRUEGER

Guidelines

1116 Guidelines for evaluation and management of urticaria in adults and children
C.E.H.GRATTAN AND F.HUMPHREYS ON BEHALF OF THE BRITISH ASSOCIATION OF DERMATOLOGISTS THERAPY GUIDELINES AND AUDITSUBCOMMITTEE

Orginal articles

Cutaneous biology

1124 Cathelicidin LL-37 induces the generation of reactive oxygen species and release of human α-defensins from neutrophils
Y.ZHENG, F.NIYONSABA, H.USHIO, I.NAGAOKA, S.IKEDA, K.OKUMURA AND H.OGAWA

1132 Microarray analysis of aberrant gene expression in actinic keratosis: effect of the Toll-like receptor-7 agonist imiquimod
A.TORRES, L.STOREY, M.ANDERS, R.L.MILLER, B.J.BULBULIAN, J.JIN, S.RAGHAVAN, J.LEE, H.B.SLADE AND W.BIRMACHU

1148 Biphasic expression of stromal cell-derived factor-1 during human wound healing
A.TOKSOY, V.MÜLLER, R.GILLITZER AND M.GOEBELER

Clinical and laboratory investigations

1155 CTACK/CCL27 expression in psoriatic skin and its modification after administration of etanercept
A.CAMPANATI, G.GOTERI, O.SIMONETTI, G.GANZETTI, K.GIULIODORI, D.STRAMAZZOTTI, D.MORICHETTI, M.L.BERNARDINI, B.MANNELLO, G.FABRIS AND A.OFFIDANI

1161 Prevalence of *Staphylococcus aureus* toxins and nasal carriage in furuncles and impetigo
F.DURUPT, L.MAYOR, M.BES, M-E.REVERDY, F.VANDENESCH, L.THOMAS AND J.ETIENNE

1168 Increased nuclear β-catenin in suprabasal involved psoriatic epidermis
P.J.HAMPTON, O.K.ROSS AND N.J.REYNOLDS

1178 Cutaneous *Malassezia* flora in atopic dermatitis differs between adults and children
Y.TAKAHATA, T.SUGITA, H.KATO, A.NISHIKAWA, M.HIRUMA AND M.MUTO

1183 Reduction of immunosuppression for transplant-associated skin cancer: thresholds and risks
C.C.OTLEY, M.D.GRIFFIN, M.R.CHARLTON, B.S.EDWARDS, M.NEUBURG AND T.STASKO FOR THE REDUCTION OF IMMUNOSUPPRESSION TASK FORCE OF THE INTERNATIONAL TRANSPLANT SKIN CANCER COLLABORATIVE

1189 Morphoea: a manifestation of infection with *Borrelia* species?
K.EISENDLE, T.GRABNER AND B.ZELGER

Contact dermatitis and allergy

1199 Filaggrin null alleles are not associated with hand eczema or contact allergy
A.LERBAEK, H.BISGAARD, T.AGNER, K.OHM KYVIK, C.N.A.PALMER AND T.MENNÉ

Dermatopathology

1205 The applicability and prognostic value of the new TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and Sézary syndrome: results on a large cohort of primary cutaneous B-cell lymphomas and comparison with the system used by the Dutch Cutaneous Lymphoma Group
N.J.SENFF AND R.WILLEMZE

1212 Involvement of E-cadherin, β-catenin, Cdc42 and CXCR4 in the progression and prognosis of cutaneous melanoma
M.G.TUCCI, G.LUCARINI, D.BRANCORSINI, A.ZIZZI, A.PUGNALONI, A.GIACCHETTI, G.RICOTTI AND G.BIAGINI

Epidemiology and health services research

1217 Environmental factors, parental atopy and atopic eczema in primary-school children: a cross-sectional study in Taiwan
Y-L.LEE, C-W.LI, F-C.SUNG, H-S.YU, H-M.SHEU AND Y.L.GUO

Paediatric dermatology

1225 Novel EBP gene mutations in Conradi–Hünermann–Happle syndrome
P.M.STEIJLEN, M.VAN GEEL, M.VREEBURG, D.MARCUS-SOEKARMAN, L.J.M.SPAAPEN, F.C.M.CASTELIJNS, M.WILLEMSEN AND M.A.M.VAN STEENSEL

Photobiology

1230 Melanocortin 1 receptor (MC1R) genotype influences erythemal sensitivity to psoralen–ultraviolet A photochemotherapy
G.SMITH, M.J.V.WILKIE, Y.Y.DEENI, P.M.FARR, J.FERGUSON, C.R.WOLF AND S.H.IBBOTSON

Therapeutics

1235 Treatment of pyoderma gangrenosum with intravenous immunoglobulin
D.L.CUMMINS, G.J.ANHALT, T.MONAHAN AND J.H.MEYERLE

1240 Isotretinoin therapy and the incidence of acne relapse: a nested case–control study
L.AZOULAY, D.ORAICHI AND A.BÉRARD

Concise communication

1249 Psoriasis patients show signs of insulin resistance
S.BOEHNCKE, D.THACI, H.BESCHMANN, R.J.LUDWIG, H.ACKERMANN, K.BADENHOOP AND W-H.BOEHNCKE

Case reports

1252 Unusual molecular findings in Kindler syndrome
K.ARITA, V.WESSAGOWIT, A.C.INAMADAR, A.PALIT, H.FASSIHI, J.E.LAI-CHEONG, C.POURREYRON, A.P.SOUTH AND J.A.MCGRATH

1257 A sporadic case of early-onset sarcoidosis resembling Blau syndrome due to the recurrent R334W missense mutation on the *NOD2* gene
P.COTO-SEGURA, S.MALLO-GARCIA, M.COSTA-ROMERO, J.I.AROSTEGUI, J.YAGUE, E.RAMOS-POLO AND J.SANTOS-JUANES

Gene corner

1260 *COL7A1* mutational analysis in Korean patients with dystrophic epidermolysis bullosa
S-W.OH, J.S.LEE, M.Y.KIM AND S-C.KIM

1265 A novel homozygous mutation of the *EVER1/TMC6* gene in a Japanese patient with epidermodysplasia verruciformis
S.AOCHI, G.NAKANISHI, N.SUZUKI, N.SETSU, D.SUZUKI, K.AYA AND K.IWATSUKI

Correspondence

1267 A case of primary anetoderma in an infant
H-J.YU, H.SHIN, M-S.KANG AND J-S.KIM

1269 Successful treatment of severe psoriatic natal cleft fissuring with tissue adhesive
V.H.SMITH AND S.K.JONES

1270 Recovery from Sézary syndrome following *Mycobacterium avium* spondylitis
A.YAMADA, O.YAMASAKI, K.ASAGOE, K.TSUJI, T.HAMADA, Y.OTA AND K.IWATSUKI

1271 Late-onset neutropenia following rituximab treatment in patients with autoimmune diseases
R.RIOS-FERNÁNDEZ, M.T.GUTIERREZ-SALMERÓN, J-L.CALLEJAS-RUBIO, M.FERNÁNDEZ-PUGNAIRE AND N.ORTEGO-CENTENO

1273 Hypertriglyceridaemia during treatment with adalimumab in psoriatic arthritis
G.STINCO, F.PICCIRILLO AND P.PATRONE

1274 Adalimumab for treatment of pyoderma gangrenosum
R.G.POMERANTZ, M.E.HUSNI, E.MODY AND A.A.QURESHI

1275 Effects of etanercept therapy on fatigue and symptoms of depression in subjects treated for moderate to severe plaque psoriasis for up to 96 weeks
R.KRISHNAN, D.CELLA, C.LEONARDI, K.PAPP, A.B.GOTTLIEB, M.DUNN, C.F.CHIOU, V.PATEL AND A.JAHREIS

1277 Cutaneous Langerhans cell histiocytosis in an elderly man successfully treated with narrowband ultraviolet B
S.IMAFUKU, S.SHIBATA, A.TASHIRO AND M.FURUE

1279 Pyoderma gangrenosum and interleukin 8
M.OKA

1281 Recurrent KIND1 (C20orf42) gene mutation, c.676insC, in a Brazilian pedigree with Kindler syndrome
B.C.F.MARTIGNAGO, J. E.LAI-CHEONG, L.LIU, J.A.MCGRATH AND T.F.CESTARI

1284 Transient macular erythema with eosinophilia in a patient carrying the *FIP1L1-PDGFRA* fusion gene
H.YAHARA, T.SATOH, T.HASHIMOTO AND H.YOKOZEKI

1287 A case of milia en plaque successfully treated with oral etretinate
N.ISHIURA, M.KOMINE, T.KADONO, K.KIKUCHI AND K.TAMAKI

1289 Limited cutaneous systemic sclerosis associated with discoid lupus erythematosus in two Japanese patients with anticentromere antibodies
T.KAWAKAMI, K.KAWASAKI AND Y.SOMA

1291 Coexistence of primary cutaneous anaplastic large cell lymphoma and mycosis fungoides in a patient with B-cell chronic lymphocytic leukaemia
M.MARSCHALKÓ, J.CSOMOR, N.ERŐS, Á.SZIGETI, J.HÁRSING, J.SZAKONYI, M.DÉSAKNAI, A.MATOLCSY, J.DEMETER AND S.KÁRPÁTI

1293 Usefulness of the QuantiFERON® test in the confirmation of latent tuberculosis in association with erythema induratum
J.ANGUS, C.ROBERTS, K.KULKARNI, I.LEACH AND R.MURPHY

1294 Respiratory involvement in toxic epidermal necrolysis portends a poor prognosis that may not be reflected in SCORTEN
J.S.HAGUE, J.M.R.GOULDING, T.M.W.LONG AND B.C.GEE

1296 Hydroxyzine-induced acute generalized exanthematous pustulosis
Y-S.TSAI, M-E.TU, Y-H.WU AND Y-C.LIN

1297 Malignant melanoma in a woman with LEOPARD syndrome: identification of a germline PTPN11 mutation and a somatic BRAF mutation
M.SEISHIMA, Y.MIZUTANI, Y.SHIBUYA, C.ARAKAWA, R.YOSHIDA AND T.OGATA

1299 Anonychia, hyponychia and spontaneous amputation of the distal phalanges as a consequence of ischaemic necrosis of the extremities after umbilical catheterization
I.NERI, F.SAVOIA, F.GIACOMINI AND A.PATRIZI

1301 Basal cell carcinomas of the inner canthus: incidence of incomplete excision according to topographical localization of tumours
F.BORIANI AND F.MARCONI

1303 **News and Notices**

1304 **Corrigenda**

1304 **Erratum**

1305 **Author Index**

1324 **Subject Index**